


TENNESSEE

2011 Land Line and Cell Phone Codebook Report

Behavioral Risk Factor Surveillance System

July 26, 2012



Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

State FIPS Code

Section: 0.1 Record Identification

Type: Num

Column: 1-2

SAS Variable Name: _STATE

Prologue:

Description: State FIPS Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
47	Tennessee	5,914	100.00	100.00

Geographic Stratum Code

Section: 0.2 Record Identification

Type: Num

Column: 3-4

SAS Variable Name: _GEOSTR

Prologue:

Description: Geographic Stratum Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Household Density Stratum Code

Section: 0.3 Record Identification

Type: Num

Column: 5

SAS Variable Name: _DENSTR2

Prologue:

Description: Household Density Stratum Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Listed	4,998	84.51	58.50
2	Unlisted	743	12.56	13.60
9	Not Applicable	173	2.93	27.90

Pre-Call Status Code

Section: 0.4 Record Identification

Type: Num

Column: 6

SAS Variable Name: PRECALL

Prologue:

Description: Pre-Call Status Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	To be called	5,881	99.44	98.82
3	Pre-screened as non-working number	22	0.37	0.34
4	cell phone - PRO-T-S	8	0.14	0.82
5	Pre-screened as business number	3	0.05	0.02

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Replicate Number

Section: 0.5 Record Identification

Type: Num

Column: 7-12

SAS Variable Name: REPNUM

Prologue:

Description: Replicate Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Replicate Depth

Section: 0.6 Record Identification

Type: Num

Column: 13-14

SAS Variable Name: REPDEPTH

Prologue:

Description: Replicate Depth

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

File Month

Section: 0.7 Record Identification

Type: Num

Column: 15-16

SAS Variable Name: FMONTH

Prologue:

Description: File Month

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	545	9.22	8.41
2	February	499	8.44	7.10
3	March	541	9.15	7.41
4	April	480	8.12	6.92
5	May	495	8.37	6.93
6	June	460	7.78	6.48
7	July	429	7.25	7.18
8	August	464	7.85	7.72
9	September	528	8.93	7.31
10	October	482	8.15	8.40
11	November	547	9.25	14.05
12	December	444	7.51	12.09

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Interview Date

Section: 0.8 Record Identification

Type: Char

Column: 17-24

SAS Variable Name: IDATE

Prologue:

Description: Interview Date

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Interview Month

Section: 0.9 Record Identification

Type: Char

Column: 17-18

SAS Variable Name: IMONTH

Prologue:

Description: Interview Month

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	541	9.15	7.91
2	February	500	8.45	7.30
3	March	540	9.13	7.17
4	April	480	8.12	6.74
5	May	499	8.44	7.75
6	June	460	7.78	6.48
7	July	427	7.22	6.89
8	August	465	7.86	7.81
9	September	528	8.93	7.41
10	October	482	8.15	8.32
11	November	545	9.22	13.72
12	December	447	7.56	12.50

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Interview Day

Section: 0.10 Record Identification

Type: Char

Column: 19-20

SAS Variable Name: IDAY

Prologue:

Description: Interview Day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Interview Day	1	0.02	0.15
2		2	0.03	0.21
3		36	0.61	0.64
4		101	1.71	1.62
5		121	2.05	2.97
6		156	2.64	4.90
7		350	5.92	6.35
8		419	7.08	5.70
9		446	7.54	5.56
10		392	6.63	7.31
11		324	5.48	5.14
12		467	7.90	6.64
13		457	7.73	6.35
14		438	7.41	6.58
15		384	6.49	6.27
16		295	4.99	5.67
17		297	5.02	4.91
18		257	4.35	4.37
19		213	3.60	2.77
20		197	3.33	3.65
21		115	1.94	1.95
22		131	2.22	2.77
23		111	1.88	1.75
24		82	1.39	1.28
25		84	1.42	2.11
26		20	0.34	0.78
27		11	0.19	0.44
29		3	0.05	0.53
31		4	0.07	0.64

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Interview Year

Section: 0.11 Record Identification

Type: Char

Column: 21-24

SAS Variable Name: IYEAR

Prologue:

Description: Interview Year

Value	Value Label	Frequency	Percentage	Weighted Percentage
2011		5,913	99.98	99.78
2012		1	0.02	0.22

Interviewer Identification

Section: 0.12 Record Identification

Type: Char

Column: 25-29

SAS Variable Name: INTVID

Prologue:

Description: Interviewer Identification

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Final Disposition

Section: 0.13 Record Identification

Type: Num

Column: 30-32

SAS Variable Name: DISPCODE

Prologue:

Description: Final Disposition

Value	Value Label	Frequency	Percentage	Weighted Percentage
110	Completed Interview	5,897	99.71	97.89
120	Partial Complete Interview	17	0.29	2.11

Annual Sequence Number

Section: 0.14 Record Identification

Type: Num

Column: 33-42

SAS Variable Name: SEQNO

Prologue:

Description: Annual Sequence Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Primary Sampling Unit

Section: 0.15 Record Identification

Type: Num

Column: 33-42

SAS Variable Name: _PSU

Prologue:

Description: Primary Sampling Unit (Equal to Annual Sequence Number)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Number of Attempts

Section: 0.16 Record Identification

Type: Num

Column: 43-44

SAS Variable Name: NATTMPTS

Prologue:

Description: Number of Attempts

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Number of Sample Records Selected from Stratum

Section: 0.17 Record Identification

Type: Num

Column: 45-50

SAS Variable Name: NRECSEL

Prologue:

Description: Number of Sample Records Selected from Stratum

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Number of Telephone Numbers in Stratum from Which Sample Was Selected

Section: 0.18 Record Identification

Type: Num

Column: 51-59

SAS Variable Name: NRECSTR

Prologue:

Description: Number of Telephone Numbers in Stratum from Which Sample Was Selected

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Correct telephone number?

Section: 0.19 Record Identification

Type: Num

Column: 60

SAS Variable Name: CTELENUM

Prologue: Variabe only on the land line survey

Description: Correct Telephone Number?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,914	100.00	100.00

Cellular Telephone

Section: 0.20 Record Identification

Type: Num

Column: 61

SAS Variable Name: CELLFON

Prologue: Variabe only on the land line survey

Description: Cellular Telephone

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not a cellular phone	5,741	100.00	100.00
BLANK	Missing	173		

Private Residence?

Section: 0.21 Record Identification

Type: Num

Column: 62

SAS Variable Name: PVTRESID

Prologue: Variabe only on the land line survey

Description: Private Residence?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,741	100.00	100.00
BLANK	Missing	173		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Number of Adults in Household

Section: 0.22 Record Identification

Type: Num

Column: 63-64

SAS Variable Name: NUMADULT

Prologue: Variabe only on the land line survey

Description: Number of Adults in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of adults in the household	2,694	46.93	23.55
2		2,477	43.15	51.83
3		434	7.56	16.50
4		117	2.04	5.84
5		18	0.31	1.93
6 - 99	6 or more	1	0.02	0.35
BLANK	Missing	173		

Number of Adult men in Household

Section: 0.23 Record Identification

Type: Num

Column: 65-66

SAS Variable Name: NUMMEN

Prologue: Variabe only on the land line survey

Description: Number of Adult Men in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult men in the household	2,159	37.61	16.82
1		3,237	56.38	66.61
2		307	5.35	13.35
3		35	0.61	2.78
4		2	0.03	0.10
5		1	0.02	0.35
BLANK		173		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Number of Adult women in Household

Section: 0.24 Record Identification

Type: Num

Column: 67-68

SAS Variable Name: NUMWOMEN

Prologue: Variabe only on the land line survey

Description: Number of Adult Women in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult women in the household	758	13.20	11.21
1		4,478	78.00	72.05
2		449	7.82	14.29
3		55	0.96	2.40
4		1	0.02	0.06
BLANK		173		

General Health

Section: 1.1 Health Status

Type: Num

Column: 73

SAS Variable Name: GENHLTH

Prologue:

Description: Would you say that in general your health is:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Excellent	772	13.05	17.83
2	Very good	1,876	31.72	31.16
3	Good	1,716	29.02	29.69
4	Fair	917	15.51	13.05
5	Poor	607	10.26	7.80
7	Don't know/Not Sure	23	0.39	0.23
9	Refused	3	0.05	0.24

Number of Days Physical Health Not Good

Section: 2.1 Healthy Days - Health-Related Quality of Life

Type: Num

Column: 74-75

SAS Variable Name: PHYSHLTH

Prologue:

Description: Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: __ Number of days	2,145	36.27	34.28
88	None	3,593	60.75	63.71
77	Don't know/Not sure	169	2.86	1.99
99	Refused	7	0.12	0.03

Number of Days Mental Health Not Good

Section: 2.2 Healthy Days - Health-Related Quality of Life

Type: Num

Column: 76-77

SAS Variable Name: MENTHLTH

Prologue:

Description: Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: __ Number of days	1,445	24.43	29.57
88	None	4,342	73.42	68.65
77	Don't know/Not sure	114	1.93	1.55
99	Refused	13	0.22	0.22

Poor Physical or Mental Health

Section: 2.3 Healthy Days - Health-Related Quality of Life

Type: Num

Column: 78-79

SAS Variable Name: POORHLTH

Prologue:

Description: During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: __ Number of days	1,334	46.24	39.21
88	None	1,451	50.29	57.47
77	Don't know/Not sure	96	3.33	3.28
99	Refused	4	0.14	0.04
BLANK	Not asked or Missing Notes: Section 2.01, PHYSHLTH, is 88 and Section 2.02, MENTHLTH, is 88	3,029		

Have any health care coverage

Section: 3.1 Health Care Access

Type: Num

Column: 80

SAS Variable Name: HLTHPLN1

Prologue:

Description: Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare, or Indian Health Service?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,231	88.45	81.92
2	No	672	11.36	17.95
7	Don't know/Not Sure	6	0.10	0.09
9	Refused	5	0.08	0.04

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Multiple Health Care Professionals

Section: 3.2 Health Care Access

Type: Num

Column: 81

SAS Variable Name: PERSDOC2

Prologue:

Description: Do you have one person you think of as your personal doctor or health care provider? (If "No" ask "Is there more than one or is there no person who you think of as your personal doctor or health care provider?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, only one	5,071	85.75	75.07
2	More than one	165	2.79	3.00
3	No	672	11.36	21.86
7	Don't know/Not Sure	6	0.10	0.07

Could Not See Doctor Because of Cost

Section: 3.3 Health Care Access

Type: Num

Column: 82

SAS Variable Name: MEDCOST

Prologue:

Description: Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	951	16.08	20.87
2	No	4,951	83.72	78.99
7	Don't know/Not sure	10	0.17	0.13
9	Refused	2	0.03	0.01

Length of time since last routine checkup

Section: 3.4 Health Care Access

Type: Num

Column: 83

SAS Variable Name: CHECKUP1

Prologue:

Description: About how long has it been since you last visited a doctor for a routine checkup? [A routine checkup is a general physical exam, not an exam for a specific injury, illness, or condition.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within past year (anytime less than 12 months ago)	4,893	82.74	74.32
2	Within past 2 years (1 year but less than 2 years ago)	406	6.87	9.51
3	Within past 5 years (2 years but less than 5 years ago)	208	3.52	5.39
4	5 or more years ago	300	5.07	8.70
7	Don't know/Not sure	81	1.37	1.32
8	Never	23	0.39	0.75
9	Refused	3	0.05	0.01

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever Told Blood Pressure High

Section: 4.1 Hypertension Awareness

Type: Num

Column: 84

SAS Variable Name: BPHIGH4

Prologue:

Description: Have you EVER been told by a doctor, nurse or other health professional that you have high blood pressure? (If "Yes" and respondent is female, ask "Was this only when you were pregnant?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,896	48.97	38.67
2	Yes, but female told only during pregnancy—Go to Section 05.01 BLOODCHO	30	0.51	0.60
3	No—Go to Section 05.01 BLOODCHO	2,918	49.34	59.84
4	Told borderline high or pre-hypertensive—Go to Section 05.01 BLOODCHO	64	1.08	0.76
7	Don't know/Not Sure—Go to Section 05.01 BLOODCHO	5	0.08	0.12
9	Refused—Go to Section 05.01 BLOODCHO	1	0.02	0.00

Currently Taking Blood Pressure Medication

Section: 4.2 Hypertension Awareness

Type: Num

Column: 85

SAS Variable Name: BPMEDS

Prologue:

Description: Are you currently taking medicine for your high blood pressure?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,600	89.78	78.30
2	No	293	10.12	21.67
7	Don't know/Not Sure	3	0.10	0.03
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 3, 4, 7, 9, or Missing	3,018		

Ever Had Blood Cholesterol Checked

Section: 5.1 Cholesterol Awareness

Type: Num

Column: 86

SAS Variable Name: BLOODCHO

Prologue:

Description: Blood cholesterol is a fatty substance found in the blood. Have you EVER had your blood cholesterol checked?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,323	90.01	79.39
2	No—Go to Section 06.01 CVDINFR4	491	8.30	16.90
7	Don't know/Not Sure—Go to Section 06.01 CVDINFR4	99	1.67	3.70
9	Refused—Go to Section 06.01 CVDINFR4	1	0.02	0.01

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How Long since Cholesterol Checked

Section: 5.2 Cholesterol Awareness

Type: Num

Column: 87

SAS Variable Name: CHOLCHK

Prologue:

Description: About how long has it been since you last had your blood cholesterol checked?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	4,504	84.61	79.92
2	Within the past 2 years (1 year but less than 2 years ago)	459	8.62	11.18
3	Within the past 5 years (2 years but less than 5 years ago)	161	3.02	3.85
4	5 or more years ago	134	2.52	3.91
7	Don't know/Not Sure	65	1.22	1.14
BLANK	Not asked or Missing Notes: Section 5.01, BLOODCHO, is coded 2, 7, 9, or Missing	591		

Ever Told Blood Cholesterol High

Section: 5.3 Cholesterol Awareness

Type: Num

Column: 88

SAS Variable Name: TOLDHI2

Prologue:

Description: Have you EVER been told by a doctor, nurse or other health professional that your blood cholesterol is high?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,276	42.76	38.29
2	No	2,963	55.66	60.70
7	Don't know/Not Sure	83	1.56	1.00
9	Refused	1	0.02	0.00
BLANK	Not asked or Missing Notes: Section 05.01, BLOODCHO, is coded 2, 7, 9, or Missing	591		

Ever Diagnosed with Heart Attack

Section: 6.1 Chronic Health Conditions

Type: Num

Column: 89

SAS Variable Name: CVDINFR4

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":

Description: (Ever told) you had a heart attack, also called a myocardial infarction?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	439	7.42	5.21
2	No	5,460	92.32	94.64
7	Don't know/Not sure	15	0.25	0.15

Ever Diagnosed with Angina or Coronary Heart Disease

Section: 6.2 Chronic Health Conditions

Type: Num

Column: 90

SAS Variable Name: CVDCRHD4

Prologue:

Description: (Ever told) you had angina or coronary heart disease?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	481	8.13	5.00
2	No	5,374	90.87	94.14
7	Don't know/Not sure	58	0.98	0.86
9	Refused	1	0.02	0.00

Ever Diagnosed with a Stroke

Section: 6.3 Chronic Health Conditions

Type: Num

Column: 91

SAS Variable Name: CVDSTRK3

Prologue:

Description: (Ever told) you had a stroke.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	347	5.87	3.74
2	No	5,559	94.00	95.88
7	Don't know/Not sure	7	0.12	0.38
9	Refused	1	0.02	0.00

Ever Told Had Asthma

Section: 6.4 Chronic Health Conditions

Type: Num

Column: 92

SAS Variable Name: ASTHMA3

Prologue:

Description: (Ever told) you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	587	9.93	10.39
2	No—Go to Section 06.06 CHCSCNCR	5,318	89.92	89.55
7	Don't know/Not Sure—Go to Section 06.06 CHCSCNCR	9	0.15	0.07

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Still Have Asthma

Section: 6.5 Chronic Health Conditions

Type: Num

Column: 93

SAS Variable Name: ASTHNOW

Prologue:

Description: Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	423	72.06	69.33
2	No	155	26.41	29.82
7	Don't know/Not Sure	9	1.53	0.85
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing	5,327		

Ever told) you had skin cancer?

Section: 6.6 Chronic Health Conditions

Type: Num

Column: 94

SAS Variable Name: CHCSCNCR

Prologue:

Description: (Ever told) you had skin cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	629	10.64	6.69
2	No	5,270	89.14	93.14
7	Don't know / Not sure	12	0.20	0.16
9	Refused	1	0.02	0.00
BLANK	Not asked or Missing	2		

Ever told) you had any other types of cancer?

Section: 6.7 Chronic Health Conditions

Type: Num

Column: 95

SAS Variable Name: CHCOCNCR

Prologue:

Description: (Ever told) you had any other types of cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	612	10.35	5.86
2	No	5,289	89.46	93.99
7	Don't know / Not sure	10	0.17	0.15
9	Refused	1	0.02	0.00
BLANK	Not asked or Missing	2		

**Ever told) you have
 COPD) chronic obstructive pulmonary disease, emphysema or chronic bronchitis?**

Section: 6.8 Chronic Health Conditions

Type: Num

Column: 96

SAS Variable Name: CHCCOPD

Prologue:

Description: (Ever told) you have (COPD) chronic obstructive pulmonary disease, emphysema or chronic bronchitis?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	659	11.15	9.19
2	No	5,233	88.51	90.38
7	Don't know / Not sure	18	0.30	0.42
9	Refused	2	0.03	0.01
BLANK	Not asked or Missing	2		

Told Have Arthritis

Section: 6.9 Chronic Health Conditions

Type: Num

Column: 97

SAS Variable Name: HAVARTH3

Prologue:

Description: (Ever told) you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia? (Arthritis diagnoses include: rheumatism, polymyalgia rheumatica; osteoarthritis (not osteoporosis); tendonitis, bursitis, bunion, tennis elbow; carpal tunnel syndrome, tarsal tunnel syndrome; joint infection, etc.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,094	35.42	25.73
2	No	3,776	63.87	73.77
7	Don't know/Not Sure	39	0.66	0.48
9	Refused	3	0.05	0.01
BLANK	Not asked or Missing	2		

Ever told you had a depressive disorder

Section: 6.10 Chronic Health Conditions

Type: Num

Column: 98

SAS Variable Name: ADDEPEV2

Prologue:

Description: (Ever told) you that you have a depressive disorder, including depression, major depression, dysthymia, or minor depression?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,130	19.11	19.13
2	No	4,758	80.48	80.47
7	Don't know/Not sure	16	0.27	0.33
9	Refused	8	0.14	0.07
BLANK	Not asked or Missing	2		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever told) you have kidney disease?

Section: 6.11 Chronic Health Conditions

Type: Num

Column: 99

SAS Variable Name: CHCKIDNY

Prologue:

Description: (Ever told) you have kidney disease? Do NOT include kidney stones, bladder infection or incontinence.(Incontinence is not being able to control urine flow.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	198	3.35	2.13
2	No	5,695	96.33	97.74
7	Don't know / Not sure	16	0.27	0.12
9	Refused	3	0.05	0.01
BLANK	Not asked or Missing	2		

Ever told you have vision or eye problems?

Section: 6.12 Chronic Health Conditions

Type: Num

Column: 100

SAS Variable Name: CHCVISON

Prologue:

Description: Has a doctor, nurse or other health professional ever said that you have vision impairment in one or both eyes, even when wearing glasses?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,500	25.37	19.66
2	No	4,360	73.75	79.56
3	Respondent is blind	17	0.29	0.42
7	Don't know / Not sure	32	0.54	0.35
9	Refused	3	0.05	0.01
BLANK	Not asked or Missing	2		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever told) you have diabetes

Section: 6.13 Chronic Health Conditions

Type: Num

Column: 101

SAS Variable Name: DIABETE3

Prologue:

Description: (Ever told) you have diabetes (If "Yes" and respondent is female, ask "Was this only when you were pregnant?". If Respondent says pre-diabetes or borderline diabetes, use response code 4.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	943	15.95	11.15
2	Yes, but female told only during pregnancy	49	0.83	0.48
3	No	4,605	77.89	83.83
4	No, pre-diabetes or borderline diabetes	301	5.09	4.35
7	Don't know/Not Sure	7	0.12	0.08
9	Refused	7	0.12	0.11
BLANK	Not asked or Missing	2		

Smoked at Least 100 Cigarettes

Section: 7.1 Tobacco Use

Type: Num

Column: 102

SAS Variable Name: SMOKE100

Prologue:

Description: Have you smoked at least 100 cigarettes in your entire life? [Note: 5 packs = 100 cigarettes]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,724	46.06	46.73
2	No—Go to Section 07.05 USENOW3	3,170	53.60	53.14
7	Don't know/Not Sure—Go to Section 07.05 USENOW3	14	0.24	0.11
9	Refused—Go to Section 07.05 USENOW3	6	0.10	0.02

Frequency of Days Now Smoking

Section: 7.2 Tobacco Use

Type: Num

Column: 103

SAS Variable Name: SMOKDAY2

Prologue:

Description: Do you now smoke cigarettes every day, some days, or not at all?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	903	33.15	39.16
2	Some days	237	8.70	9.99
3	Not at all—Go to Section 07.04 LASTSMK2	1,583	58.11	50.84
7	Don't Know/Not Sure—Go to Section 07.05 USENOW3	1	0.04	0.01
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, 9, or Missing	3,190		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Stopped Smoking in past 12 months

Section: 7.3 Tobacco Use

Type: Num

Column: 104

SAS Variable Name: STOPSMK2

Prologue:

Description: During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to Section 07.05 USENOW3	657	57.63	60.74
2	No—Go to Section 07.05 USENOW3	479	42.02	38.93
7	Don't know/Not Sure—Go to Section 07.05 USENOW3	4	0.35	0.33
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 07.02, SMOKDAY2, is coded 3, 7, 9, or Missing	4,774		

Interval Since Last Smoked

Section: 7.4 Tobacco Use

Type: Num

Column: 105-106

SAS Variable Name: LASTSMK2

Prologue:

Description: How long has it been since you last smoked a cigarette, even one or two puffs?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (less than 1 month ago)	51	3.22	5.58
2	Within the past 3 months (1 month but less than 3 months ago)	29	1.83	2.35
3	Within the past 6 months (3 months but less than 6 months ago)	41	2.59	3.63
4	Within the past year (6 months but less than 1 year ago)	39	2.46	3.58
5	Within the past 5 years (1 year but less than 5 years ago)	204	12.89	17.72
6	Within the past 10 years (5 years but less than 10 years ago)	168	10.61	12.50
7	10 years or more	1,039	65.63	53.50
8	Never smoked regularly	2	0.13	0.31
77	Don't know/Not sure	10	0.63	0.83
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 07.02, SMOKDAY2, is coded 7, 9, or Missing; or Section 07.03, STOPSMK2, is coded 1, 2, 7, 9;	4,331		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Use of Smokeless Tobacco Products

Section: 7.5 Tobacco Use

Type: Num

Column: 107

SAS Variable Name: USENOW3

Prologue:

Description: Do you currently use chewing tobacco, snuff, or snus every day, some days, or not at all? (Snus (Swedish for snuff) is a moist smokeless tobacco, usually sold in small pouches that are placed under the lip against the gum.)[Snus (rhymes with 'goose')]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	110	1.86	3.25
2	Some days	91	1.54	3.15
3	Not at all	5,704	96.45	93.55
7	Don't know/Not Sure	4	0.07	0.02
9	Refused	5	0.08	0.03

Reported Age in Years

Section: 8.1 Demographics

Type: Num

Column: 108-109

SAS Variable Name: AGE

Prologue:

Description: What is your age?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	10	0.17	0.06
9	Refused	42	0.71	0.46
18 - 24	Age 18 - 24 Notes: __ Code age in years	144	2.43	12.09
25 - 34	Age 25 - 34	402	6.80	17.21
35 - 44	Age 35 - 44	633	10.70	17.63
45 - 54	Age 45 - 54	1,013	17.13	18.72
55 - 64	Age 55 - 64	1,453	24.57	15.69
65 - 99	Age 65 or older	2,217	37.49	18.13

Hispanic/Latino

Section: 8.2 Demographics

Type: Num

Column: 110

SAS Variable Name: HISPANC2

Prologue:

Description: Are you Hispanic or Latino?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	77	1.30	2.83
2	No	5,828	98.55	97.09
7	Don't know/Not Sure	1	0.02	0.00
9	Refused	8	0.14	0.08

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Multiple Race

Section: 8.3 Demographics

Type: Char

Column: 111-116

SAS Variable Name: MRACE

Prologue:

Description: Which one or more of the following would you say is your race? [Mark all that apply.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	10	0.17	0.09
9	Refused Notes: Specify_____	29	0.49	0.27
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,875	99.34	99.63

Respondent Race Choice

Section: 8.4 Demographics

Type: Num

Column: 117

SAS Variable Name: ORACE2

Prologue:

Description: Which one of these groups would you say best represents your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	33	44.00	47.74
2	Black or African American	27	36.00	27.53
3	Asian	1	1.33	0.66
4	Native Hawaiian or Other Pacific Islander	1	1.33	0.41
5	American Indian, Alaska Native	9	12.00	12.44
6	Other Notes: Specify_____	1	1.33	0.10
7	Don't know/Not sure	3	4.00	11.13
BLANK	Not asked or Missing Notes: Section 12.03, MRACE, has only one valid race code (1-6)	5,839		

Are You A Veteran

Section: 8.5 Demographics

Type: Num

Column: 118

SAS Variable Name: VETERAN3

Prologue:

Description: Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit? Active duty does not include training for the Reserves or National Guard, but DOES include activation, for example, for the Persian Gulf War.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	708	11.97	13.94
2	No	5,205	88.01	86.05
9	Refused	1	0.02	0.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Marital Status

Section: 8.6 Demographics

Type: Num

Column: 119

SAS Variable Name: MARITAL

Prologue:

Description: Are you: (marital status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	2,852	48.22	51.99
2	Divorced	1,114	18.84	12.97
3	Widowed	1,113	18.82	7.41
4	Separated	138	2.33	1.98
5	Never married	625	10.57	22.97
6	A member of an unmarried couple	50	0.85	2.44
9	Refused	22	0.37	0.23

Number of Children in Household

Section: 8.7 Demographics

Type: Num

Column: 120-121

SAS Variable Name: CHILDREN

Prologue:

Description: How many children less than 18 years of age live in your household?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of children Notes: _ _ = Number of children	1,153	19.50	32.67
88	None	4,740	80.15	66.97
99	Refused	21	0.36	0.36

Education Level

Section: 8.8 Demographics

Type: Num

Column: 122

SAS Variable Name: EDUCA

Prologue:

Description: What is the highest grade or year of school you completed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never attended school or only kindergarten	8	0.14	0.15
2	Grades 1 through 8 (Elementary)	305	5.16	5.77
3	Grades 9 through 11 (Some high school)	474	8.01	11.45
4	Grade 12 or GED (High school graduate)	2,013	34.04	33.65
5	College 1 year to 3 years (Some college or technical school)	1,632	27.60	27.99
6	College 4 years or more (College graduate)	1,459	24.67	20.81
9	Refused	23	0.39	0.19

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Employment Status

Section: 8.9 Demographics

Type: Num

Column: 123

SAS Variable Name: EMPLOY

Prologue:

Description: Are you currently: (employment status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed for wages	1,891	31.97	45.64
2	Self-employed	327	5.53	6.99
3	Out of work for more than 1 year	198	3.35	5.26
4	Out of work for less than 1 year	129	2.18	3.56
5	A homemaker	425	7.19	5.99
6	A student	87	1.47	4.52
7	Retired	2,108	35.64	17.63
8	Unable to work	716	12.11	10.24
9	Refused	33	0.56	0.16

Income Level

Section: 8.10 Demographics

Type: Num

Column: 124-125

SAS Variable Name: INCOME2

Prologue:

Description: Is your annual household income from all sources: (If respondent refuses at any income level, code "Refused.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$10,000 Notes: If "no," code 02	288	4.87	5.76
2	Less than \$15,000 (\$10,000 to less than \$15,000) Notes: If "no," code 03; if "yes," ask 01	417	7.05	6.83
3	Less than \$20,000 (\$15,000 to less than \$20,000) Notes: If "no," code 04; if "yes," ask 02	520	8.79	9.25
4	Less than \$25,000 (\$20,000 to less than \$25,000) Notes: If "no," ask 05; if "yes," ask 03	776	13.12	10.24
5	Less than \$35,000 (\$25,000 to less than \$35,000) Notes: If "no," ask 06	553	9.35	9.55
6	Less than \$50,000 (\$35,000 to less than \$50,000) Notes: If "no," ask 07	587	9.93	10.71
7	Less than \$75,000 (\$50,000 to less than \$75,000) Notes: If "no," code 08	539	9.11	10.80
8	\$75,000 or more	773	13.07	15.43
77	Don't know/Not sure	457	7.73	8.75
99	Refused	1,004	16.98	12.67

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Reported Weight in Pounds

Section: 8.11 Demographics

Type: Num

Column: 126-129

SAS Variable Name: WEIGHT2

Prologue:

Description: About how much do you weigh without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions up.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
50 - 0999	Weight (pounds) Notes: 0 _ _ _ = weight in pounds	5,613	94.91	95.52
7777	Don't know/Not sure	170	2.87	2.87
9999	Refused	131	2.22	1.61

Reported Height in Feet and Inches

Section: 8.12 Demographics

Type: Num

Column: 130-133

SAS Variable Name: HEIGHT3

Prologue:

Description: About how tall are you without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions down.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
200 - 711	Height (ft/inches) Notes: 0 _ / _ _ = feet / inches	5,850	98.92	98.96
7777	Don't know/Not sure	30	0.51	0.63
9000 - 999	Height (meters/centimeters) Notes: The initial '9' indicates this was a metric value.	2	0.03	0.03
9999	Refused	32	0.54	0.38

County Code

Section: 8.13 Demographics

Type: Num

Column: 134-136

SAS Variable Name: CTYCODE1

Prologue:

Description: What county do you live in?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777	Don't know/Not sure	21	0.36	1.85
999	Refused	51	0.86	6.42
BLANK	Not asked or Missing	1		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,841	98.78	91.74

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Zipcode of residence

Section: 8.14 Demographics

Type: Char

Column: 137-141

SAS Variable Name: ZIPCODE

Prologue:

Description: What is your ZIP Code where you live?

Value	Value Label	Frequency	Percentage	Weighted Percentage
77777	Don't know/Not Sure	98	1.66	3.00
99999	Refused	138	2.33	4.08
BLANK	Not asked or Missing	2		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,676	96.01	92.92

Household Telephones

Section: 8.15 Demographics

Type: Num

Column: 142

SAS Variable Name: NUMHHOL2

Prologue:

Description: Do you have more than one telephone number in your household? Do not include cell phones or numbers that are only used by a computer or fax machine.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	207	3.61	3.31
2	No-Go to Section 08.17 CPDEMO1	5,459	95.09	95.95
7	Don't know/Not sure-Go to Section 08.17 CPDEMO1	2	0.03	0.05
9	Refused-Go to Section 08.17 CPDEMO1	73	1.27	0.70
BLANK	Not asked or Missing-Go to Section 08.17 CPDEMO1	173		

Residential Phones

Section: 8.16 Demographics

Type: Num

Column: 143

SAS Variable Name: NUMPHON2

Prologue:

Description: How many of these telephone numbers are residential numbers?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Residential telephone number	105	50.72	64.10
2	Residential telephone numbers	81	39.13	26.87
3	Residential telephone numbers	11	5.31	2.67
4	Residential telephone numbers	1	0.48	0.70
7	Don't know/Not Sure	4	1.93	4.88
9	Refused	5	2.42	0.77
BLANK	Not asked or Missing Notes: Section 08.15, NUMHHOL2, is coded 2, 7, 9, or Missing	5,707		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Do you have a cell phone for personal use?

Section: 8.17 Demographics

Type: Num

Column: 144

SAS Variable Name: CPDEMO1

Prologue:

Description: Do you have a cell phone for personal use? Please include cell phones used for both business and personal use

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to Section 08.19 CPDEMO3	4,102	71.45	85.94
2	No	1,552	27.03	13.29
7	Don't know/Not sure	2	0.03	0.01
9	Refused	85	1.48	0.76
BLANK	Not asked or Missing	173		

Do you share a cell phone for personal use?

Section: 8.18 Demographics

Type: Num

Column: 145

SAS Variable Name: CPDEMO2

Prologue:

Description: Do you share a cell phone for personal use (at least one-third of the time) with other adults?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes—Go to Section 08.20 CPDEMO4	46	2.81	7.28
2	No—Go to Section 08.21 RENTHOM1	1,501	91.58	86.89
7	Don't know/Not sure—Go to Section 08.21 RENTHOM1	8	0.49	0.41
9	Refused—Go to Section 08.21 RENTHOM1	84	5.13	5.41
BLANK	Not asked or Missing Notes: Section 08.17, CPDEMO1, is coded 1	4,275		

Do you usually share this cell phone?

Section: 8.19 Demographics

Type: Num

Column: 146

SAS Variable Name: CPDEMO3

Prologue:

Description: Do you usually share this cell phone (at least one-third of the time) with any other adults?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	524	12.80	12.38
2	No	3,565	87.06	87.55
9	Refused	6	0.15	0.07
BLANK	Not asked or Missing Notes: Section 08.18, CPDEMO2, is coded 1, 2, 7, 9, or Missing	1,819		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

What percent of all calls are received on your cell phone?

Section: 8.20 Demographics

Type: Num

Column: 147-149

SAS Variable Name: CPDEMO4

Prologue:

Description: Thinking about all the phone calls that you receive on your landline or cell phone, what percent, between 0 and 100, are received on your cell phone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Enter Percent (1 to 100)	3,534	100.00	100.00
BLANK	Not asked or Missing Notes: Section 08.18, CPDEMO2, is coded 2, 7, 9, or Missing	2,380		

Own or Rent Home

Section: 8.21 Demographics

Type: Num

Column: 150

SAS Variable Name: RENTHOM1

Prologue:

Description: Do you own or rent your home? (Home is defined as the place where you live most of the time/the majority of the year.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Own	4,458	75.39	67.36
2	Rent	1,045	17.67	24.76
3	Other arrangement	191	3.23	4.73
7	Don't know/Not Sure	22	0.37	0.29
9	Refused	197	3.33	2.86
BLANK	Not asked or Missing	1		

Respondents Sex

Section: 8.22 Demographics

Type: Num

Column: 151

SAS Variable Name: SEX

Prologue:

Description: Indicate sex of respondent.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male—Go to Section 09.01 FRUITJU1	1,837	31.06	48.12
2	Female—If 12.01, AGE, is 45 or older go to Section 09.01 FRUITJU1	4,077	68.94	51.88

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Pregnancy Status

Section: 8.23 Demographics

Type: Num

Column: 152

SAS Variable Name: PREGNANT

Prologue:

Description: To your knowledge, are you now pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	26	3.08	3.53
2	No	802	95.14	94.38
7	Don't know/Not Sure	1	0.12	0.03
9	Refused	14	1.66	2.06
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Section 8.01, AGE, is greater than 44	5,071		

How many times did you drink 100%% PURE fruit juices?

Section: 9.1 Fruits & Vegetables

Type: Num

Column: 153-155

SAS Variable Name: FRUITJU1

Prologue:

Description: During the past month, how many times per day, week or month did you drink 100%% PURE fruit juices? Do not include fruit-flavored drinks with added sugar or fruit juice you made at home and added sugar to. Only include 100%% juice.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	1,292	21.87	18.21
201 - 299	Per week	951	16.10	17.76
300	Less than one time per month	3	0.05	0.04
301 - 399	Per month	1,262	21.36	23.52
555	Never	1,965	33.27	34.42
777	Don't know/Not sure	191	3.23	2.14
999	Refused	243	4.11	3.92
BLANK	Not asked or Missing	7		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How many times did you eat fruit?

Section: 9.2 Fruits & Vegetables

Type: Num

Column: 156-158

SAS Variable Name: FRUIT1

Prologue:

Description: During the past month, not counting juice, how many times per day, week, or month did you eat fruit? Count fresh, frozen, or canned fruit.(Read only if necessary: "Your best guess is fine. Include apples, bananas, applesauce, oranges, grape fruit, fruit salad, watermelon, cantaloupe or musk melon, papaya, lychees, star fruit.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	2,262	38.30	33.15
201 - 299	Per week	1,567	26.53	29.19
300	Less than one time per month	1	0.02	0.00
301 - 399	Per month	1,401	23.72	26.42
555	Never	282	4.77	4.91
777	Don't know/Not sure	141	2.39	2.18
999	Refused	252	4.27	4.15
BLANK	Not asked or Missing	8		

How many times did you eat beans or lentils?

Section: 9.3 Fruits & Vegetables

Type: Num

Column: 159-161

SAS Variable Name: FVBEANS

Prologue:

Description: During the past month, how many times per day, week, or month did you eat cooked or canned beans, such as refried, baked, black, garbanzo beans, beans in soup, soybeans, edamame, tofu or lentils. Do NOT include long green beans.(Read only if necessary: "Include round or oval beans or peas such as navy, pinto, split peas, cow peas, garbanzo beans, lentils, soy beans and tofu. Do NOT include long green beans such as string beans, broad or winged beans, or pole beans.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	462	7.82	6.67
201 - 299	Per week	2,268	38.40	36.66
300	Less than one time per month	4	0.07	0.18
301 - 399	Per month	2,052	34.74	37.31
555	Never	690	11.68	12.90
777	Don't know/Not sure	165	2.79	2.09
999	Refused	265	4.49	4.18
BLANK	Not asked or Missing	8		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How many times did you eat dark green vegetables?

Section: 9.4 Fruits & Vegetables

Type: Num

Column: 162-164

SAS Variable Name: FVGREEN

Prologue:

Description: During the past month, how many times per day, week, or month did you eat dark green vegetables for example broccoli or dark leafy greens including romaine, chard, collard greens or spinach?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	916	15.51	14.48
201 - 299	Per week	2,416	40.91	40.45
300	Less than one time per month	3	0.05	0.10
301 - 399	Per month	1,729	29.28	30.70
555	Never	427	7.23	8.10
777	Don't know/Not sure	137	2.32	1.78
999	Refused	278	4.71	4.39
BLANK	Not asked or Missing	8		

How many times did you eat orange-colored vegetables?

Section: 9.5 Fruits & Vegetables

Type: Num

Column: 165-167

SAS Variable Name: FVORANG

Prologue:

Description: During the past month, how many times per day, week, or month did you eat orange-colored vegetables such as sweet potatoes, pumpkin, winter squash, or carrots? (Read only if needed: "Winter squash have hard, thick skins and deep yellow to orange flesh. They include acorn, buttercup, and spaghetti squash.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	456	7.72	6.65
201 - 299	Per week	2,233	37.81	33.31
300	Less than one time per month	2	0.03	0.00
301 - 399	Per month	2,020	34.20	37.17
555	Never	734	12.43	15.85
777	Don't know/Not sure	178	3.01	2.50
999	Refused	283	4.79	4.52
BLANK	Not asked or Missing	8		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How many times did you eat OTHER vegetables?

Section: 9.6 Fruits & Vegetables

Type: Num

Column: 168-170

SAS Variable Name: VEGETAB1

Prologue:

Description: Not counting what you just told me about, during the past month, about how many times per day, week, or month did you eat OTHER vegetables? Examples of other vegetables include tomatoes, tomato juice or V-8 juice, corn, eggplant, peas, lettuce, cabbage, and white potatoes that are not fried such as baked or mashed potatoes. (Read only if needed: "Do not count vegetables you have already counted and do not include fried potatoes.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Servings per day	2,099	35.55	35.73
201 - 299	Servings per week	1,932	32.72	30.93
300	Less than one time per month	3	0.05	0.03
301 - 399	Servings per month	1,284	21.75	24.75
555	Never	101	1.71	1.78
777	Don't know/Not sure	184	3.12	2.04
999	Refused	301	5.10	4.75
BLANK	Not asked or Missing	10		

Exercise in Past 30 Days

Section: 10.1 Exercise (Physical Activity)

Type: Num

Column: 171

SAS Variable Name: EXERANY2

Prologue:

Description: During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,416	57.86	61.79
2	No-Go to Section 11.01 QLACTLM2	2,190	37.09	33.49
7	Don't know/Not Sure-Go to Section 11.01 QLACTLM2	9	0.15	0.12
9	Refused-Go to Section 11.01 QLACTLM2	289	4.89	4.61
BLANK	Not asked or Missing	10		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Type of Physical Activity

Section: 10.2 Exercise (Physical Activity)

Type: Num

Column: 172-173

SAS Variable Name: EXTRACT01

Prologue:

Description: What type of physical activity or exercise did you spend the most time doing during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Active Gaming Devices (Wii Fit, Dance, Dance revolution)	11	0.32	0.26
2	Aerobics video or class	150	4.39	2.71
4	Badminton	1	0.03	0.02
5	Basketball	20	0.59	1.64
6	Bicycling machine exercise	81	2.37	1.96
7	Bicycling	66	1.93	2.30
8	Boating (Canoeing, rowing, kayaking, sailing for pleasure or camping)	1	0.03	0.01
9	Bowling	9	0.26	0.74
10	Boxing	1	0.03	0.37
11	Calisthenics	68	1.99	1.85
12	Canoeing/rowing in competition	1	0.03	0.00
13	Carpentry	1	0.03	0.02
14	Dancing-ballet, ballroom, Latin, hip hop, etc	20	0.59	0.93
15	Elliptical/EFX machine exercise	23	0.67	0.73
16	Fishing from river bank or boat	6	0.18	0.11
17	Frisbee	1	0.03	0.01
18	Gardening (spading, weeding, digging, filling)	238	6.97	4.09
19	Golf (with motorized cart)	31	0.91	1.26
20	Golf (without motorized cart)	17	0.50	0.38
22	Hiking - cross-country	16	0.47	1.24
24	Horseback riding	5	0.15	0.07
25	Hunting large game - deer, elk	5	0.15	0.24
26	Hunting small game - quail	3	0.09	0.06
28	Jogging	26	0.76	1.30
31	Mowing lawn	27	0.79	0.97
32	Paddleball	1	0.03	0.01
34	Pilates	7	0.20	0.36
35	Racquetball	3	0.09	0.06
36	Raking lawn	4	0.12	0.07
37	Running	126	3.69	10.45
40	Rowing machine exercise	4	0.12	0.08
43	Skateboarding	2	0.06	0.50
44	Skating - ice or roller	1	0.03	0.06
45	Sledding, tobogganing	1	0.03	0.02
47	Snow blowing	1	0.03	0.01
50	Snowshoeing	1	0.03	0.01
51	Soccer	3	0.09	0.22

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Type of Physical Activity

Section: 10.2 Exercise (Physical Activity)

Type: Num

Column: 172-173

SAS Variable Name: EXTRACT01

Prologue:

Description: What type of physical activity or exercise did you spend the most time doing during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
52	Softball/Baseball	6	0.18	0.11
54	Stair climbing/Stair master	7	0.20	0.30
57	Swimming	47	1.38	1.36
58	Swimming in laps	4	0.12	0.15
59	Table tennis	1	0.03	0.01
60	Tai Chi	5	0.15	0.06
61	Tennis	15	0.44	0.21
63	Volleyball	8	0.23	1.14
64	Walking	2,130	62.35	53.20
66	Waterskiing	6	0.18	0.17
67	Weight lifting	76	2.22	4.99
69	Yoga	24	0.70	0.61
70	Other_____	73	2.14	1.65
77	Don't know/Not Sure-Go to Section 10.08 STRENGTH	27	0.79	0.80
99	Refused-Go to Section 10.08 STRENGTH	5	0.15	0.15
BLANK	Not asked or Missing	2,498		

How Many Times Walking, Running, Jogging, or Swimming

Section: 10.4 Exercise (Physical Activity)

Type: Num

Column: 174-176

SAS Variable Name: EXEROFT1

Prologue:

Description: How many times per week or per month did you take part in this activity during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per week	2,646	78.19	76.40
201 - 299	Times per month	651	19.24	21.92
777	Don't know/Not sure	78	2.30	1.48
999	Refused	9	0.27	0.20
BLANK	Not asked or Missing Notes: Section 10.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 10.02, EXTRACT01 is coded 77, 99	2,530		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Minutes or Hours Walking, Running, Jogging, or Swimming

Section: 10.5 Exercise (Physical Activity)

Type: Num

Column: 177-179

SAS Variable Name: EXERHMM1

Prologue:

Description: And when you took part in this activity, for how many minutes or hours did you usually keep at it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 759	Hours and Minutes	3,233	95.54	95.23
777	Don't know/Not sure	134	3.96	3.96
800 - 959	Hours and Minutes	6	0.18	0.45
999	Refused	11	0.33	0.36
BLANK	Not asked or Missing Notes: Section 10.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 10.02, EXTRACT01 is coded 77, 99	2,530		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Other Type of Physical Activity Giving Most Exercise During Past Month

Section: 10.6 Exercise (Physical Activity)

Type: Num

Column: 180-181

SAS Variable Name: EXTRACT02

Prologue:

Description: What other type of physical activity gave you the next most exercise during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Active Gaming Devices (Wii Fit, Dance, Dance revolution)	4	0.12	0.11
2	Aerobics video or class	62	1.83	1.96
4	Badminton	1	0.03	0.02
5	Basketball	9	0.27	0.69
6	Bicycling machine exercise	49	1.45	0.66
7	Bicycling	59	1.74	2.40
8	Boating (Canoeing, rowing, kayaking, sailing for pleasure or camping)	1	0.03	0.01
9	Bowling	9	0.27	0.43
10	Boxing	3	0.09	0.10
11	Calisthenics	34	1.01	1.10
13	Carpentry	4	0.12	0.04
14	Dancing-ballet, ballroom, Latin, hip hop, etc	18	0.53	0.70
15	Elliptical/EFX machine exercise	8	0.24	0.54
16	Fishing from river bank or boat	12	0.35	0.40
17	Frisbee	2	0.06	0.02
18	Gardening (spading, weeding, digging, filling)	163	4.82	3.09
19	Golf (with motorized cart)	23	0.68	0.95
20	Golf (without motorized cart)	6	0.18	0.20
21	Handball	1	0.03	0.02
22	Hiking - cross-country	11	0.33	0.90
24	Horseback riding	5	0.15	0.08
25	Hunting large game - deer, elk	4	0.12	0.18
26	Hunting small game - quail	3	0.09	0.03
28	Jogging	11	0.33	0.33
29	Lacrosse	2	0.06	0.24
30	Mountain climbing	1	0.03	0.01
31	Mowing lawn	35	1.03	0.58
32	Paddleball	1	0.03	0.03
33	Painting/papering house	2	0.06	0.04
34	Pilates	8	0.24	0.29
35	Racquetball	3	0.09	0.09
36	Raking lawn	1	0.03	0.01
37	Running	36	1.06	3.74
40	Rowing machine exercise	2	0.06	0.03
43	Skateboarding	1	0.03	0.01
44	Skating - ice or roller	1	0.03	0.06
48	Snow shoveling by hand	2	0.06	0.02

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Other Type of Physical Activity Giving Most Exercise During Past Month

Section: 10.6 Exercise (Physical Activity)

Type: Num

Column: 180-181

SAS Variable Name: EXTRACT02

Prologue:

Description: What other type of physical activity gave you the next most exercise during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
49	Snow skiing	1	0.03	0.03
51	Soccer	2	0.06	0.04
52	Softball/Baseball	5	0.15	0.57
53	Squash	1	0.03	0.01
54	Stair climbing/Stair master	9	0.27	0.45
57	Swimming	58	1.71	1.76
58	Swimming in laps	12	0.35	0.25
59	Table tennis	1	0.03	0.00
60	Tai Chi	4	0.12	0.03
61	Tennis	17	0.50	0.54
62	Touch football	1	0.03	0.01
63	Volleyball	2	0.06	0.42
64	Walking	443	13.09	9.98
66	Waterskiing	1	0.03	0.24
67	Weight lifting	122	3.61	5.49
68	Wrestling	1	0.03	0.00
69	Yoga	42	1.24	0.79
70	Other_____	91	2.69	3.89
88	No other activity—Go to Section 10.08 STRENGTH	1,807	53.41	51.98
77	Don't know/Not Sure—Go to Section 10.08 STRENGTH	92	2.72	1.87
99	Refused—Go to Section 10.08 STRENGTH	74	2.19	1.56
BLANK	Not asked or Missing Notes: Section 10.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 10.02, EXTRACT01 is coded 77, 99	2,531		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How Many Times Walking, Running, Jogging, or Swimming

Section: 10.8 Exercise (Physical Activity)

Type: Num

Column: 182-184

SAS Variable Name: EXEROFT2

Prologue:

Description: How many times per week or per month did you take part in this activity during the past month?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per week	1,077	76.38	69.94
201 - 299	Times per month	294	20.85	28.25
777	Don't know/Not sure	30	2.13	1.60
999	Refused	9	0.64	0.21
BLANK	Not asked or Missing Notes: Section 10.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 10.02, EXTRACT01 is coded 77, 99 or Section 10.05, EXTRACT02 is coded 77, 88, 99	4,504		

Minutes or Hours Walking, Running, Jogging, or Swimming

Section: 10.9 Exercise (Physical Activity)

Type: Num

Column: 185-187

SAS Variable Name: EXERHMM2

Prologue:

Description: And when you took part in this activity, for how many minutes or hours did you usually keep at it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 759	Hours and Minutes	1,356	96.17	96.72
777	Don't know/Not sure	37	2.62	2.68
800 - 959	Hours and Minutes	5	0.35	0.30
999	Refused	12	0.85	0.29
BLANK	Not asked or Missing Notes: Section 10.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 10.02, EXTRACT01 is coded 77, 99 or Section 10.05, EXTRACT02 is coded 77, 88, 99	4,504		

How many times did you do physical activities or exercises to STRENGTHEN your muscles?

Section: 10.10 Exercise (Physical Activity)

Type: Num

Column: 188-190

SAS Variable Name: STRENGTH

Prologue:

Description: During the past month, how many times per week or per month did you do physical activities or exercises to STRENGTHEN your muscles? [Do NOT count aerobic activities like walking, running, or bicycling. Count activities using your own body weight like yoga, sit-ups or push-ups and those using weight machines, free weights, or elastic bands.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per week	1,057	17.91	21.42
201 - 299	Times per month	301	5.10	7.85
777	Don't know / Not sure	76	1.29	1.01
888	Never	4,111	69.64	64.04
999	Refused	358	6.06	5.69
BLANK	Not asked or Missing	11		

Activity Limitation Due to Health Problems

Section: 11.1 Disability

Type: Num

Column: 191

SAS Variable Name: QLACTLM2

Prologue:

Description: Are you limited in any way in any activities because of physical, mental, or emotional problems?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,768	29.95	24.64
2	No	3,789	64.19	69.83
7	Don't know/Not Sure	21	0.36	0.26
9	Refused	325	5.51	5.27
BLANK	Not asked or Missing	11		

Health Problems Requiring Special Equipment

Section: 11.2 Disability

Type: Num

Column: 192

SAS Variable Name: USEEQUIP

Prologue:

Description: Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? (Include occasional use or use in certain circumstances.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	749	12.69	8.27
2	No	4,818	81.62	86.31
7	Don't know/Not Sure	7	0.12	0.06
9	Refused	329	5.57	5.36
BLANK	Not asked or Missing	11		

Limited Because of Joint Symptoms

Section: 12.1 Arthritis Burden

Type: Num

Column: 193

SAS Variable Name: LMTJOIN3

Prologue: Arthritis can cause symptoms like pain, aching, or stiffness in or around a joint.

Description: Are you now limited in any way in any of your usual activities because of arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,064	50.88	47.93
2	No	875	41.85	45.17
7	Don't know/Not sure	26	1.24	1.43
9	Refused	126	6.03	5.47
BLANK	Not asked or Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	3,823		

Does Arthritis Affect Whether You Work

Section: 12.2 Arthritis Burden

Type: Num

Column: 194

SAS Variable Name: ARTHDIS2

Prologue: In this next question we are referring to work for pay.

Description: Do arthritis or joint symptoms now affect whether you work, the type of work you do or the amount of work you do?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	729	34.86	37.54
2	No	1,183	56.58	55.16
7	Don't know/Not Sure	44	2.10	1.49
9	Refused	135	6.46	5.82
BLANK	Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	3,823		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Social Activities Limited Because of Joint Symptoms

Section: 12.3 Arthritis Burden

Type: Num

Column: 195

SAS Variable Name: ARTHSOCL

Prologue:

Description: During the past 30 days, to what extent has your arthritis or joint symptoms interfered with your normal social activities, such as going shopping, to the movies, or to religious or social gatherings?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	A lot	518	24.77	26.85
2	A little	603	28.84	25.05
3	Not at all	824	39.41	41.99
7	Don't know/Not Sure	13	0.62	0.32
9	Refused	133	6.36	5.79
BLANK	Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	3,823		

How Bad Was Joint Pain

Section: 12.4 Arthritis Burden

Type: Num

Column: 196-197

SAS Variable Name: JOINPAIN

Prologue:

Description: Please think about the past 30 days, keeping in mind all of your joint pain or aching and whether or not you have taken medication. DURING THE PAST 30 DAYS, how bad was your joint pain ON AVERAGE? [Please answer on a scale of 0 to 10 where 0 is no pain or aching and 10 is pain or aching as bad as it can be.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 10	Enter number [0-10]	1,875	89.67	91.17
77	Don't know/Not Sure	96	4.59	3.18
99	Refused	120	5.74	5.66
BLANK	Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	3,823		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How often use seatbelts in car?

Section: 13.1 Seatbelt Use

Type: Num

Column: 198

SAS Variable Name: SEATBELT

Prologue:

Description: How often do you use seat belts when you drive or ride in a car? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	4,959	84.01	81.84
2	Nearly always	282	4.78	6.41
3	Sometimes	152	2.57	3.19
4	Seldom	55	0.93	1.15
5	Never	88	1.49	1.46
7	Don't know/Not sure	5	0.08	0.03
8	Never drive or ride in a car	18	0.30	0.33
9	Refused	344	5.83	5.58
BLANK	Not asked or Missing	11		

Adult seasonal flu shot/spray past 12 mos

Section: 14.1 Immunization

Type: Num

Column: 199

SAS Variable Name: FLUSHOT5

Prologue: Now I will ask you questions about seasonal flu vaccine. There are two ways to get the seasonal flu vaccine, one is a shot in the arm and the other is a spray, mist, or drop in the nose called FluMist™.

Description: During the past 12 months, have you had either a seasonal flu shot or a seasonal flu vaccine that was sprayed in your nose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,951	49.99	41.65
2	No—Go to Section 14.04 PNEUVAC3	2,580	43.71	52.32
7	Don't know/Not Sure—Go to Section 14.04 PNEUVAC3	17	0.29	0.37
9	Refused—Go to Section 14.04 PNEUVAC3	355	6.01	5.65
BLANK	Not asked or Missing	11		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Where did you get your last flu shot/vaccine?

Section: 14.3 Immunization

Type: Num

Column: 206-207

SAS Variable Name: IMFVPLAC

Prologue:

Description: At what kind of place did you get your last flu shot/vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	A doctor's office or health maintenance organization (HMO)	1,398	47.37	41.98
2	A health department	191	6.47	9.12
3	Another type of clinic or health center (Example: a community health center)	120	4.07	4.37
4	A senior, recreation, or community center	27	0.91	0.33
5	A store (Examples: supermarket, drug store)	655	22.20	19.42
6	A hospital (Example: inpatient)	129	4.37	4.66
7	An emergency room	6	0.20	0.13
8	Workplace	347	11.76	16.78
9	Some other kind of place	46	1.56	1.96
10	Received vaccination in Canada/Mexico (Volunteered - Do not read)	2	0.07	0.03
11	A school	13	0.44	0.77
77	Don't know / Not sure—Probe:	9	0.30	0.15
99	Refused	8	0.27	0.29
BLANK	Not asked or Missing Notes: Section 14.01, FLUSHOT4, is coded 2, 7, or 9	2,963		

Pneumonia shot ever

Section: 14.4 Immunization

Type: Num

Column: 208

SAS Variable Name: PNEUVAC3

Prologue:

Description: A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,158	36.56	25.62
2	No	3,206	54.32	62.41
7	Don't know/Not Sure	173	2.93	6.19
9	Refused	365	6.18	5.78
BLANK	Not asked or Missing	12		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Days in past 30 had alcoholic beverage

Section: 15.1 Alcohol Consumption

Type: Num

Column: 209-211

SAS Variable Name: ALCDAY5

Prologue:

Description: During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Days per week Notes: 1__ = Days per week	494	8.37	11.87
201 - 299	Days in past 30 days Notes: 2__ = Days in past 30	887	15.03	22.65
777	Don't know/Not sure--Go to Section 16.01 HIVTST6	97	1.64	1.61
888	No drinks in past 30 days--Go to Section 16.01 HIVTST6	4,016	68.04	57.43
999	Refused--Go to Section 16.01 HIVTST6	408	6.91	6.45
BLANK	Not asked or Missing	12		

Avg alcoholic drinks per day in past 30

Section: 15.2 Alcohol Consumption

Type: Num

Column: 212-213

SAS Variable Name: AVEDRNK2

Prologue:

Description: One drink is equivalent to a 12-ounce beer, a 5-ounce glass of wine, or a drink with one shot of liquor. During the past 30 days, on the days when you drank, about how many drinks did you drink on the average? (A 40 ounce beer would count as 3 drinks, or a cocktail drink with 2 shots would count as 2 drinks.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks Notes: __ Number of drinks	1,346	97.47	96.66
77	Don't know/Not sure	29	2.10	2.47
99	Refused	6	0.43	0.86
BLANK	Not asked or Missing Notes: Section 15.01, ALCDAY5, is coded 888, 766, or 9999;	4,533		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Binge Drinking

Section: 15.3 Alcohol Consumption

Type: Num

Column: 214-215

SAS Variable Name: DRNK3GE5

Prologue:

Description: Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks for men or 4 or more drinks for women on an occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of Times	300	21.75	26.64
88	None	1,045	75.78	71.39
77	Don't know/Not Sure	26	1.89	1.04
99	Refused	8	0.58	0.92
BLANK	Not asked or Missing Notes: Section 15.01, ALCDAY5, is coded 888, 777, or 999;	4,535		

Most drinks on single occasion past 30 days

Section: 15.4 Alcohol Consumption

Type: Num

Column: 216-217

SAS Variable Name: MAXDRNKS

Prologue:

Description: During the past 30 days, what is the largest number of drinks you had on any occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks	1,305	94.63	94.94
77	Don't know/Not sure	56	4.06	3.39
99	Refused	18	1.31	1.66
BLANK	Not asked or Missing Notes: Section 15.01, ALCDAY5, is coded 888, 777, or 999;	4,535		

Ever tested HIV

Section: 16.1 HIV/AIDS

Type: Num

Column: 218

SAS Variable Name: HIVTST6

Prologue:

Description: Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation. Include testing fluid from your mouth.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,508	25.56	36.46
2	No-Go to Section 16.03 HIVRISK3	3,607	61.14	52.81
7	Don't know/Not Sure-Go to Section 16.03 HIVRISK3	276	4.68	3.38
9	Refused-Go to Section 16.03 HIVRISK3	509	8.63	7.35
BLANK	Not asked or Missing	14		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Month and Year of Last HIV Test

Section: 16.2 HIV/AIDS

Type: Num

Column: 219-224

SAS Variable Name: HIVTSTD3

Prologue:

Description: Not including blood donations, in what month and year was your last HIV test? (If response is before January 1985, code "777777".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
11985 - 12	Code month and year Notes: __/___ month and year	818	54.24	62.71
777777	Don't know/Not sure	678	44.96	36.74
999999	Refused	12	0.80	0.55
BLANK	Not asked or Missing Notes: Section 16.01, HIVTST6, is coded 2, 7, 9, or Missing	4,406		

Do Any High Risk Situations Apply

Section: 16.3 HIV/AIDS

Type: Num

Column: 225

SAS Variable Name: HIVRISK3

Prologue:

Description: I am going to read you a list. When I am done, please tell me if any of the situations apply to you. You do not need to tell me which one. You have used intravenous drugs in the past year. You have been treated for a sexually transmitted or venereal disease in the past year. You have given or received money or drugs in exchange for sex in the past year. You had anal sex without a condom in the past year. Do any of these situations apply to you?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	90	1.53	3.09
2	No	5,138	87.10	87.60
7	Don't know/Not sure	11	0.19	0.07
9	Refused	660	11.19	9.25
BLANK	Not asked or Missing	15		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Had a test for high blood sugar or diabetes in the past three years?

Module: 1.1 Pre-Diabetes

Type: Num

Column: 245

SAS Variable Name: PDIABTST

Prologue:

Description: Have you had a test for high blood sugar or diabetes within the past three years?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,039	62.35	56.62
2	No	1,649	33.83	38.75
7	Don't know/Not Sure	184	3.78	4.63
9	Refused	2	0.04	0.01
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 1	1,040		

Ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes?

Module: 1.2 Pre-Diabetes

Type: Num

Column: 246

SAS Variable Name: PREDIAB1

Prologue:

Description: Have you ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes? (If "Yes" and respondent is female, ask: "Was this only when you were pregnant?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	608	12.47	11.52
2	Yes, during pregnancy	53	1.09	1.27
3	No	4,199	86.15	86.97
7	Don't know/Not Sure	13	0.27	0.24
9	Refused	1	0.02	0.00
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 1; If Section 6.13, DIABETE3, is coded 4 automatically code Module 01.02, PREDIAB1, equal to 1 (yes);	1,040		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Age When Told Diabetic

Module: 2.1 Diabetes

Type: Num

Column: 247-248

SAS Variable Name: DIABAGE2

Prologue:

Description: How old were you when you were told you have diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 97	Age in years [97 = 97 and older] Notes: _ _ Code age in years, 97 = 97 or older	874	93.18	91.15
98	Don't know/Not sure	58	6.18	7.42
99	Refused	6	0.64	1.43
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	4,976		

Now Taking Insulin

Module: 2.2 Diabetes

Type: Num

Column: 249

SAS Variable Name: INSULIN

Prologue:

Description: Are you now taking insulin?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	284	30.28	34.77
2	No	653	69.62	64.54
9	Refused	1	0.11	0.69
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	4,976		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How Often Check Blood for Glucose

Module: 2.3 Diabetes

Type: Num

Column: 250-252

SAS Variable Name: BLDSUGAR

Prologue:

Description: About how often do you check your blood for glucose or sugar? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 _ _ Times per day	655	69.83	70.06
201 - 299	Times per week Notes: 2 _ _ Times per week	150	15.99	16.96
301 - 399	Times per month Notes: 3 _ _ Times per month	28	2.99	3.78
401 - 499	Times per year Notes: 4 _ _ Times per year	19	2.03	1.82
777	Don't know/Not sure	19	2.03	2.48
888	Never	62	6.61	4.76
999	Refused	5	0.53	0.14
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	4,976		

How Often Check Feet for Sores or Irritations

Module: 2.4 Diabetes

Type: Num

Column: 253-255

SAS Variable Name: FEETCHK2

Prologue:

Description: About how often do you check your feet for any sores or irritations? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 _ _ Times per day	677	72.17	73.46
201 - 299	Times per week Notes: 2 _ _ Times per week	83	8.85	9.57
301 - 399	Times per month Notes: 3 _ _ Times per month	30	3.20	3.75
401 - 499	Times per year Notes: 4 _ _ Times per year	10	1.07	0.78
555	No feet	12	1.28	2.73
777	Don't know/Not sure	40	4.26	3.16
888	Never	81	8.64	6.41
999	Refused	5	0.53	0.14
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	4,976		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Times Seen Health Professional for Diabetes

Module: 2.5 Diabetes

Type: Num

Column: 256-257

SAS Variable Name: DOCTDIAB

Prologue:

Description: About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more	817	87.10	88.96
88	None	90	9.59	7.91
77	Don't know/Not sure	26	2.77	2.35
99	Refused	5	0.53	0.79
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	4,976		

Times Checked for Glycosylated Hemoglobin

Module: 2.6 Diabetes

Type: Num

Column: 258-259

SAS Variable Name: CHKHEMO3

Prologue:

Description: A test for "A one C" measures the average level of blood sugar over the past three months. About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for "A one C"?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76 = 76 or more	778	82.94	85.69
88	None	78	8.32	7.52
98	Never heard of "A one C" test	11	1.17	0.77
77	Don't know/Not sure	63	6.72	4.86
99	Refused	8	0.85	1.14
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	4,976		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Times Feet Check for Sores/irritations

Module: 2.7 Diabetes

Type: Num

Column: 260-261

SAS Variable Name: FEETCHK

Prologue:

Description: About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times [76=76 or more] Notes: _ _ Number of times, 76=76 or more	643	69.44	74.14
88	None	252	27.21	22.78
77	Don't know/Not sure	26	2.81	2.31
99	Refused	5	0.54	0.77
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing; or Module 2.04, FEETCHK2, is coded 555	4,988		

Last Eye Exam Where Pupils Were Dilated

Module: 2.8 Diabetes

Type: Num

Column: 262

SAS Variable Name: EYEEXAM

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (anytime less than 1 month ago)	269	28.68	27.48
2	Within the past year (1 month but less than 12 months ago)	394	42.00	44.28
3	Within the past 2 years (1 year but less than 2 years ago)	101	10.77	11.68
4	2 or more years ago	120	12.79	11.76
7	Don't know/Not sure	20	2.13	1.87
8	Never	30	3.20	2.86
9	Refused	4	0.43	0.07
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	4,976		

Ever Told Diabetes Has Affected Eyes

Module: 2.9 Diabetes

Type: Num

Column: 263

SAS Variable Name: DIABEYE

Prologue:

Description: Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	196	20.90	21.10
2	No	718	76.55	76.15
7	Don't know/Not sure	19	2.03	1.98
9	Refused	5	0.53	0.77
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	4,976		

Ever Taken Class in Managing Diabetes

Module: 2.10 Diabetes

Type: Num

Column: 264

SAS Variable Name: DIABEDU

Prologue:

Description: Have you ever taken a course or class in how to manage your diabetes yourself?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	486	51.81	52.63
2	No	445	47.44	46.42
7	Don't know/Not sure	2	0.21	0.18
9	Refused	5	0.53	0.77
BLANK	Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	4,976		

How many days hard to do usual activities in past 30 days

Module: 3.1 Healthy Days (Symptoms)

Type: Num

Column: 265-266

SAS Variable Name: PAINACT2

Prologue:

Description: During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

How many days depressed in past 30 days

Module: 3.2 Healthy Days (Symptoms)

Type: Num

Column: 267-268

SAS Variable Name: QLMENTL2

Prologue:

Description: During the past 30 days, for about how many days have you felt sad, blue, or depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

How many days felt anxious in past 30 days

Module: 3.3 Healthy Days (Symptoms)

Type: Num

Column: 269-270

SAS Variable Name: QLSTRES2

Prologue:

Description: During the past 30 days, for about how many days have you felt worried, tense, or anxious?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

How many days full of energy in past 30 days

Module: 3.4 Healthy Days (Symptoms)

Type: Num

Column: 271-272

SAS Variable Name: QLHLTH2

Prologue:

Description: During the past 30 days, for about how many days have you felt very healthy and full of energy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

How often do you drink regular soda or pop?

Module: 4.1 Sugar Sweetened Beverages and Menu Labeling

Type: Num

Column: 273-275

SAS Variable Name: SSBSUGAR

Prologue:

Description: About how often do you drink regular soda or pop that contains sugar? Do not include diet soda or diet pop.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How often do you drink sweetened fruit drinks?

Module: 4.2 Sugar Sweetened Beverages and Menu Labeling

Type: Num

Column: 276-278

SAS Variable Name: SSBFRUIT

Prologue:

Description: About how often do you drink sweetened fruit drinks, such as Kool-aid, cranberry, and lemonade? Include fruit drinks you made at home and added sugar to.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

How often does calorie information help you decide what to order?

Module: 4.3 Sugar Sweetened Beverages and Menu Labeling

Type: Num

Column: 279-280

SAS Variable Name: SSBICALRI

Prologue: The next question is about eating out at fast food and chain restaurants.

Description: When calorie information is available in the restaurant, how often does this information help you decide what to order?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Talked with you about ways to prepare for a healthy pregnancy/baby?

Module: 5.1 Preconception Health /Family Planning

Type: Num

Column: 281

SAS Variable Name: PFPPREPR

Prologue: The next question is about discussions that occurred as part of a routine health care visit. DO NOT include visits while pregnant, also called prenatal care visits.

Description: Has a doctor, nurse, or other health care worker ever talked with you about ways to prepare for a healthy pregnancy and baby?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	416	51.74	52.54
2	No	312	38.81	39.80
7	Don't know / Not sure	6	0.75	0.69
9	Refused	70	8.71	6.97
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Section 8.22, SEX, is coded 2 and Section 8.01, AGE, is greater than 44;	5,110		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Have you ever been pregnant?

Module: 5.2 Preconception Health /Family Planning

Type: Num

Column: 282

SAS Variable Name: PFPPRGNT

Prologue: The next set of questions asks you about your thoughts and experiences with family planning. Please remember that all of your answers will be kept confidential.

Description: Have you ever been pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	566	70.40	72.63
2	No	173	21.52	20.37
7	Don't know / Not sure	1	0.12	0.25
9	Refused	64	7.96	6.75
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Section 8.22, SEX, is coded 2 and Section 8.01, AGE, is greater than 44;	5,110		

Did you do anything to keep from getting pregnant?

Module: 5.3 Preconception Health /Family Planning

Type: Num

Column: 283

SAS Variable Name: PFPPRVNT

Prologue:

Description: Did you or your husband/partner do anything the last time you had sex to keep you from getting pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	313	38.93	38.05
2	No-Go to Module 05.05 NOBCUSE4	349	43.41	41.50
3	No partner/not sexually active-Go to Module 05.06 FPCHLDF2	31	3.86	6.48
4	Same sex partner-Go to Module 05.06 FPCHLDF2	5	0.62	0.94
7	Don't know / Not sure-Go to Module 05.06 FPCHLDF2	9	1.12	2.35
9	Refused-Go to Module 05.06 FPCHLDF2	97	12.06	10.67
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Section 8.22, SEX, is coded 2 and Section 8.01, AGE, is greater than 44;	5,110		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

What did you do to keep you from getting pregnant?

Module: 5.4 Preconception Health /Family Planning

Type: Num

Column: 284-285

SAS Variable Name: TYPCTR6

Prologue:

Description: What did you or your husband/partner do the last time you had sex to keep you from getting pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Female sterilization (ex. tubal ligation, Essure, Adiana)—Go to Module 05.07 PFPVITMN	54	17.25	15.23
2	Male sterilization (vasectomy)—Go to Module 05.07 PFPVITMN	31	9.90	13.79
3	Contraceptive implant (ex. Implanon)—Go to Module 05.06 FPCHLDF2	6	1.92	1.91
4	Levonorgestrel (LNG) or hormonal IUD (ex. Mirena)—Go to Module 05.06 FPCHLDF2	6	1.92	1.79
5	Copper-bearing IUD (ex. ParaGard)—Go to Module 05.06 FPCHLDF2	1	0.32	0.06
6	IUD, type unknown—Go to Module 05.06 FPCHLDF2	30	9.58	8.12
7	Shots (ex. Depo-Provera)—Go to Module 05.06 FPCHLDF2	5	1.60	0.68
8	Birth control pills, any kind—Go to Module 05.06 FPCHLDF2	71	22.68	22.19
9	Contraceptive patch (ex. Ortho Evra)—Go to Module 05.06 FPCHLDF2	3	0.96	1.00
10	Contraceptive ring (ex. NuvaRing)—Go to Module 05.06 FPCHLDF2	6	1.92	1.34
11	Male condoms—Go to Module 05.06 FPCHLDF2	64	20.45	24.56
12	Diaphragm, cervical cap, sponge—Go to Module 05.06 FPCHLDF2	3	0.96	0.55
13	Female condoms—Go to Module 05.06 FPCHLDF2	3	0.96	0.69
14	Not having sex at certain times (rhythm or natural family planning)—Go to Module 05.06 FPCHLDF2	1	0.32	0.07
15	Withdrawal (or pulling out)—Go to Module 05.06 FPCHLDF2	3	0.96	0.41
18	Other method—Go to Module 05.06 FPCHLDF2	10	3.19	3.03
77	Don't know/Not sure—Go to Module 05.06 FPCHLDF2	3	0.96	0.87
99	Refused—Go to Module 05.06 FPCHLDF2	13	4.15	3.72
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Section 8.22, SEX, is coded 2 and Section 8.01, AGE, is greater than 44; or Module 05.03, PFPVRVNT, is coded 2, 3, 4, 7, 9 or missing	5,601		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

What was main reason for not doing anything to keep you from getting pregnant?

Module: 5.5 Preconception Health /Family Planning

Type: Num

Column: 286-287

SAS Variable Name: NOBCUSE4

Prologue: Some reasons for not doing anything to keep you from getting pregnant the last time you had sex might include wanting a pregnancy, not being able to pay for birth control, or not thinking that you can get pregnant.

Description: What was your main reason for not doing anything the last time you had sex to keep you from getting pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	You didn't think you were going to have sex/no regular partner	49	14.08	11.38
2	You just didn't think about it/don't care if you get pregnant	15	4.31	3.25
3	You want a pregnancy	24	6.90	5.61
4	You or your partner don't want to use birth control	2	0.57	0.14
6	You couldn't pay for birth control	1	0.29	3.24
8	Religious reasons	1	0.29	0.16
10	Don't think you or your partner can get pregnant (infertile or too old)	15	4.31	4.99
11	You had tubes tied (sterilization)-Go to next module	65	18.68	20.25
12	You had a hysterectomy-Go to next module	32	9.20	6.77
13	Your partner had a vasectomy (sterilization)-Go to next module	18	5.17	2.48
14	You are currently breast-feeding	2	0.57	1.02
15	You just had a baby/postpartum	2	0.57	1.17
16	You are pregnant now-Go to Module 05.07 PFPVITMN	3	0.86	0.53
17	Same sex partner	5	1.44	5.19
18	Other reason	36	10.34	14.30
77	Don't know/Not sure	17	4.89	5.71
99	Refused	61	17.53	13.81
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Section 8.22, SEX, is coded 2 and Section 8.01, AGE, is greater than 44; or Module 05.03, PFPVRVNT, is coded 2, 3, 4, 7, 9 or missing; or Module 05.04, TYPCNTR6, is not missing;	5,566		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How do you feel about having a child now or sometime in the future?

Module: 5.6 Preconception Health /Family Planning

Type: Num

Column: 288

SAS Variable Name: FPCHLDF2

Prologue:

Description: How do you feel about having a child now or sometime in the future? Would you say:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	You don't want to have one	268	44.67	39.53
2	You do want to have one, less than 12 months from now	42	7.00	5.39
3	You do want to have one, between 12 months to less than 2 years from now	27	4.50	7.23
4	You do want to have one, between 2 years to less than 5 years from now	40	6.67	10.73
5	You do want to have one, 5 or more years from now	47	7.83	12.10
7	Don't know/Not sure	51	8.50	8.49
9	Refused	125	20.83	16.52
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Section 8.22, SEX, is coded 2 and Section 8.01, AGE, is greater than 44; or Module 05.03, PFPPRVNT, is coded 2, 3, 4, 7, 9 or missing; or Module 05.04, TYPCNTR6, is not missing;	5,314		

How often do you take a multivitamin, a prenatal vitamin, or a folic acid vitamin?

Module: 5.7 Preconception Health /Family Planning

Type: Num

Column: 289

SAS Variable Name: PFPVITMN

Prologue:

Description: How many times a week do you currently take a multivitamin, a prenatal vitamin, or a folic acid vitamin?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	0 times a week	245	35.61	37.09
2	1 to 3 times a week	68	9.88	10.89
3	4 to 6 times a week	26	3.78	3.15
4	Every day of the week	208	30.23	31.01
7	Don't know / Not sure	34	4.94	5.28
9	Refused	107	15.55	12.58
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Section 8.22, SEX, is coded 2 and Section 8.01, AGE, is greater than 44; or Module 5.05, NOBCUSE4 is coded 11, 12, or 13	5,226		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Difficulty recognizing friend across street

Module: 6.1 Visual Impairment and Access to Eye Care

Type: Num

Column: 290

SAS Variable Name: VIDFCLT3

Prologue:

Description: How much difficulty, if any, do you have in recognizing a friend across the street? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3;	5,914		

Difficulty reading typed text

Module: 6.2 Visual Impairment and Access to Eye Care

Type: Num

Column: 291

SAS Variable Name: VIREDIF3

Prologue:

Description: How much difficulty, if any, do you have reading print in newspapers, magazines, recipes, menus, or numbers on the telephone? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3;	5,914		

Last time visited eye care provider

Module: 6.3 Visual Impairment and Access to Eye Care

Type: Num

Column: 292

SAS Variable Name: VIPRFVS3

Prologue:

Description: When was the last time you had your eyes examined by any doctor or eye care provider?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3;	5,914		

Reason did not use eye doc past 12 mos

Module: 6.4 Visual Impairment and Access to Eye Care

Type: Num

Column: 293-294

SAS Variable Name: VINOCRE3

Prologue:

Description: What is the main reason you have not visited an eye care professional in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3; or Module 06.03, VIPRFVS3, is coded 1 or 2;	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

When last eyexam

Module: 6.5 Visual Impairment and Access to Eye Care

Type: Num

Column: 295

SAS Variable Name: VIEYEXM3

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3; or Module 02.08, EYEEEXAM, is not blank;	5,914		

Eye care health insurance

Module: 6.6 Visual Impairment and Access to Eye Care

Type: Num

Column: 296

SAS Variable Name: VIINSUR3

Prologue:

Description: Do you have any kind of health insurance coverage for eye care?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3;	5,914		

Hlth care pro said now have cataracts

Module: 6.7 Visual Impairment and Access to Eye Care

Type: Num

Column: 297

SAS Variable Name: VICTRCT3

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had cataracts?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3;	5,914		

Hlth care pro EVER said have glaucoma

Module: 6.8 Visual Impairment and Access to Eye Care

Type: Num

Column: 298

SAS Variable Name: VIGLUMA3

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had glaucoma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3;	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Hlth care pro EVER said have macular degeneration

Module: 6.9 Visual Impairment and Access to Eye Care

Type: Num

Column: 299

SAS Variable Name: VIMACDG3

Prologue: Age-related Macular Degeneration (AMD) is a disease that affects the macula, the part of the eye that allows you to see fine detail.

Description: Have you EVER been told by an eye doctor or other health care professional that you had age-related macular degeneration?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3;	5,914		

How many days did you not get enough sleep in past 30 days

Module: 7.1 Inadequate Sleep

Type: Num

Column: 300-301

SAS Variable Name: QLREST2

Prologue:

Description: During the past 30 days, for about how many days have you felt you did not get enough rest or sleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days	3,467	59.68	62.94
88	None	1,725	29.70	25.19
77	Don't know/Not sure	205	3.53	3.70
99	Refused	412	7.09	8.17
BLANK	Not asked or Missing	105		

How Much Time Do You Sleep

Module: 7.2 Inadequate Sleep

Type: Num

Column: 302-303

SAS Variable Name: SLEPTIME

Prologue:

Description: On average, how many hours of sleep do you get in a 24-hour period? Think about the time you actually spend sleeping or napping, not just the amount of sleep you think you should get. (Enter hours of sleep in whole numbers, rounding 30 minutes (1/2 hour) or more up to the next whole hour and dropping 29 or fewer minutes.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 24	Number of hours [1-24]	5,241	90.22	90.07
77	Don't know/Not Sure	120	2.07	1.35
99	Refused	448	7.71	8.58
BLANK	Missing	105		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Do you snore?

Module: 7.3 Inadequate Sleep

Type: Num

Column: 304

SAS Variable Name: SLEPSNOR

Prologue:

Description: Do you snore? (If the respondent indicates that their spouse or someone told him/her that they snore, then the answer to the question is 'Yes' the respondent snores.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,719	46.81	49.73
2	No	1,932	33.26	32.60
7	Don't know/Not Sure	667	11.48	8.36
9	Refused	491	8.45	9.30
BLANK	Not asked or Missing	105		

Number of Days in Past Thirty Felt You Did Not Get Enough Sleep

Module: 7.4 Inadequate Sleep

Type: Num

Column: 305-306

SAS Variable Name: SLEPDAY

Prologue:

Description: During the past 30 days, for about how many days did you find yourself unintentionally falling asleep during the day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days [1-30]	1,912	32.91	31.94
88	None	3,285	56.55	57.31
77	Don't know/Not Sure	175	3.01	2.94
99	Refused	437	7.52	7.80
BLANK	Missing	105		

Number of Days in Past Thirty Fell Asleep While Driving

Module: 7.5 Inadequate Sleep

Type: Num

Column: 307

SAS Variable Name: SLEPDRIV

Prologue:

Description: During the past 30 days, have you ever nodded off or fallen asleep, even just for a brief moment, while driving?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	126	2.17	3.16
2	No	4,813	82.85	84.20
3	Don't drive	346	5.96	3.22
4	Don't have license	3	0.05	0.03
7	Don't know/Not Sure	12	0.21	0.09
9	Refused	509	8.76	9.30
BLANK	Not asked or Missing	105		

Behavioral Risk Factor Surveillance System
TENNESSEE 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Do you currently volunteer or work in a hospital, medical clinic, doctor's office, dentist's office, nursing home or some other health-care facility?

Module: 8.1 High Risk/Health Care Worker

Type: Num

Column: 308

SAS Variable Name: WRKHCF1

Prologue:

Description: Do you currently volunteer or work in a hospital, medical clinic, doctor's office, dentist's office, nursing home or some other health-care facility? This includes part-time and unpaid work in a health care facility as well as professional nursing care provided in the home.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Do you provide direct patient care as part of your routine work?

Module: 8.2 High Risk/Health Care Worker

Type: Num

Column: 309

SAS Variable Name: DIRCONT1

Prologue:

Description: Do you provide direct patient care as part of your routine work? By direct patient care we mean physical or hands-on contact with patients.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 08.01, WRKHCF1, is coded 2, 7, 9 or missing	5,914		

Has A Doctor, Nurse, Or Other Health Professional Ever Said That You Have...Problem Caused By A Chronic Illness Or By Medicines; Taken For A Chronic Illness?

Module: 8.3 High Risk/Health Care Worker

Type: Num

Column: 310

SAS Variable Name: DRHPAD1

Prologue:

Description: Has a doctor, nurse, or other health professional ever said that you have... Lung problems, other than asthma, Kidney problems, Anemia, including Sickle Cell, Or A weakened immune system caused by a chronic illness or by medicines, taken for a chronic illness?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Still have this health problem

Module: 8.4 High Risk/Health Care Worker

Type: Num

Column: 311

SAS Variable Name: HAVHPAD

Prologue:

Description: Do you still have (this/any of these) problem(s)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 08.03, DRHPAD1, is coded 2, 7, 9 or Missing	5,914		

Outpatient rehab after heart attack hosp stay

Module: 9.1 Cardiovascular Health

Type: Num

Column: 312

SAS Variable Name: HAREHAB1

Prologue:

Description: Following your heart attack, did you go to any kind of outpatient rehabilitation? This is sometimes called "rehab."

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.01, CVDINFR4, is coded 2, 7, 9 or Missing	5,914		

Outpatient rehab after hosp stay for stroke

Module: 9.2 Cardiovascular Health

Type: Num

Column: 313

SAS Variable Name: STREHAB1

Prologue:

Description: Following your stroke did you go to any kind of outpatient rehabilitation? This is sometimes called "rehab."

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.03, CVDSTRK3, is coded 2, 7, 9 or Missing	5,914		

Take Aspirin Daily or Every Other Day

Module: 9.3 Cardiovascular Health

Type: Num

Column: 314

SAS Variable Name: CVDASPRN

Prologue:

Description: Do you take aspirin daily or every other day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Health Makes Taking Aspirin Unsafe

Module: 9.4 Cardiovascular Health

Type: Num

Column: 315

SAS Variable Name: ASPUNSAF

Prologue:

Description: Do you have a health problem or condition that makes taking aspirin unsafe for you? (If "Yes," ask "Is this a stomach condition?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 09.03, CVDASPRN, is coded 1	5,914		

Change eating habits for BP?

Module: 10.1 Actions to Control High Blood Pressure

Type: Num

Column: 316

SAS Variable Name: BPEATHBT

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?

Description: (Are you) changing your eating habits (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing	5,914		

Reduce salt intake to lower BP?

Module: 10.2 Actions to Control High Blood Pressure

Type: Num

Column: 317

SAS Variable Name: BPSALT

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?]

Description: (Are you) cutting down on salt (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing	5,914		

Reduce alcohol use for BP?

Module: 10.3 Actions to Control High Blood Pressure

Type: Num

Column: 318

SAS Variable Name: BPALCHOL

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?]

Description: (Are you) reducing alcohol use (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Exercising to lower BP?

Module: 10.4 Actions to Control High Blood Pressure

Type: Num

Column: 319

SAS Variable Name: BPEXER

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?]

Description: (Are you) exercising (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing	5,914		

Hlth care pro ever advised change in eating habits to reduce BP

Module: 10.5 Actions to Control High Blood Pressure

Type: Num

Column: 320

SAS Variable Name: BPEATADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?

Description: (Ever advised you to) change your eating habits (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing	5,914		

Hlth care pro ever advised using less salt to reduce BP

Module: 10.6 Actions to Control High Blood Pressure

Type: Num

Column: 321

SAS Variable Name: BPSLTADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

Description: (Ever advised you to) cut down on salt (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing	5,914		

Hlth care pro ever advised reduced alcohol use to reduce BP

Module: 10.7 Actions to Control High Blood Pressure

Type: Num

Column: 322

SAS Variable Name: BPALCADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

Description: (Ever advised you to) reduce alcohol use (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Hlth care pro ever advised exercise to reduce BP

Module: 10.8 Actions to Control High Blood Pressure

Type: Num

Column: 323

SAS Variable Name: BPEXRADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

Description: (Ever advised you to) exercise (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing	5,914		

Hlth care pro ever advised meds to reduce BP

Module: 10.9 Actions to Control High Blood Pressure

Type: Num

Column: 324

SAS Variable Name: BPMEDADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your high blood pressure?]

Description: (Ever advised you to) take medication (to help lower or control your high blood pressure)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing	5,914		

Told had high BP during 2+ visits to hlth care pro?

Module: 10.10 Actions to Control High Blood Pressure

Type: Num

Column: 325

SAS Variable Name: BPHI2MR

Prologue:

Description: Were you told on two or more different visits to a doctor or other health professional that you had high blood pressure? (If "Yes" and respondent is female, ask: "Was this only when you were pregnant?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing	5,914		

Heart Attack Symptoms - Jaw/Back/Neck Pain

Module: 11.1 Heart Attack and Stroke

Type: Num

Column: 326

SAS Variable Name: HASYMP1

Prologue: Now I would like to ask you about your knowledge of the signs and symptoms of a heart attack and stroke. Which of the following do you think is a symptom of a heart attack? For each, tell me "yes", "no", or you're "not sure":

Description: (Do you think) pain or discomfort in the jaw, neck, or back (are symptoms of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Heart Attack Symptoms - Weak/Light-headed/Faint

Module: 11.2 Heart Attack and Stroke

Type: Num

Column: 327

SAS Variable Name: HASYMP2

Prologue:

Description: (Do you think) feeling weak, lightheaded, or faint (are symptoms of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Heart Attack Symptoms - Chest Pain/Discomfort

Module: 11.3 Heart Attack and Stroke

Type: Num

Column: 328

SAS Variable Name: HASYMP3

Prologue:

Description: (Do you think) chest pain or discomfort (are symptoms of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Heart Attack Symptoms - Vision Problems

Module: 11.4 Heart Attack and Stroke

Type: Num

Column: 329

SAS Variable Name: HASYMP4

Prologue:

Description: (Do you think) sudden trouble seeing in one or both eyes (is a symptom of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Heart Attack Symptoms - Pain or Discomfort in Arms/Shoulder

Module: 11.5 Heart Attack and Stroke

Type: Num

Column: 330

SAS Variable Name: HASYMP5

Prologue:

Description: (Do you think) pain or discomfort in the arms or shoulder (are symptoms of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Heart Attack Symptoms - Shortness of Breath

Module: 11.6 Heart Attack and Stroke

Type: Num

Column: 331

SAS Variable Name: HASYMP6

Prologue:

Description: (Do you think) shortness of breath (is a symptom of a heart attack)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Stroke Symptoms - Confusion/Trouble speaking

Module: 11.7 Heart Attack and Stroke

Type: Num

Column: 332

SAS Variable Name: STRSYMP1

Prologue: Which of the following do you think is a symptom of a stroke? For each, tell me "yes", "no", or you're "not sure".

Description: (Do you think) sudden confusion or trouble speaking (are symptoms of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Stroke Symptoms - Numbness or Weakness of Face/Arm/Leg

Module: 11.8 Heart Attack and Stroke

Type: Num

Column: 333

SAS Variable Name: STRSYMP2

Prologue:

Description: (Do you think) sudden numbness or weakness of face, arm, or leg, especially on one side (are symptoms of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Stroke Symptoms - Vision Problems

Module: 11.9 Heart Attack and Stroke

Type: Num

Column: 334

SAS Variable Name: STRSYMP3

Prologue:

Description: (Do you think) sudden trouble seeing in one or both eyes (is a symptom of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Behavioral Risk Factor Surveillance System
TENNESSEE 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Stroke Symptoms - Chest Pain/Discomfort

Module: 11.10 Heart Attack and Stroke

Type: Num

Column: 335

SAS Variable Name: STRSYMP4

Prologue:

Description: (Do you think) sudden chest pain or discomfort (are symptoms of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Stroke Symptoms - Trouble Walking/Dizziness/Loss of Balance

Module: 11.11 Heart Attack and Stroke

Type: Num

Column: 336

SAS Variable Name: STRSYMP5

Prologue:

Description: (Do you think) sudden trouble walking, dizziness, or loss of balance (are symptoms of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Stroke Symptoms - Severe Headache

Module: 11.12 Heart Attack and Stroke

Type: Num

Column: 337

SAS Variable Name: STRSYMP6

Prologue:

Description: (Do you think) severe headache with no known cause (is a symptom of a stroke?)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

First Aid for Heart Attack and Stroke

Module: 11.13 Heart Attack and Stroke

Type: Num

Column: 338

SAS Variable Name: FIRST AID

Prologue:

Description: If you thought someone was having a heart attack or a stroke, what is the first thing you would do?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Have You Ever Had a Mammogram

Module: 12.1 Breast/Cervical Cancer Screening

Type: Num

Column: 339

SAS Variable Name: HADMAM

Prologue:

Description: A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,085	76.86	63.83
2	No-Go to Module 12.03 PROFEXAM	575	14.32	28.33
7	Don't know/Not sure-Go to Module 12.03 PROFEXAM	9	0.22	0.15
9	Refused-Go to Module 12.03 PROFEXAM	345	8.59	7.69
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1	1,900		

How Long since Last Mammogram

Module: 12.2 Breast/Cervical Cancer Screening

Type: Num

Column: 340

SAS Variable Name: HOWLONG

Prologue:

Description: How long has it been since you had your last mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	2,068	67.03	66.25
2	Within the past 2 years (1 year but less than 2 years ago)	537	17.41	16.78
3	Within the past 3 years (2 years but less than 3 years ago)	153	4.96	4.86
4	Within the past 5 years (3 years but less than 5 years ago)	87	2.82	2.88
5	5 or more years ago	211	6.84	8.60
7	Don't know/Not sure	28	0.91	0.58
9	Refused	1	0.03	0.04
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Module 12.01, HADMAM, is coded 2, 7, 9, or Missing	2,829		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever Had Breast Physical Exam by Doctor

Module: 12.3 Breast/Cervical Cancer Screening

Type: Num

Column: 341

SAS Variable Name: PROFEXAM

Prologue:

Description: A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for lumps. Have you ever had a clinical breast exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,280	81.71	81.45
2	No-Go to Module 12.05 HADPAP2	359	8.94	10.39
7	Don't know/Not sure-Go to Module 12.05 HADPAP2	24	0.60	0.35
9	Refused-Go to Module 12.05 HADPAP2	351	8.74	7.81
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1	1,900		

How Long since Last Breast Physical Exam

Module: 12.4 Breast/Cervical Cancer Screening

Type: Num

Column: 342

SAS Variable Name: LENGEXAM

Prologue:

Description: How long has it been since your last breast exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	2,301	70.15	70.88
2	Within the past 2 years (1 year but less than 2 years ago)	512	15.61	15.25
3	Within the past 3 years (2 years but less than 3 years ago)	139	4.24	3.97
4	Within the past 5 years (3 years but less than 5 years ago)	72	2.20	1.40
5	5 or more years ago	204	6.22	6.91
7	Don't know/Not sure	48	1.46	1.53
9	Refused	4	0.12	0.06
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Module 12.03, PROFEXAM, is coded 2, 7, 9, or Missing	2,634		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever Had a Pap Test

Module: 12.5 Breast/Cervical Cancer Screening

Type: Num

Column: 343

SAS Variable Name: HADPAP2

Prologue:

Description: A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,348	83.41	86.09
2	No-Go to Module 12.07 HADHYST2	296	7.37	5.85
7	Don't know/Not sure-Go to Module 12.07 HADHYST2	17	0.42	0.25
9	Refused-Go to Module 12.07 HADHYST2	353	8.79	7.81
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1	1,900		

How Long Since Last Pap Test

Module: 12.6 Breast/Cervical Cancer Screening

Type: Num

Column: 344

SAS Variable Name: LASTPAP2

Prologue:

Description: How long has it been since you had your last Pap test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	1,806	53.94	60.23
2	Within the past 2 years (1 year but less than 2 years ago)	582	17.38	17.66
3	Within the past 3 years (2 years but less than 3 years ago)	221	6.60	4.81
4	Within the past 5 years (3 years but less than 5 years ago)	129	3.85	2.22
5	5 or more years ago	543	16.22	13.47
7	Don't know/Not sure	65	1.94	1.57
9	Refused	2	0.06	0.05
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Module 12.05, HADPAP2, is coded 2, 7, 9, or Missing	2,566		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Had Hysterectomy

Module: 12.7 Breast/Cervical Cancer Screening

Type: Num

Column: 345

SAS Variable Name: HADHYST2

Prologue:

Description: Have you had a hysterectomy? (A hysterectomy is an operation to remove the uterus (womb).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,470	36.84	30.26
2	No	2,154	53.98	61.63
7	Don't know/Not sure	11	0.28	0.20
9	Refused	355	8.90	7.91
BLANK	Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Section 8.23, PREGNANT, is coded 1	1,924		

Has a doctor EVER recommended that you have a PSA test?

Module: 13.1 Prostate Cancer Screening

Type: Num

Column: 346

SAS Variable Name: PCPSAREC

Prologue:

Description: A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer. Has a doctor EVER recommended that you have a PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2;	5,914		

Ever Had PSA Test

Module: 13.2 Prostate Cancer Screening

Type: Num

Column: 347

SAS Variable Name: PSATEST1

Prologue:

Description: Have you EVER HAD a PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2;	5,914		

Behavioral Risk Factor Surveillance System
TENNESSEE 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Time Since Last PSA Test

Module: 13.3 Prostate Cancer Screening

Type: Num

Column: 348

SAS Variable Name: PSATIME

Prologue:

Description: How long has it been since you had your last PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2; or Module 13.02, PSATEST, is coded, 2, 7, 9, or Missing	5,914		

What was the MAIN reason you had this PSA test?

Module: 13.4 Prostate Cancer Screening

Type: Num

Column: 349

SAS Variable Name: PCPSARSN

Prologue:

Description: What was the MAIN reason you had this PSA test – was it part of a routine exam, because of a problem, or some other reason?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2; or Module 13.02, PSATEST, is coded, 2, 7, 9, or Missing	5,914		

Did doctor EVER talk about the advantages of the PSA test?

Module: 13.5 Prostate Cancer Screening

Type: Num

Column: 350

SAS Variable Name: PCPSAADV

Prologue:

Description: Before you had the PSA test did a doctor EVER talk with you about the advantages of the PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2; or Module 13.02, PSATEST, is coded, 2, 7, 9, or Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Did doctor EVER talk about the disadvantages of the PSA test?

Module: 13.6 Prostate Cancer Screening

Type: Num

Column: 351

SAS Variable Name: PCPSADIS

Prologue:

Description: Before you had the PSA test did a doctor EVER talk with you about the disadvantages of the PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2; or Module 13.02, PSATEST, is coded, 2, 7, 9, or Missing	5,914		

Why was PSA test done?

Module: 13.7 Prostate Cancer Screening

Type: Num

Column: 352

SAS Variable Name: PCPSADEC

Prologue:

Description: Which of the following best describes the decision to have the PSA test done?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2; or Module 13.02, PSATEST, is coded, 2, 7, 9, or Missing	5,914		

Ever Told You Had Prostate Cancer

Module: 13.8 Prostate Cancer Screening

Type: Num

Column: 353

SAS Variable Name: PROSTATE

Prologue:

Description: Have you ever been told by a doctor, nurse, or other health professional that you had prostate cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2;	5,914		

Ever Had Blood Stool Test Using Home Kit

Module: 14.1 Colorectal Cancer Screening

Type: Num

Column: 354

SAS Variable Name: BLDSTOOL

Prologue:

Description: A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 50	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Time Since Last Blood Stool Test

Module: 14.2 Colorectal Cancer Screening

Type: Num

Column: 355

SAS Variable Name: LSTBLDS3

Prologue:

Description: How long has it been since you had your last blood stool test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 50; or Module 14.01, BLDSTOOL, is coded 2, 7, 9, or Missing	5,914		

Ever Had Sigmoidoscopy/Colonoscopy

Module: 14.3 Colorectal Cancer Screening

Type: Num

Column: 356

SAS Variable Name: HADSIGM3

Prologue:

Description: Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you ever had either of these exams?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 50	5,914		

Was your last test a sigmoidoscopy or colonoscopy?

Module: 14.4 Colorectal Cancer Screening

Type: Num

Column: 357

SAS Variable Name: HADSGCO1

Prologue:

Description: For a SIGMOIDOSCOPY, a flexible tube is inserted into the rectum to look for problems. A COLONOSCOPY is similar, but uses a longer tube, and you are usually given medication through a needle in your arm to make you sleepy and told to have someone else drive you home after the test. Was your MOST RECENT exam a sigmoidoscopy or a colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 50; or Module 14.03, HADSIGM3, is coded 2, 7, 9, or Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Time Since Last Sigmoidoscopy/Colonoscopy

Module: 14.5 Colorectal Cancer Screening

Type: Num

Column: 358

SAS Variable Name: LASTSIG3

Prologue:

Description: How long has it been since you had your last sigmoidoscopy or colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 50; or Module 14.03, HADSIGM3, is coded 2, 7, 9, or Missing	5,914		

Are you aware of any telephone quitline services to help you quit smoking?

Module: 15.1 Smoking Cessation

Type: Num

Column: 359

SAS Variable Name: SMCQUITL

Prologue:

Description: A telephone quitline is a free telephone-based service that connects people who smoke cigarettes with someone who can help them quit. Are you aware of any telephone quitline services that are available to help [If Core Q7.2 = 1 or 2, say "you", otherwise say people"] quit smoking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Are trying to quit smoking for good?

Module: 15.2 Smoking Cessation

Type: Num

Column: 360

SAS Variable Name: SMCTRYQT

Prologue:

Description: You last smoked (If Core Q7.4 = 1): say "less than." If (Core Q7.4 = 2, 3, or 4) say "more than" [first two words in the parentheses of Core Q7.4 SMOKLAST response] ago. Is that because you are trying to quit smoking for good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, or 9; or Section 07.02, SMOKDAY2, is coded 7 or 9; or Section 07.03, STOPSMK2, is coded 1,2,7, or 9; or Section 07.04, LASTSMK2, is coded 5, 6, 7, 77, or 99;	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Did you call a telephone quitline to help you quit smoking?

Module: 15.3 Smoking Cessation

Type: Num

Column: 361

SAS Variable Name: SMCCALQT

Prologue: Previously, you mentioned you (If Core Q7.3 = 1): say, "tried to quit smoking in the past year." (If Core Q7.4 = 1-4 and Q2 = 1): say, "quit smoking in the past year. The next few questions ask about your most recent attempt to quit smoking.

Description: (If Core Q7.4 = 1-4 and Q.2 = 1): When you quit smoking... (If Core Q7.2 = 1 or 2 and Q7.3 = 1): The last time you tried to quit smoking... did you call a telephone quitline to help you quit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, or 9; or Section 07.02, SMOKDAY2, is coded 7 or 9; or Section 07.03, STOPSMK2, is coded 1,2,7, or 9; or Section 07.04, LASTSMK2, is coded 5, 6, 7, 77, or 99;	5,914		

Did you use a program to help you quit smoking?

Module: 15.4 Smoking Cessation

Type: Num

Column: 362

SAS Variable Name: SMCPROGQ

Prologue:

Description: (If Core Q7.4 = 1-4 and Q2 = 1): When you quit smoking... (If Core Q7.2 = 1 or 2 and Q7.3 = 1): The last time you tried to quit smoking... did you use a program to help you quit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, or 9; or Section 07.02, SMOKDAY2, is coded 7 or 9; or Section 07.03, STOPSMK2, is coded 1,2,7, or 9; or Section 07.04, LASTSMK2, is coded 5, 6, 7, 77, or 99;	5,914		

Did you receive one-on-one counseling to help you quit smoking?

Module: 15.5 Smoking Cessation

Type: Num

Column: 363

SAS Variable Name: SMCCNSLQ

Prologue:

Description: (If Core Q7.4 = 1-4 and Q2 = 1): When you quit smoking... (If Core Q7.2 = 1 or 2 and Q7.3 = 1): The last time you tried to quit smoking... did you receive one-on-one counseling from a health professional to help you quit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, or 9; or Section 07.02, SMOKDAY2, is coded 7 or 9; or Section 07.03, STOPSMK2, is coded 1,2,7, or 9; or Section 07.04, LASTSMK2, is coded 5, 6, 7, 77, or 99;	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Did you use any medications to help you quit smoking?

Module: 15.6 Smoking Cessation

Type: Num

Column: 364

SAS Variable Name: SMCMEDQT

Prologue:

Description: (If Core Q7.4 = 1-4 and Q2 = 1): When you quit smoking... (If Core Q7.2 = 1 or 2 and Q7.3 = 1): The last time you tried to quit smoking... did you use any of the following medications: a nicotine patch, nicotine gum, nicotine lozenges, nicotine nasal spray, a nicotine inhaler, or pills such as Wellbutrin®, Zyban®, bupropion, Chantix®, or varenicline to help you quit? [NOTE: Pronounce “Wellbutrin” as Well-BYOU-TRIN, “Zyban” as Z-EYE BAN, “bupropion” as BYO PRO PRI ON, “Chantix” as CHAN TICS, and “varenicline” as VAR EN IH CLEAN]. Please read list slowly.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, or 9; or Section 07.02, SMOKDAY2, is coded 7 or 9; or Section 07.03, STOPSMK2, is coded 1,2,7, or 9; or Section 07.04, LASTSMK2, is coded 5, 6, 7, 77, or 99;	5,914		

Time frame for quitting smoking?

Module: 15.7 Smoking Cessation

Type: Num

Column: 365

SAS Variable Name: SMCTIMEQ

Prologue: The next few questions are about plans to quit smoking in the future.

Description: Do you have a time frame in mind for quitting?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, or 9; or Section 07.02, SMOKDAY2, is coded 7 or 9; or Section 07.03, STOPSMK2, is coded 1,2,7, or 9; or Section 07.04, LASTSMK2, is coded 5, 6, 7, 77, or 99;	5,914		

Do you plan to quit smoking cigarettes for good...

Module: 15.8 Smoking Cessation

Type: Num

Column: 366

SAS Variable Name: SMCPLANQ

Prologue:

Description: Do you plan to quit smoking cigarettes for good...

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, or 9; or Section 07.02, SMOKDAY2, is coded 7 or 9; or Section 07.03, STOPSMK2, is coded 1,2,7, or 9; or Section 07.04, LASTSMK2, is coded 5, 6, 7, 77, or 99;	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How many days did you breathe smoke at your workplace?

Module: 16.1 Secondhand Smoke I

Type: Num

Column: 367-368

SAS Variable Name: SHSNWRK1

Prologue: Now I'm going to ask you about smoke you might have breathed at work because someone else was smoking indoors.

Description: During the past 7 days, that is, since last [TODAY'S DAY OF THE WEEK], on how many days did you breathe the smoke at your workplace from someone other than you who was smoking tobacco?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.09, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9 or missing;	5,914		

How many days did someone else smoke in your home?

Module: 16.2 Secondhand Smoke I

Type: Num

Column: 369-370

SAS Variable Name: SHSNHOM1

Prologue:

Description: Not counting decks, porches, or garages, during the past 7 days, that is, since last [TODAY'S DAY OF WEEK], on how many days did someone other than you smoke tobacco inside your home while you were at home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

How many days did you ride in a vehicle where someone was smoking tobacco?

Module: 16.3 Secondhand Smoke I

Type: Num

Column: 371-372

SAS Variable Name: SHSRIDEV

Prologue:

Description: During the past 7 days, that is, since last [TODAY'S DAY OF WEEK], on how many days did you ride in a vehicle where someone other than you was smoking tobacco?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

On how many days did you breathe in an indoor public place?

Module: 16.4 Secondhand Smoke I

Type: Num

Column: 373-374

SAS Variable Name: SHSINPUB

Prologue: The next question asks about tobacco use in indoor public places. Examples of indoor public places are the indoor areas of stores, restaurants, bars, casinos, clubs, and sports arenas.

Description: [If Q8.9 = 1 (Employed) or Q8.9 = 2 (Self-employed); say "Not counting times while you were at work,"] during the past 7 days, that is, since last [TODAY'S DAY OF WEEK], on how many days did you breathe the smoke from someone else who was smoking in an indoor public place?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Where is smoking allowed inside your home?

Module: 16.5 Secondhand Smoke I

Type: Num

Column: 375

SAS Variable Name: SHSHOMES

Prologue:

Description: Not counting decks, porches, or garages, inside your home, is smoking...

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Is smoking allowed in family vehicles?

Module: 16.6 Secondhand Smoke I

Type: Num

Column: 376

SAS Variable Name: SHSVHICL

Prologue:

Description: Not counting motorcycles, in the vehicles that you or family members who live with you own or lease, is smoking...

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Should smoking be allowed in workplace?

Module: 16.7 Secondhand Smoke

Type: Num

Column: 377

SAS Variable Name: SHSALOW1

Prologue:

Description: At workplaces, do you think smoking indoors should be...

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Age at Asthma Diagnosis

Module: 17.1 Adult Asthma History

Type: Num

Column: 378-379

SAS Variable Name: ASTHMAGE

Prologue: Previously you said you were told by a doctor, nurse, or other health professional that you had asthma.

Description: How old were you when you were first told by a doctor, nurse or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
11 - 96	Age 11 or older [96 = 96 and older] Notes: 96=96 and older	337	58.81	63.92
97	Age 10 or younger	121	21.12	19.92
98	Don't know/Not sure	47	8.20	5.41
99	Refused	68	11.87	10.74
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing	5,341		

Asthma During Past 12 Months

Module: 17.2 Adult Asthma History

Type: Num

Column: 380

SAS Variable Name: ASATTACK

Prologue:

Description: During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	157	37.65	37.70
2	No-Go to Module 17.05 ASRCHKUP	205	49.16	49.96
7	Don't know/Not sure-Go to Module 17.05 ASRCHKUP	5	1.20	0.30
9	Refused-Go to Module 17.05 ASRCHKUP	50	11.99	12.04
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	5,497		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Emergency Asthma Care During Past 12 Months

Module: 17.3 Adult Asthma History

Type: Num

Column: 381-382

SAS Variable Name: ASERVIST

Prologue:

Description: During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits [87 = 87 or more] Notes: 87=87 or more	43	27.39	21.92
88	None	113	71.97	77.52
99	Refused	1	0.64	0.56
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 17.02, ASATTACK, is coded 2, 7, 9 or Missing	5,757		

Urgent Asthma Treatment During Past 12 Months

Module: 17.4 Adult Asthma History

Type: Num

Column: 383-384

SAS Variable Name: ASDRVIST

Prologue: If one or more visits to Q3, fill in "Besides those emergency room visits,]"

Description: During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent treatment of worsening asthma symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits [87 = 87 or more] Notes: 87=87 or more	78	49.68	47.35
88	None	68	43.31	49.38
98	Don't know/Not sure	9	5.73	3.14
99	Refused	2	1.27	0.13
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 17.02, ASATTACK, is coded 2, 7, 9 or Missing	5,757		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Routine Asthma Care During Past 12 Months

Module: 17.5 Adult Asthma History

Type: Num

Column: 385-386

SAS Variable Name: ASRCHKUP

Prologue:

Description: During the past 12 months, how many times did you see a doctor, nurse, or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits [87 = 87 or more]	182	43.65	42.70
88	None	172	41.25	45.95
98	Don't know/Not sure	16	3.84	2.03
99	Refused	47	11.27	9.32
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	5,497		

Activities Limited Because of Asthma During Past 12 Months

Module: 17.6 Adult Asthma History

Type: Num

Column: 387-389

SAS Variable Name: ASACTLIM

Prologue:

Description: During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number of days	94	22.54	20.10
777	Don't know/Not sure	27	6.47	3.29
888	None	245	58.75	64.44
999	Refused	51	12.23	12.17
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	5,497		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Asthma Symptoms During Past 30 Days

Module: 17.7 Adult Asthma History

Type: Num

Column: 390

SAS Variable Name: ASYMPATOM

Prologue:

Description: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when you don't have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than once a week	59	14.15	14.63
2	Once or twice a week	44	10.55	13.17
3	More that 2 times a week, but not every day	38	9.11	10.02
4	Every day, but not all the time	52	12.47	14.99
5	Every day, all the time	15	3.60	3.00
7	Don't know/Not sure	25	6.00	6.70
8	Not at any time—Go to Module 17.09 ASTHMED3	115	27.58	25.36
9	Refused	69	16.55	12.13
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	5,497		

Sleep Difficulty Because of Asthma During Past 30 Days

Module: 17.8 Adult Asthma History

Type: Num

Column: 391

SAS Variable Name: ASNOSLEP

Prologue:

Description: During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep? Would you say—

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One or two	33	10.93	16.23
2	Three to four	20	6.62	5.94
3	Five	7	2.32	2.22
4	Six to ten	12	3.97	2.17
5	More than ten	30	9.93	11.76
7	Don't know/Not sure	27	8.94	9.41
8	None	109	36.09	36.37
9	Refused	64	21.19	15.91
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 17.07, ASYMPATOM, is coded 8	5,612		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Days used prescribed preventative asthma med in past 30 days

Module: 17.9 Adult Asthma History

Type: Num

Column: 392

SAS Variable Name: ASTHMED3

Prologue:

Description: During the past 30 days, how many days did you take a prescription asthma medication to PREVENT an asthma attack from occurring?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 to 14 days	84	20.14	22.45
2	15 to 24 days	18	4.32	8.09
3	25 to 30 days	100	23.98	12.66
7	Don't know/Not sure	14	3.36	3.18
8	Never	136	32.61	41.52
9	Refused	65	15.59	12.09
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	5,497		

Times used asthma inhaler during an attack in past 30 days

Module: 17.10 Adult Asthma History

Type: Num

Column: 393

SAS Variable Name: ASINHALR

Prologue:

Description: During the past 30 days, how often did you use a prescription asthma inhaler DURING AN ASTHMA ATTACK to stop it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 to 4 times (in the past 30 days)	84	20.14	23.58
2	5 to 14 times (in the past 30 days)	29	6.95	9.23
3	15 to 29 times (in the past 30 days)	24	5.76	4.64
4	30 to 59 times (in the past 30 days)	27	6.47	2.83
5	60 to 99 times (in the past 30 days)	9	2.16	1.06
6	100 or more times (in the past 30 days)	3	0.72	0.16
7	Don't know/Not sure	26	6.24	11.92
8	Never (include no attack in past 30 days)	152	36.45	34.93
9	Refused	63	15.11	11.65
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	5,497		

What Can You Do Because of Arthritis or Joint Symptoms

Module: 18.1 Arthritis Management

Type: Num

Column: 394

SAS Variable Name: ARTTODAY

Prologue: Earlier you indicated that you had arthritis or joint symptoms.

Description: Thinking about your arthritis or joint symptoms, which of the following best describes you TODAY?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	I can do everything I would like to do	317	15.26	17.73
2	I can do most things I would like to do	766	36.88	36.04
3	I can do some things I would like to do	507	24.41	24.53
4	I can hardly do anything I would like to do	257	12.37	11.37
7	Don't know/Not Sure	24	1.16	0.92
9	Refused	206	9.92	9.41
BLANK	Not asked or Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	3,837		

Dr. Suggest Lose Weight for Arthritis or Joint Symptoms

Module: 18.2 Arthritis Management

Type: Num

Column: 395

SAS Variable Name: ARTHWGT

Prologue:

Description: Has a doctor or other health professional EVER suggested losing weight to help your arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	641	30.86	31.38
2	No	1,207	58.11	58.44
7	Don't know/Not Sure	10	0.48	0.25
9	Refused	219	10.54	9.93
BLANK	Not asked or Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	3,837		

Dr. Suggest Use of Physical Activity or Exercise for Arthritis or Joint Symptoms

Module: 18.3 Arthritis Management

Type: Num

Column: 396

SAS Variable Name: ARTHEXER

Prologue:

Description: Has a doctor or other health professional EVER suggested physical activity or exercise to help your arthritis or joint symptoms? (If the respondent is unclear about whether this means an increase or decrease in physical activity, this means increase.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	991	47.71	47.16
2	No	851	40.97	42.22
7	Don't know/Not Sure	19	0.91	0.73
9	Refused	216	10.40	9.89
BLANK	Not asked or Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	3,837		

Ever Taken Class in Managing Arthritis or Joint Symptoms

Module: 18.4 Arthritis Management

Type: Num

Column: 397

SAS Variable Name: ARTHEDU

Prologue:

Description: Have you EVER taken an educational course or class to teach you how to manage problems related to your arthritis or joint symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	257	12.37	10.29
2	No	1,591	76.60	78.50
7	Don't know/Not Sure	11	0.53	1.33
9	Refused	218	10.50	9.89
BLANK	Not asked or Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing	3,837		

Received Tetanus Shot In The Past 10 Years?

Module: 19.1 Tetanus Diptheria (Adults)

Type: Num

Column: 398

SAS Variable Name: TNSARCV

Prologue:

Description: Have you received a tetanus shot in the past 10 years?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Was Most Recent Tetanus Shot In 2005 Or Later?

Module: 19.2 Tetanus Diptheria (Adults)

Type: Num

Column: 399

SAS Variable Name: TNSARCNT

Prologue:

Description: Was your most recent tetanus shot given in 2005 or later?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 19.01, TNSARCV, is coded 2, 7, 9 or Missing	5,914		

Did Tetanus Shot Included The Pertussis Vaccine?

Module: 19.3 Tetanus Diptheria (Adults)

Type: Num

Column: 400

SAS Variable Name: TNSASHT1

Prologue: There are currently two types of tetanus shots available for adults. One contains the tetanus diptheria vaccine. The other type contains tetanus diptheria and pertussis or whooping cough vaccine.

Description: Did your doctor say your recent tetanus shot included the pertussis or whooping cough vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 19.01, TNSARCV, is coded 2, 7, 9 or Missing; or Module 19.02, TNSARCNT, is coded 2	5,914		

Have you ever had the HPV vaccination?

Module: 20.1 Adult Human Papilloma Virus (HPV)

Type: Num

Column: 401

SAS Variable Name: HPVADVC2

Prologue: A vaccine to prevent the human papilloma virus or HPV infection is available and is called the cervical cancer or genital warts vaccine, HPV shot, [Fill: if female "GARDASIL or CERVARIX", if male "GARDASIL"].

Description: Have you ever had the HPV vaccination? (Human Papilloma Virus (Human Pap•uh•loh•muh Virus), Gardasil (Gar•duh• seel), Cervarix (Serv a rix))

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	69	4.49	5.26
2	No—Go to Next Module	1,286	83.72	81.26
3	Doctor refused when asked—Go to Next Module	2	0.13	0.22
7	Don't know/Not Sure—Go to Next Module	44	2.86	3.82
9	Refused—Go to Next Module	135	8.79	9.44
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is greater than 49	4,378		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How many HPV shots did you receive?

Module: 20.2 Adult Human Papilloma Virus (HPV)

Type: Num

Column: 402-403

SAS Variable Name: HPVADSHT

Prologue:

Description: How many HPV shots did you receive?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Number of shots	26	37.68	34.41
3	All shots--Go to Next Module	35	50.72	56.40
77	Don't know/Not Sure	8	11.59	9.19
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is greater than 49; or Module 20.01, HPVADVC2, is coded 2, 3, 7, 9 or Missing	5,845		

Have You Had Shingles Vaccine?

Module: 21.1 Shingles

Type: Num

Column: 404

SAS Variable Name: SHINGLE1

Prologue:

Description: A vaccine for shingles has been available since May 2006, it is called Zostavax®, the zoster vaccine, or the shingles vaccine. Have you had this vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, AGE, is less than 50	5,914		

Ever had a breathing test to diagnose your COPD?

Module: 22.1 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 405

SAS Variable Name: COPDTEST

Prologue:

Description: Have you ever been given a breathing test to diagnose your COPD, chronic bronchitis, or emphysema?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	426	65.14	64.84
2	No	123	18.81	17.76
7	Don't know / Not sure	16	2.45	3.78
9	Refused	89	13.61	13.61
BLANK	Not asked or Missing Notes: Section 06.08, CHCCOPD, is coded 2, 7, 9, or missing;	5,260		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Does shortness of breath affect quality of life?

Module: 22.2 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 406

SAS Variable Name: COPDQOL

Prologue:

Description: Would you say that shortness of breath affects the quality of your life?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	392	59.94	60.66
2	No	165	25.23	24.40
7	Don't know / Not sure	4	0.61	0.93
9	Refused	93	14.22	14.01
BLANK	Not asked or Missing Notes: Section 06.08, CHCCOPD, is coded 2, 7, 9, or missing;	5,260		

Have you seen doctor about shortness of breath?

Module: 22.3 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 407

SAS Variable Name: COPDDOC

Prologue:

Description: Other than a routine visit, have you had to see a doctor in the past 12 months for symptoms related to shortness of breath, bronchitis, or other COPD, or emphysema flare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	225	34.40	31.65
2	No	327	50.00	53.67
7	Don't know / Not sure	1	0.15	0.06
9	Refused	101	15.44	14.62
BLANK	Not asked or Missing Notes: Section 06.08, CHCCOPD, is coded 2, 7, 9, or missing;	5,260		

Been to E.R. or hospital because of COPD?

Module: 22.4 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 408

SAS Variable Name: COPDHOSP

Prologue:

Description: Did you have to visit an emergency room or be admitted to the hospital in the past 12 months because of your COPD, chronic bronchitis, or emphysema?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	87	13.30	12.52
2	No	462	70.64	72.53
7	Don't know / Not sure	3	0.46	0.40
9	Refused	102	15.60	14.55
BLANK	Not asked or Missing Notes: Section 06.08, CHCCOPD, is coded 2, 7, 9, or missing;	5,260		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How many medications do you take for COPD?

Module: 22.5 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 409-410

SAS Variable Name: COPDMEDS

Prologue:

Description: How many different medications do you currently take each day to help with your COPD, chronic bronchitis, or emphysema?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number (00-76)	367	56.12	57.71
88	None	191	29.20	30.70
77	Don't know / Not sure	16	2.45	1.57
99	Refused	80	12.23	10.02
BLANK	Not asked or Missing Notes: Section 06.08, CHCCOPD, is coded 2, 7, 9, or missing;	5,260		

Household prepared to handle large-scale disaster or emergency

Module: 23.1 General Preparedness

Type: Num

Column: 411

SAS Variable Name: GPWELPR3

Prologue:

Description: How well prepared do you feel your household is to handle a large-scale disaster or emergency? Would you say...

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Does your household have a 3-day supply of water for everyone who lives there?

Module: 23.2 General Preparedness

Type: Num

Column: 412

SAS Variable Name: GP3DYWTR

Prologue:

Description: Does your household have a 3-day supply of water for everyone who lives there? A 3-day supply of water is 1 gallon of water per person per day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Does your household have a 3-day supply of non-perishable food for everyone who lives there?

Module: 23.3 General Preparedness

Type: Num

Column: 413

SAS Variable Name: GP3DYFD1

Prologue:

Description: Does your household have a 3-day supply of nonperishable food for everyone who lives there? By nonperishable we mean food that does not require refrigeration or cooking.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Does your household have a 3-day supply of prescription medication for each person who takes prescribed medicines?

Module: 23.4 General Preparedness

Type: Num

Column: 414

SAS Variable Name: GP3DYPRS

Prologue:

Description: Does your household have a 3-day supply of prescription medication for each person who takes prescribed medicines?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Does your household have a working battery operated radio and working batteries for your use if the electricity is out?

Module: 23.5 General Preparedness

Type: Num

Column: 415

SAS Variable Name: GPBATRAD

Prologue:

Description: Does your household have a working battery operated radio and working batteries for your use if the electricity is out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Does your household have a working flashlight and working batteries for your use if the electricity is out?

Module: 23.6 General Preparedness

Type: Num

Column: 416

SAS Variable Name: GPFLSLIT

Prologue:

Description: Does your household have a working flashlight and working batteries for your use if the electricity is out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

In a large-scale disaster or emergency, what would be your main method of communicating with relatives and friends?

Module: 23.7 General Preparedness

Type: Num

Column: 417

SAS Variable Name: GPEMRCM1

Prologue:

Description: In a large-scale disaster or emergency, what would be your main method or way of communicating with relatives and friends?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

What would be your main method of getting information from authorities in a large-scale disaster or emergency?

Module: 23.8 General Preparedness

Type: Num

Column: 418

SAS Variable Name: GPEMRIN1

Prologue:

Description: What would be your main method or way of getting information from authorities in a large-scale disaster or emergency?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Does your household have a disaster evacuation plan?

Module: 23.9 General Preparedness

Type: Num

Column: 419

SAS Variable Name: GPVACPL1

Prologue:

Description: Does your household have a written disaster evacuation plan for how you will leave your home, in case of a large-scale disaster or emergency that requires evacuation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

If public authorities announced mandatory evacuation from your community due to a large-scale disaster or emergency, would you evacuate?

Module: 23.10 General Preparedness

Type: Num

Column: 420

SAS Variable Name: GPMNDEVC

Prologue:

Description: If public authorities announced a mandatory evacuation from your community due to a large-scale disaster or emergency, would you evacuate?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

What would be the main reason why you might not evacuate if asked to do so?

Module: 23.11 General Preparedness

Type: Num

Column: 421-422

SAS Variable Name: GPNOTEV1

Prologue:

Description: What would be the main reason you might not evacuate if asked to do so?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 23.10, GPMNDEVC, is coded 1	5,914		

Ever serve in a combat or war zone?

Module: 24.1 Veteran's Health

Type: Num

Column: 423

SAS Variable Name: VHCOMBAT

Prologue:

Description: Did you ever serve in a combat or war zone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	248	35.89	42.91
2	No	368	53.26	45.96
7	Don't know/Not Sure	2	0.29	0.06
9	Refused	73	10.56	11.06
BLANK	Not asked or Missing Notes: Section 08.05, VETERAN3, is coded 2, 7, 9, or missing	5,223		

Doctor diagnosed depression, anxiety, or post traumatic stress disorder (PTSD)?

Module: 24.2 Veteran's Health

Type: Num

Column: 424

SAS Variable Name: VHDRPTSD

Prologue:

Description: Has a doctor or other health professional ever told you that you have depression, anxiety, or post traumatic stress disorder (PTSD)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	86	12.45	12.78
2	No	529	76.56	76.33
7	Don't know/Not Sure	2	0.29	0.15
9	Refused	74	10.71	10.75
BLANK	Not asked or Missing Notes: Section 08.05, VETERAN3, is coded 2, 7, 9, or missing	5,223		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Doctor diagnosed traumatic brain injury (TBI)?

Module: 24.3 Veteran's Health

Type: Num

Column: 425

SAS Variable Name: VHDRTBI

Prologue: A traumatic brain injury may result from a violent blow to the head or when an object pierces the skull and enters the brain tissue.

Description: Has a doctor or other health professional ever told you that you have suffered a traumatic brain injury (TBI)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	3.04	5.02
2	No	593	85.82	83.77
7	Don't know/Not Sure	2	0.29	0.24
9	Refused	75	10.85	10.97
BLANK	Not asked or Missing Notes: Section 08.05, VETERAN3, is coded 2, 7, 9, or missing	5,223		

Receive psychological or psychiatric counseling or treatment past 12 months?

Module: 24.4 Veteran's Health

Type: Num

Column: 426

SAS Variable Name: VHCOUNSL

Prologue:

Description: In the past 12 months, did you receive any psychological or psychiatric counseling or treatment?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, from a VA facility	40	5.79	6.00
2	Yes, from a non-VA facility	15	2.17	2.86
3	Yes, from both VA and non-VA facilities	3	0.43	0.40
4	No	556	80.46	79.66
9	Refused	77	11.14	11.07
BLANK	Not asked or Missing Notes: Section 08.05, VETERAN3, is coded 2, 7, 9, or missing	5,223		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Thought of taking your own life in the past 12 months?

Module: 24.5 Veteran's Health

Type: Num

Column: 427

SAS Variable Name: VHTAKLIF

Prologue: The next few questions are a sensitive topic and some people may feel uncomfortable with these questions. At the end of this section, I will give you a phone number for an organization that can provide information and referral for these issues. Please keep in mind that you can ask me to skip any question you do not want to answer.

Description: Has there been a time in the past 12 months when you thought of taking your own life?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	26	3.76	3.23
2	No-Go to next module	578	83.65	83.72
7	Don't know/Not Sure-Go to next module	2	0.29	0.10
9	Refused-Go to next module	85	12.30	12.95
BLANK	Not asked or Missing Notes: Section 08.05, VETERAN3, is coded 2, 7, 9, or missing	5,223		

Attempt to commit suicide in past 12 months?

Module: 24.6 Veteran's Health

Type: Num

Column: 428

SAS Variable Name: VHSUICID

Prologue:

Description: During the past 12 months, did you attempt to commit suicide? Would you say--- (As I mentioned, I would give you a phone number for an organization that can provide information and referral for these issues. You can dial the National Crisis line at 1-800-273-TALK (8255).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, but did not require treatment	2	7.69	2.75
3	Yes, was treated at a non-VA facility	1	3.85	1.00
4	No	22	84.62	95.59
9	Refused	1	3.85	0.66
BLANK	Not asked or Missing Notes: Section 08.05, VETERAN3, is coded 2, 7, 9, or missing; or Module 24.05, VHTAKLIF, is coded 2, 7, 9, or missing	5,888		

How do other people usually classify you in this country?

Module: 25.1 Reactions to Race

Type: Num

Column: 429

SAS Variable Name: RRCLASS2

Prologue:

Description: How do other people usually classify you in this country? Would you say White, Black or African American, Hispanic or Latino, Asian, Native Hawaiian or Other Pacific Islander, American Indian or Alaska Native, or some other group?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How often do you think about your race?

Module: 25.2 Reactions to Race

Type: Num

Column: 430

SAS Variable Name: RRCOGNT2

Prologue:

Description: How often do you think about your race? Would you say never, once a year, once a month, once a week, once a day, once an hour, or constantly?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

How do you feel you were treated at work compared to people of other races in past 12 months?

Module: 25.3 Reactions to Race

Type: Num

Column: 431

SAS Variable Name: RRATWRK2

Prologue:

Description: Within the past 12 months at work, do you feel you were treated worse than, the same as, or better than people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.09, EMPLOY, is coded 5, 6, 7, 8, 9 or Missing	5,914		

When seeking health care past 12 months, was experience worse, same, better than people of other races?

Module: 25.4 Reactions to Race

Type: Num

Column: 432

SAS Variable Name: RRHCARE3

Prologue:

Description: Within the past 12 months when seeking health care, do you feel your experiences were worse than, the same as, or better than for people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Times past 30 days felt physical symptoms because of treatment due to your race

Module: 25.5 Reactions to Race

Type: Num

Column: 433

SAS Variable Name: RRPHYSM2

Prologue:

Description: Within the past 30 days, have you experienced any physical symptoms, for example, a headache, an upset stomach, tensing of your muscles, or a pounding heart, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Times past 30 days felt emotionally upset because of treatment due to your race

Module: 25.6 Reactions to Race

Type: Num

Column: 434

SAS Variable Name: RREMTSM2

Prologue:

Description: Within the past 30 days, have you felt emotionally upset, for example angry, sad, or frustrated, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Days had little pleasure doing things

Module: 26.1 Anxiety and Depression

Type: Num

Column: 435-436

SAS Variable Name: ADPLEASR

Prologue:

Description: Over the last 2 weeks, how many days have you had little interest or pleasure in doing things?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Days felt down, depressed or hopeless

Module: 26.2 Anxiety and Depression

Type: Num

Column: 437-438

SAS Variable Name: ADDOWN

Prologue:

Description: Over the last 2 weeks, how many days have you felt down, depressed or hopeless?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Days had trouble with sleep

Module: 26.3 Anxiety and Depression

Type: Num

Column: 439-440

SAS Variable Name: ADSLEEP

Prologue:

Description: Over the last 2 weeks, how many days have you had trouble falling asleep or staying asleep or sleeping too much?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Days were tired or had little energy

Module: 26.4 Anxiety and Depression

Type: Num

Column: 441-442

SAS Variable Name: ADENERGY

Prologue:

Description: Over the last 2 weeks, how many days have you felt tired or had little energy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Days ate too little or too much

Module: 26.5 Anxiety and Depression

Type: Num

Column: 443-444

SAS Variable Name: ADEAT1

Prologue:

Description: Over the last 2 weeks, how many days have you had a poor appetite or eaten too much?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Days felt like failure or let family down

Module: 26.6 Anxiety and Depression

Type: Num

Column: 445-446

SAS Variable Name: ADFAIL

Prologue:

Description: Over the last 2 weeks, how many days have you felt bad about yourself or that you were a failure or had let yourself or your family down?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Days had trouble concentrating

Module: 26.7 Anxiety and Depression

Type: Num

Column: 447-448

SAS Variable Name: ADTHINK

Prologue:

Description: Over the last 2 weeks, how many days have you had trouble concentrating on things, such as reading the newspaper or watching the TV?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Behavioral Risk Factor Surveillance System
TENNESSEE 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Days talked to move slower or faster than usual

Module: 26.8 Anxiety and Depression

Type: Num

Column: 449-450

SAS Variable Name: ADMOVE

Prologue:

Description: Over the last 2 weeks, how many days have you moved or spoken so slowly that other people could have noticed? Or the opposite – being so fidgety or restless that you were moving around a lot more than usual?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Receiving medicine or treatment from health pro for emotional problem

Module: 26.9 Anxiety and Depression

Type: Num

Column: 451

SAS Variable Name: MISTMNT

Prologue:

Description: Are you now taking medicine or receiving treatment from a doctor or other health professional for any type of mental health condition or emotional problem?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Ever told you had an anxiety disorder

Module: 26.10 Anxiety and Depression

Type: Num

Column: 452

SAS Variable Name: ADANXEV

Prologue:

Description: Has a doctor or other healthcare provider EVER told you that you had an anxiety disorder (including acute stress disorder, anxiety, generalized anxiety disorder, obsessive-compulsive disorder, panic disorder, phobia, posttraumatic stress disorder, or social anxiety disorder)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Have you experienced confusion or memory loss that is happening more often or is getting worse?

Module: 27.1 Cognitive Impairment

Type: Num

Column: 453

SAS Variable Name: CIMEMLOS

Prologue:

Description: During the past 12 months, have you experienced confusion or memory loss that is happening more often or is getting worse?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	306	5.27	4.14
2	No	4,861	83.71	84.72
7	Don't know/Not sure	45	0.77	0.68
9	Refused	595	10.25	10.46
BLANK	Not asked or Missing	107		

How many adults in your household experienced confusion or memory loss that is happening more often or is getting worse during the past 12 months?

Module: 27.2 Cognitive Impairment

Type: Num

Column: 454

SAS Variable Name: CINOADLT

Prologue:

Description: [If Q1 = 1), Not including yourself], how many adults 18 or older in your household experienced confusion or memory loss that is happening more often or is getting worse during the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Number of people Notes: 6 = 6 or more	117	3.78	3.47
7	Don't know/Not sure	8	0.26	0.08
8	None	2,674	86.40	86.42
9	Refused	296	9.56	10.04
BLANK	Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 1, 2, 7, 9, or missing	2,819		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Of these people, how old is this person?

Module: 27.3 Cognitive Impairment

Type: Num

Column: 455-456

SAS Variable Name: CIRBIAGE

Prologue:

Description: Of these people, please select the person who had the most recent birthday. How old is this person?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18-29	4	4.30	18.21
2	Age 30-39	1	1.08	0.11
3	Age 40-49	5	5.38	20.74
4	Age 50-59	8	8.60	12.03
5	Age 60-69	12	12.90	14.08
6	Age 70-79	25	26.88	15.88
7	Age 80-89	22	23.66	10.02
8	Age 90 +	3	3.23	1.54
77	Don't know/Not sure	10	10.75	4.20
99	Refused	3	3.23	3.20
BLANK	Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 1, 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6	5,821		

Given up household activities or chores you/they used to do, because of confusion or memory loss that is happening more often or is getting worse?

Module: 27.4 Cognitive Impairment

Type: Num

Column: 457

SAS Variable Name: CIHOWOFT

Prologue:

Description: During the past 12 months, how often [If Q1 = 1 (Yes): insert "have you" otherwise, insert "has this person"] given up household activities or chores [If Q1 = 1 (Yes): insert "you" otherwise, insert "they"] used to do, because of confusion or memory loss that is happening more often or is getting worse?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	42	10.85	7.85
2	Usually	24	6.20	4.89
3	Sometimes	84	21.71	25.50
4	Rarely	56	14.47	15.32
5	Never	157	40.57	40.64
7	Don't know/Not sure	12	3.10	1.54
9	Refused	12	3.10	4.27
BLANK	Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6	5,527		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

As a result of person's confusion or memory loss, in which areas do you " need the MOST assistance?

Module: 27.5 Cognitive Impairment

Type: Num

Column: 458

SAS Variable Name: CIASSIST

Prologue:

Description: As a result of [If Q1 = 1 (Yes): insert "your" otherwise, insert "this person's"] confusion or memory loss, in which of the following four areas [If Q1 = 1 (Yes): insert "do you" otherwise, insert "does this person"] need the MOST assistance?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Safety—read only if necessary:	17	4.39	3.68
2	Transportation—read only if necessary:	40	10.34	14.54
3	Household activities—read only if necessary:	72	18.60	15.70
4	Personal care—read only if necessary:	29	7.49	4.68
5	Needs assistance, but not in those areas	26	6.72	4.93
6	Doesn't need assistance in any area	149	38.50	43.39
7	Don't know/Not sure	30	7.75	5.48
9	Refused	24	6.20	7.61
BLANK	Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6	5,527		

How often has confusion or memory loss interfered with ability to work, volunteer, or engage in social activities?

Module: 27.6 Cognitive Impairment

Type: Num

Column: 459

SAS Variable Name: CIINTFER

Prologue:

Description: During the past 12 months, how often has confusion or memory loss interfered with [If Q1 = 1 (Yes): insert "your" otherwise, insert "this person's"] ability to work, volunteer, or engage in social activities?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	57	14.73	10.42
2	Usually	26	6.72	4.95
3	Sometimes	66	17.05	15.92
4	Rarely	50	12.92	15.95
5	Never	153	39.53	42.57
7	Don't know/Not sure	12	3.10	3.02
9	Refused	23	5.94	7.17
BLANK	Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6	5,527		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How often has a family member or friend provided any care or assistance because of confusion or memory loss?

Module: 27.7 Cognitive Impairment

Type: Num

Column: 460

SAS Variable Name: CIFAMCAR

Prologue:

Description: During the past 30 days, how often [If Q1 = 1 (Yes): insert "has" otherwise, insert "have you,"] a family member or friend provided any care or assistance for [If Q1 = 1 (Yes): "you" otherwise, insert "this person"] because of confusion or memory loss?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	44	11.37	14.19
2	Usually	21	5.43	3.14
3	Sometimes	48	12.40	11.31
4	Rarely	40	10.34	12.81
5	Never	200	51.68	49.77
7	Don't know/Not sure	9	2.33	1.48
9	Refused	25	6.46	7.30
BLANK	Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6	5,527		

Discussed with a health care professional, increases in confusion or memory loss?

Module: 27.8 Cognitive Impairment

Type: Num

Column: 461

SAS Variable Name: CIHCPROF

Prologue:

Description: Has anyone discussed with a health care professional, increases in [If Q1 = 1 (Yes): insert "your" otherwise, insert "this person's"] confusion or memory loss?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	136	35.14	29.97
2	No-Go to Next Module	224	57.88	62.18
7	Don't know/Not sure-Go to Next Module	3	0.78	0.80
9	Refused-Go to Next Module	24	6.20	7.04
BLANK	Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6	5,527		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Received treatment such as therapy or medications for confusion or memory loss?

Module: 27.9 Cognitive Impairment

Type: Num

Column: 462

SAS Variable Name: CIMEDS

Prologue:

Description: Have [If Q1 = 1 (Yes): insert "you" otherwise, insert "this person"] received treatment such as therapy or medications for confusion or memory loss?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	77	56.62	51.01
2	No	57	41.91	48.12
7	Don't know/Not sure	2	1.47	0.86
BLANK	Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6; or Module 18.08, CIHCPROF, is coded 2, 7, 9, or missing	5,778		

Has a health care professional ever said it was Alzheimer's disease or some other form of dementia?

Module: 27.10 Cognitive Impairment

Type: Num

Column: 463

SAS Variable Name: CIDIAGAZ

Prologue:

Description: Has a health care professional ever said that [If Q1 = 1 (Yes): insert "you have" otherwise, insert "this person has"] Alzheimer's disease or some other form of dementia?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, Alzheimer's Disease	17	12.50	11.16
2	Yes, some other form of dementia but not Alzheimer's disease	20	14.71	13.50
3	No diagnosis has been given	91	66.91	68.75
7	Don't know/Not sure	6	4.41	5.08
9	Refused	2	1.47	1.51
BLANK	Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6; or Module 18.08, CIHCPROF, is coded 2, 7, 9, or missing	5,778		

Times Past 12 Months Worried/Stressed About Having Enough Money To Pay Your Rent/Mortgage?

Module: 28.1 Social Context

Type: Num

Column: 464

SAS Variable Name: SCNTMONY

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to pay your rent/mortgage? Would you say you were worried or stressed---

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.21, RENTHOM1, is coded 3, 7, 9 or Missing	5,914		

Times Past 12 Months Worried/Stressed About Having Enough Money To Buy Nutritious Meals?

Module: 28.2 Social Context

Type: Num

Column: 465

SAS Variable Name: SCNTMEAL

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to buy nutritious meals? Would you say you were worried or stressed---

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

How Are You Generally Paid For The Work You Do

Module: 28.3 Social Context

Type: Num

Column: 466

SAS Variable Name: SCNTPAID

Prologue:

Description: At your main job or business, how are you generally paid for the work you do. Are you:

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.21, EMPLOY, is coded 3, 4, 5, 6, 7, or 8	5,914		

How Many Hours Per Week Do You Work

Module: 28.4 Social Context

Type: Num

Column: 467-468

SAS Variable Name: SCNTWRK1

Prologue:

Description: About how many hours do you work per week on all of your jobs and businesses combined?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.21, EMPLOY, is coded 3, 4, 5, 6, 7, or 8	5,914		

How Were You Generally Paid For The Work You Did

Module: 28.5 Social Context

Type: Num

Column: 469

SAS Variable Name: SCNTLPAD

Prologue:

Description: Thinking about the last time you worked, at your main job or business, how were you generally paid for the work you do? Were you:

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.21, EMPLOY, is coded 1, 2, 5, 6, or 8; or Module 28.04, SCNTWORK, is > 0	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How Many Hours Per Week Did You Work

Module: 28.6 Social Context

Type: Num

Column: 470-471

SAS Variable Name: SCNTLWK1

Prologue:

Description: Thinking about the last time you worked, about how many hours did you work per week at all of your jobs and businesses combined?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 28.04, SCNTWRK1, is > 0	5,914		

Location of last HIV test

Module: 29.1 HIV/AIDS

Type: Num

Column: 472-473

SAS Variable Name: WHRTST9

Prologue:

Description: Where did you have your last HIV test — at a private doctor or HMO office, at a counseling and testing site, at a hospital, at a clinic, in a jail or prison, at a drug treatment facility, at home, or somewhere else?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 16.01, HIVTST6, is coded 2, 7, 9, or Missing	5,914		

Was your last HIV test a rapid test?

Module: 29.2 HIV/AIDS

Type: Num

Column: 474

SAS Variable Name: HIVRDTS2

Prologue:

Description: Was it a rapid test where you could get your results within a couple of hours?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 16.01, HIVTST6, is coded 2, 7, 9, or Missing; or Section 16.02, HIVTSTD3, not within the last 12 months	5,914		

How often get emotional support needed

Module: 30.1 Emotional Support and Life Satisfaction

Type: Num

Column: 475

SAS Variable Name: EMTSUPRT

Prologue:

Description: How often do you get the social and emotional support you need?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Satisfaction with life

Module: 30.2 Emotional Support and Life Satisfaction

Type: Num

Column: 476

SAS Variable Name: LSATISFY

Prologue:

Description: In general, how satisfied are you with your life?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Live With Anyone Depressed, Mentally Ill, Or Suicidal?

Module: 31.1 Adverse Childhood Experience

Type: Num

Column: 477

SAS Variable Name: ACEDEPRS

Prologue:

Description: Did you live with anyone who was depressed, mentally ill, or suicidal?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Live With a Problem Drinker/Alcoholic?

Module: 31.2 Adverse Childhood Experience

Type: Num

Column: 478

SAS Variable Name: ACEDRINK

Prologue:

Description: Did you live with anyone who was a problem drinker or alcoholic?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Live With Anyone Who Used Illegal Drugs or Abused Prescriptions?

Module: 31.3 Adverse Childhood Experience

Type: Num

Column: 479

SAS Variable Name: ACEDRUGS

Prologue:

Description: Did you live with anyone who used illegal street drugs or who abused prescription medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Live With Anyone Who Served Time in Prison or Jail?

Module: 31.4 Adverse Childhood Experience

Type: Num

Column: 480

SAS Variable Name: ACEPRISN

Prologue:

Description: Did you live with anyone who served time or was sentenced to serve time in a prison, jail, or other correctional facility?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Were Your Parents Divorced/Seperated?

Module: 31.5 Adverse Childhood Experience

Type: Num

Column: 481

SAS Variable Name: ACEDIVRC

Prologue:

Description: Were your parents separated or divorced?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

How Often Did Your Parents Beat Each Other Up?

Module: 31.6 Adverse Childhood Experience

Type: Num

Column: 482

SAS Variable Name: ACEPUNCH

Prologue:

Description: How often did your parents or adults in your home ever slap, hit, kick, punch or beat each other up?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

How Often Did A Parent Physically Hurt You In Any Way?

Module: 31.7 Adverse Childhood Experience

Type: Num

Column: 483

SAS Variable Name: ACEHURT

Prologue:

Description: Before age 18, how often did a parent or adult in your home ever hit, beat, kick, or physically hurt you in any way? Do not include spanking. Would you say---

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

How Often Did A Parent Swear At You?

Module: 31.8 Adverse Childhood Experience

Type: Num

Column: 484

SAS Variable Name: ACESWEAR

Prologue:

Description: How often did a parent or adult in your home ever swear at you, insult you, or put you down?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

How Often Did Anyone Ever Touch You Sexually?

Module: 31.9 Adverse Childhood Experience

Type: Num

Column: 485

SAS Variable Name: ACETOUCH

Prologue:

Description: How often did anyone at least 5 years older than you or an adult, ever touch you sexually?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

How Often Did Anyone Make You Touch Them Sexually?

Module: 31.10 Adverse Childhood Experience

Type: Num

Column: 486

SAS Variable Name: ACETTHEM

Prologue:

Description: How often did anyone at least 5 years older than you or an adult, try to make you touch them sexually?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

How Often Did Anyone Ever Force You to Have Sex?

Module: 31.11 Adverse Childhood Experience

Type: Num

Column: 487

SAS Variable Name: ACEHVSEX

Prologue:

Description: How often did anyone at least 5 years older than you or an adult, force you to have sex?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Birth date of child

Module: 32.1 Random Child Selection

Type: Char

Column: 488-493

SAS Variable Name: RCSBIRTH

Prologue:

Description: What is the birth month and year of the "Xth" child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777777	Don't know/Not sure	66	5.90	6.39
999999	Refused	212	18.96	18.51
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing;	4,796		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	840	75.13	75.10

Gender of child

Module: 32.2 Random Child Selection

Type: Num

Column: 494

SAS Variable Name: RCSGENDR

Prologue:

Description: Is the child a boy or a girl?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Boy	467	41.77	41.10
2	Girl	442	39.53	40.47
9	Refused	209	18.69	18.43
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	4,796		

Ethnicity of child

Module: 32.3 Random Child Selection

Type: Num

Column: 495

SAS Variable Name: RCHISLAT

Prologue:

Description: Is the child Hispanic or Latino?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24	2.15	2.26
2	No	886	79.25	79.39
9	Refused	208	18.60	18.35
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	4,796		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Race of child (multiple possible)

Module: 32.4 Random Child Selection

Type: Char

Column: 496-501

SAS Variable Name: RCSRACE

Prologue:

Description: Which one or more of the following would you say is the race of the child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	0.09	0.00
9	Refused	200	17.89	18.14
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	4,796		
HIDDEN	Data Not Displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	917	82.02	81.85

Race of child

Module: 32.5 Random Child Selection

Type: Num

Column: 502

SAS Variable Name: RCSBRACE

Prologue:

Description: Which one of these groups would you say best represents the child's race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	7	38.89	21.22
2	Black or African American	4	22.22	20.86
5	American Indian or Alaskan Native	1	5.56	1.38
6	Other	1	5.56	4.08
7	Don't know/Not sure	4	22.22	51.10
9	Refused	1	5.56	1.37
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months; or Module 23.04, RCSRACE, has only one valid race code (1-6)	5,896		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Relationship to child

Module: 32.6 Random Child Selection

Type: Num

Column: 503

SAS Variable Name: RCSRLTN2

Prologue:

Description: How are you related to the child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parent (include biologic, step, or adoptive parent)	756	67.62	69.39
2	Grandparent	110	9.84	4.80
3	Foster parent or guardian	7	0.63	0.31
4	Sibling (include biologic, step, and adoptive sibling)	22	1.97	4.57
5	Other relative	14	1.25	1.70
6	Not related in any way	7	0.63	1.17
9	Refused	202	18.07	18.05
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	4,796		

Hlth pro ever said child has asthma

Module: 33.1 Childhood Asthma

Type: Num

Column: 504

SAS Variable Name: CASTHDX2

Prologue:

Description: Has a doctor, nurse or other health professional EVER said that the child has asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	108	9.66	10.67
2	No-Go to next module	804	71.91	71.22
7	Don't know/Not Sure-Go to next module	2	0.18	0.11
9	Refused-Go to next module	204	18.25	18.00
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing	4,796		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child still have asthma?

Module: 33.2 Childhood Asthma

Type: Num

Column: 505

SAS Variable Name: CASTHNO2

Prologue:

Description: Does the child still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	68	62.96	74.86
2	No	37	34.26	23.55
7	Don't know/Not Sure	2	1.85	1.48
9	Refused	1	0.93	0.11
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or Module 33.01, CASTHDX2, is coded 2, 7, 9, or Missing	5,806		

Child dad seasonal flu shot past 12 mos

Module: 34.1 Child Immunization (Influenza)

Type: Num

Column: 506

SAS Variable Name: FLUSHCH2

Prologue: There are two types of seasonal flu vaccinations. One is a shot and the other is a spray in the nose.

Description: During the past 12 months, has [Fill: he/she] had a seasonal flu vaccination?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	389	35.36	36.14
2	No-Go to next module	471	42.82	41.15
7	Don't know/Not Sure-Go to next module	36	3.27	4.06
9	Refused-Go to next module	204	18.55	18.64
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE < 6 months;	4,814		

Date child rcvd most recent seasonal flu vaccine(mmyyyy)

Module: 34.2 Child Immunization (Influenza)

Type: Char

Column: 507-512

SAS Variable Name: RCVFVCH4

Prologue: The flu vaccination may have been either the flu shot or the flu spray. The flu spray is the flu vaccination that is sprayed in the nose.

Description: During what month and year did [Fill: he/she] receive [Fill: his/her] most recent seasonal flu vaccination?

Value	Value Label	Frequency	Percentage	Weighted Percentage
999999	Refused	3	0.77	0.55
BLANK	Not asked or Missing	5,525		
HIDDEN	Data not displayed Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE < 6 months; or Module 34.01, FLUSHCH2, is coded 2, 7, 9, or Missing	386	99.23	99.45

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

At what did [he/she] get [his/her] last seasonal flu vaccine?

Module: 34.3 Child Immunization (Influenza)

Type: Num

Column: 513-514

SAS Variable Name: CHIMRCVE

Prologue:

Description: At what kind of place did [he/she] get [his/her] last seasonal flu vaccine?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	A doctor's office or health maintenance organization (HMO)	262	67.35	70.92
2	A health department	42	10.80	6.77
3	Another type of clinic or health center (Example: a community health center)	14	3.60	2.35
4	A senior, recreation, or community center	1	0.26	0.19
5	A store (Examples: supermarket, drug store)	18	4.63	3.13
6	A hospital (Example: inpatient)	6	1.54	1.33
8	Workplace	8	2.06	3.87
9	Some other kind of place	3	0.77	1.54
10	Received vaccination in Canada/Mexic	4	1.03	0.47
11	A school	24	6.17	4.41
77	Don't know / Not sure—Probe:	6	1.54	4.94
99	Refused	1	0.26	0.09
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE < 6 months; or Module 34.01, FLUSHCH2, is coded 2, 7, 9, or Missing	5,525		

Asthma Follow-Up call back request

Followup: 1.1 Asthma Follow-up Call Back

Type: Num

Column: 515

SAS Variable Name: CALLBACK

Prologue:

Description: We would like to call you again within the next 2 weeks to talk in more detail about (your/your child's) experiences with asthma. The information will be used to help develop and improve the asthma programs in <STATE>. The information you gave us today and any you give us in the future will be kept confidential. If you agree to this, we will keep your first name or initials and phone number on file, separate from the answers collected today.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Asthma Follow-Up call back responded selected

Followup: 1.2 Asthma Follow-up Call Back

Type: Num

Column: 516

SAS Variable Name: ADLTCHLD

Prologue:

Description: Which household member was selected to be the focus of the callback.

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No selection	4	100.00	100.00
BLANK	Not asked or Missing	5,910		

Were You Ill With A Fever In Past Month?

Section: 17.1 Adult Influenza Like Illness

Type: Num

Column: 517

SAS Variable Name: FLSYAQ01

Prologue:

Description: Last month (i.e September [to change to previous month each month of survey]), were you ill with a fever?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Did you also have a cough and/or sore throat?

Section: 17.2 Adult Influenza Like Illness

Type: Num

Column: 518

SAS Variable Name: FLSYAQ02

Prologue:

Description: Did you also have a cough and/or sore throat?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 26.01, FLSYAQ01, is coded 2, 7, 9, or Missing	5,914		

Did you visit a doctor, nurse, or other health professional for this illness?

Section: 17.3 Adult Influenza Like Illness

Type: Num

Column: 519

SAS Variable Name: FLSYAQ03

Prologue:

Description: Did you visit a doctor, nurse, or other health professional for this illness?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 26.01, FLSYAQ01, is coded 2, 7, 9, or Missing; or Section 26.02, FLSYAQ02, is coded 2, 7, 9, or Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

When did you visit the doctor, nurse, or other health professional for this illness?

Section: 17.4 Adult Influenza Like Illness

Type: Num

Column: 520

SAS Variable Name: FLSYQA04

Prologue:

Description: When did you visit the doctor, nurse, or other health professional for this illness? [Interviewer: read off choices; choose the most specific]

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 26.01, FLSYQA01, is coded 2, 7, 9, or Missing; or Section 26.02, FLSYQA02, is coded 2, 7, 9, or Missing; or Section 26.03, FLSYQA03, is coded 2, 7, 9, or Missing	5,914		

What did the doctor, nurse, or other health professional tell you?

Section: 17.5 Adult Influenza Like Illness

Type: Num

Column: 521

SAS Variable Name: FLSYQA05

Prologue:

Description: What did the doctor, nurse, or other health professional tell you? Did they say...[Interviewer: read off choices]

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 26.01, FLSYQA01, is coded 2, 7, 9, or Missing; or Section 26.02, FLSYQA02, is coded 2, 7, 9, or Missing; or Section 26.03, FLSYQA03, is coded 2, 7, 9, or Missing	5,914		

Did you have a flu test that was positive for this illness?

Section: 17.6 Adult Influenza Like Illness

Type: Num

Column: 522

SAS Variable Name: FLSYQA06

Prologue:

Description: Did you have a flu test that was positive for this illness? Usually a swab from your nose or throat is tested. Would you say...[Interviewer: read off choices]

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 26.01, FLSYQA01, is coded 2, 7, 9, or Missing; or Section 26.02, FLSYQA02, is coded 2, 7, 9, or Missing; or Section 26.03, FLSYQA03, is coded 2, 7, 9, or Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Did you receive Tamiflu®, oseltamivir, Relenza® or zanamivir to treat this illness?

Section: 17.7 Adult Influenza Like Illness

Type: Num

Column: 523

SAS Variable Name: FLSYQA07

Prologue:

Description: Did you receive Tamiflu® or oseltamivir [o sel TAM i veer] or an inhaled medicine called Relenza® or zanamivir [za NA mi veer] to treat this illness?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 26.01, FLSYQA01, is coded 2, 7, 9, or Missing; or Section 26.02, FLSYQA02, is coded 2, 7, 9, or Missing; or Section 26.03, FLSYQA03, is coded 2, 7, 9, or Missing	5,914		

Did any other members of your household have a fever with cough or sore throat last month?

Section: 17.8 Adult Influenza Like Illness

Type: Num

Column: 524

SAS Variable Name: FLSYQA08

Prologue:

Description: Did any other members of your household have a fever with cough or sore throat last month (i.e September [to change each month of survey])?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: NUMADULT=1 and Section 12.07, CHILDREN=88	5,914		

How many household members, including you, were ill last month?

Section: 17.9 Adult Influenza Like Illness

Type: Num

Column: 525-526

SAS Variable Name: FLSYQA09

Prologue:

Description: How many household members, [CATI note: Fill in "including you," if Q1=1(Yes) and Q2=1 (Yes)]were ill last month (i.e September [to change each month of survey])?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: NUMADULT=1 and Section 12.07, CHILDREN=88	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

How many people in your household, including you, were hospitalized for flu last month?

Section: 17.10 Adult Influenza Like Illness

Type: Num

Column: 527-528

SAS Variable Name: FLSYAQ10

Prologue:

Description: How many people in your household, including you, were hospitalized for flu last month (i.e September [to change each month of survey])? [Interviewer, if needed: hospitalized means admitted to a hospital to receive medical treatment.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: NUMADULT=1 and Section 12.07, CHILDREN is coded 88 and Section 26.01, FLSYAQ01, is coded 2, 7, 9, or Missing; and Section 26.02, FLSYAQ02, is coded 2, 7, 9, or Missing; or ((NUMADULT=1 and Section 12.07, CHILDREN is coded >=1) or NUMADULT is coded > 1) and Section 26.01, FLSYAQ01, is coded 2, 7, 9, or Missing; and Section 26.02, FLSYAQ02, is	5,914		

Did the child have a fever with cough and/or sore throat during the last month?

Module: 35.1 Child Influenza Like Illness

Type: Num

Column: 529

SAS Variable Name: FLSYCQ01

Prologue:

Description: Last month (i.e September [to change each month of survey]), did the child have a fever with cough and/or sore throat?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing	5,914		

Did the child visit a doctor, nurse, or other health professional for this illness?

Module: 35.2 Child Influenza Like Illness

Type: Num

Column: 530

SAS Variable Name: FLSYCQ02

Prologue:

Description: Did the child visit a doctor, nurse, or other health professional for this illness?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or Module 34.01, FLSYCQ01, is coded 2, 7, 9, or Missing;	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Correct Phone Number?

CellPhone: 1.1 Cell Phone Introduction

Type: Num

Column: 531

SAS Variable Name: CTELCNUM1

Prologue: Variabe only on the cell phone survey

Description: Is this (phone number) ?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to CELLFON2	173	100.00	100.00
BLANK	Not asked or Missing	5,741		

Is this a cellular telephone?

CellPhone: 1.2 Cell Phone Introduction

Type: Num

Column: 532

SAS Variable Name: CELLFON2

Prologue: Variabe only on the cell phone survey

Description: Is this a cellular telephone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to CADULT	173	100.00	100.00
BLANK	Not asked or Missing	5,741		

Are you 18 years of age or older?

CellPhone: 1.3 Cell Phone Introduction

Type: Num

Column: 533

SAS Variable Name: CADULT

Prologue: Variabe only on the cell phone survey

Description: Are you 18 years of age or older?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, Male Respondent-Go to PVTRES2	74	42.77	44.83
2	Yes, Female Respondent-Go to PVTRES2	99	57.23	55.17
BLANK	Not asked or Missing	5,741		

Do you live in a private residence?

CellPhone: 1.4 Cell Phone Introduction

Type: Num

Column: 534

SAS Variable Name: PVTRES2

Prologue: Variabe only on the cell phone survey

Description: Do you live in a private residence, that is, not in a dormitory or other type of group living situation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to CSTATE	173	100.00	100.00
BLANK	Not asked or Missing	5,741		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

In what state do you live?

CellPhone: 1.6 Cell Phone Introduction

Type: Num

Column: 536-537

SAS Variable Name: RSPSTATE

Prologue: Variabe only on the cell phone survey

Description: In what state do you live?

Value	Value Label	Frequency	Percentage	Weighted Percentage
47	Tennessee	101	100.00	100.00
BLANK	Not asked or Missing	5,813		

Do you also have a landline telephone?

CellPhone: 1.7 Cell Phone Introduction

Type: Num

Column: 538

SAS Variable Name: LANDLINE

Prologue: Variabe only on the cell phone survey

Description: Do you also have a landline telephone in your home that is used to make and receive calls?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No-Go to Survey Introduction	173	100.00	100.00
BLANK	Not asked or Missing	5,741		

What percent of your calls are received on your cell phone?

CellPhone: 1.8 Cell Phone Introduction

Type: Num

Column: 539-541

SAS Variable Name: PCTCELL

Prologue: Variabe only on the cell phone survey

Description: Thinking about all the phone calls that you receive on your landline or cell phone, what percent, between 0 and 100, are received on your cell phone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Response Order

State: 1.1 Secondhand Smoke Response Order

Type: Num

Column: 542

SAS Variable Name: SHS05_

Prologue:

Description: Response Order

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Response Order

State: 1.2 Secondhand Smoke Response Order

Type: Num

Column: 543

SAS Variable Name: SHS06_

Prologue:

Description: Response Order

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Response Order

State: 1.3 Secondhand Smoke Response Order

Type: Num

Column: 544

SAS Variable Name: SHS07_

Prologue:

Description: Response Order

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	5,914		

Talk to Professional About Alcohol Use

Section: 15.5 Alcohol Consumption

Type: Num

Column: 547

SAS Variable Name: PCSALCH1

Prologue:

Description: (Has a doctor or other health professional ever talked with you) about alcohol use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, within the past 12 months (1 to 12 months ago)	108	4.42	6.56
2	Yes, within the past 3 years (1 to 3 years ago)	41	1.68	3.39
3	Yes, 3 or more years ago	60	2.46	2.47
4	No	2,038	83.42	79.84
7	Don't know/Not sure	12	0.49	0.17
9	Refused	184	7.53	7.55
BLANK		3,471		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

State Added Questions

State: 1.1 StateQuestions

Type: Char

Column: 551-800

SAS Variable Name: STATEQUE

Prologue:

Description: State Added Questions

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Questionnaire Version Identifier

State: 1.1 Questionnaire Version

Type: Num

Column: 891-892

SAS Variable Name: QSTVER

Prologue:

Description: Questionnaire Version Identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
10	Only Version Landline	5,741	97.07	72.10
20	Only Version Cell Phone	173	2.93	27.90

Language identifier

State: 1.1 Questionnaire Language

Type: Num

Column: 893-894

SAS Variable Name: QSTLANG

Prologue:

Description: Language identifier

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	5,911	99.95	99.30
2	Spanish	3	0.05	0.70

Cell Phone Pilot County Name

State: 1.1 Cell Phone Pilot II

Type: Char

Column: 905-949

SAS Variable Name: CPCOUNTY

Prologue:

Description: Cell Phone Pilot County Name

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		5,914	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

First Activity Other response description

Section: 10.3 Exercise (Physical Activity)

Type: Char

Column: 950-969

SAS Variable Name: EXACTOT1

Prologue:

Description: First Activity Other response description

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	5,914	100.00	100.00

Second Activity Other response description

Section: 10.7 Exercise (Physical Activity)

Type: Char

Column: 970-989

SAS Variable Name: EXACTOT2

Prologue:

Description: Second Activity Other response description

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	5,914	100.00	100.00

Metropolitan Statistical Area Code.

Weighting: 1.1 Weighting Variables

Type: Char

Column: 990-994

SAS Variable Name: _MSACODE

Prologue:

Description: FIPS Metropolitan Statistical Area Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Metropolitan Status Code

Weighting: 1.2 Weighting Variables

Type: Num

Column: 995

SAS Variable Name: MSCODE

Prologue:

Description: Metropolitan Status Code

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	In the center city of an MSA	2,335	40.67	36.46
2	Outside the center city of an MSA but inside the county containing the center city	844	14.70	14.69
3	Inside a suburban county of the MSA	665	11.58	16.94
5	Not in an MSA	1,897	33.04	31.91
BLANK	GU, PR, VI	173		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Sample Design Stratification Variable

Weighting: 1.3 Weighting Variables

Type: Num

Column: 996-1000

SAS Variable Name: _STSTR

Prologue:

Description: Sample Design Stratification Variable (A five digit number that combines the values for _STATE (first two characters), _GEOSTR (third and fourth character), and _DENSTR2 (final character).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Stratum weight

Weighting: 1.4 Weighting Variables

Type: Num

Column: 1001-1010

SAS Variable Name: _STRWT

Prologue:

Description: Stratum weight (Number of records in a stratum (NRECSTR) divided by the number of records selected (NRECSEL).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Raw weighting factor

Weighting: 1.5 Weighting Variables

Type: Num

Column: 1011-1020

SAS Variable Name: _RAW

Prologue:

Description: Raw weighting factor (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPDPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Design weight

Weighting: 1.6 Weighting Variables

Type: Num

Column: 1021-1030

SAS Variable Name: _WT2

Prologue:

Description: Design weight (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAW).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Raw weighting factor used in raking

Weighting: 1.7 Weighting Variables

Type: Num

Column: 1031-1040

SAS Variable Name: _RAWRAKE

Prologue:

Description: Raw weighting factor used in raking (Number of adults in the household (NUMADULT, maximum of 5) divided by the imputed number of phones (_IMPDPH, maximum of 3).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Design weight use in raking

Weighting: 1.8 Weighting Variables

Type: Num

Column: 1041-1050

SAS Variable Name: _WT2RAKE

Prologue:

Description: Design weight used in raking (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWRAKE).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Region

Weighting: 1.9 Weighting Variables

Type: Num

Column: 1051-1052

SAS Variable Name: _REGION

Prologue:

Description: Geographic region within a state, imputed from CTYCODE, _IMPCTY, or _GEOSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Age value used to determine age groups

Weighting: 1.10 Weighting Variables

Type: Num

Column: 1053-1054

SAS Variable Name: _IMPAGE

Prologue:

Description: Imputed age used in post-stratification (This value is the reported age or an imputed age, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give an age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
18 - 24	Age 18 to 24	144	2.43	12.09
25 - 34	Age 25 to 34	403	6.81	17.32
35 - 44	Age 35 to 44	633	10.70	17.63
45 - 54	Age 45 to 54	1,024	17.31	18.80
55 - 64	Age 55 to 64	1,493	25.25	16.03
65 - 99	Age 65 or older	2,217	37.49	18.13

Imputed race/ethnicity value

Weighting: 1.11 Weighting Variables

Type: Num

Column: 1055-1056

SAS Variable Name: _IMPRACE

Prologue:

Description: Imputed race/ethnicity value (This value is the reported race/ethnicity or an imputed race/ethnicity, if the respondent refused to give a race/ethnicity. The value of the imputed race/ethnicity will be the most common race/ethnicity response for that region of the state)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White, Non-Hispanic	4,963	83.92	78.26
2	Black, Non-Hispanic	726	12.28	15.22
3	Asian, Non-Hispanic	16	0.27	0.63
4	American Indian/Alaskan Native, Non-Hispanic	28	0.47	0.60
5	Hispanic	77	1.30	2.83
6	Other race, Non-Hispanic	104	1.76	2.47

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Imputed number of phones

Weighting: 1.12 Weighting Variables

Type: Num

Column: 1057

SAS Variable Name: _IMPDPH

Prologue:

Description: Imputed number of phones used in weighting

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of phones	5,648	98.38	99.00
2		81	1.41	0.89
3		11	0.19	0.09
4		1	0.02	0.02
BLANK		173		

Imputed County

Weighting: 1.13 Weighting Variables

Type: Num

Column: 1058-1060

SAS Variable Name: _IMPCTY

Prologue:

Description: Imputed County

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Imputed Education Level

Weighting: 1.14 Weighting Variables

Type: Num

Column: 1061

SAS Variable Name: _IMPEDUC

Prologue:

Description: Imputed Education Level (This value is the reported education level or an imputed education level, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give an education level.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never attended school or only kindergarten	8	0.14	0.15
2	Grades 1 through 8 (Elementary)	307	5.19	5.81
3	Grades 9 through 11 (Some high school)	478	8.08	11.51
4	Grade 12 or GED (High school graduate)	2,020	34.16	33.69
5	College 1 year to 3 years (Some college or technical school)	1,637	27.68	28.00
6	College 4 years or more (College graduate)	1,464	24.75	20.83

Behavioral Risk Factor Surveillance System
TENNESSEE 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Imputed Marital Status

Weighting: 1.15 Weighting Variables

Type: Num

Column: 1062

SAS Variable Name: _IMPMRTL

Prologue:

Description: Imputed Marital Status (This value is the reported marital status or an imputed marital status, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give a marital status.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	2,865	48.44	52.14
2	Divorced	1,119	18.92	13.00
3	Widowed	1,116	18.87	7.46
4	Separated	138	2.33	1.98
5	Never married	625	10.57	22.97
6	A member of an unmarried couple	51	0.86	2.45

Imputed Own or Rent Home

Weighting: 1.16 Weighting Variables

Type: Num

Column: 1063

SAS Variable Name: _IMPHOME

Prologue:

Description: Imputed Own or Rent Home (This value is the reported tenure (rent or own home) or an imputed tenure, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give a tenure.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Own	4,628	78.25	69.59
2	Rent	1,088	18.40	25.62
3	Other arrangement	198	3.35	4.79

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Original state that collected the cell phone data

Weighting: 1.17 Weighting Variables

Type: Num

Column: 1064-1065

SAS Variable Name: O_STATE

Prologue:

Description: Original state that collected the cell phone data

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Alabama	2	0.03	0.23
5	Arkansas	2	0.03	0.23
6	California	1	0.02	0.20
8	Colorado	1	0.02	0.11
9	Connecticut	1	0.02	0.18
10	Delaware	2	0.03	0.36
11	District of Columbia	1	0.02	0.15
12	Florida	6	0.10	1.03
13	Georgia	5	0.08	0.88
15	Hawaii	1	0.02	0.21
17	Illinois	2	0.03	0.25
18	Indiana	3	0.05	0.40
19	Iowa	2	0.03	0.36
20	Kansas	5	0.08	0.95
21	Kentucky	13	0.22	1.59
22	Louisiana	2	0.03	0.43
23	Maine	1	0.02	0.08
25	Massachusetts	1	0.02	0.19
26	Michigan	5	0.08	0.81
28	Mississippi	7	0.12	1.17
29	Missouri	2	0.03	0.21
31	Nebraska	5	0.08	0.71
32	Nevada	2	0.03	0.35
33	New Hampshire	1	0.02	0.14
36	New York	1	0.02	0.13
37	North Carolina	2	0.03	0.26
39	Ohio	2	0.03	0.28
41	Oregon	1	0.02	0.10
42	Pennsylvania	5	0.08	0.82
44	Rhode Island	1	0.02	0.10
45	South Carolina	6	0.10	1.03
47	Tennessee	5,814	98.31	84.42
49	Utah	3	0.05	0.43
50	Vermont	2	0.03	0.47
51	Virginia	3	0.05	0.66
53	Washington	1	0.02	0.08

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Land-Line First Margin (Age-Gender)

Land-LineRaking: 1.1 Weighting Variables

Type: Num

Column: 1066-1068

SAS Variable Name: _MRG01

Prologue:

Description: Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	First raking margin: (age-sex)	5,741	100.00	100.00
BLANK	Missing	173		

Land-Line Second Margin (Race/Ethnicity)

Land-LineRaking: 1.2 Weighting Variables

Type: Num

Column: 1069-1071

SAS Variable Name: _MRG02

Prologue:

Description: Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	5,741	100.00	100.00
BLANK	Missing	173		

Land-Line Third Margin (Education)

Land-LineRaking: 1.3 Weighting Variables

Type: Num

Column: 1072-1074

SAS Variable Name: _MRG03

Prologue:

Description: Land-Line Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than HS	782	13.62	21.04
2	HS Grad	1,976	34.42	36.00
3	Some College	1,581	27.54	24.93
4	College Grad	1,402	24.42	18.02
BLANK	Missing	173		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Land-Line Fourth Margin (Marital Status)

Land-LineRaking: 1.4 Weighting Variables

Type: Num

Column: 1075-1077

SAS Variable Name: _MRG04

Prologue:

Description: Land-Line Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	2,802	48.81	60.38
2	Never married, member unmarried couple	608	10.59	16.76
3	Divorced, Widowed, Separated	2,331	40.60	22.86
BLANK	Missing	173		

Land-Line Fifth Margin (Home Ownership)

Land-LineRaking: 1.5 Weighting Variables

Type: Num

Column: 1078-1080

SAS Variable Name: _MRG05

Prologue:

Description: Land-Line Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Fifth raking margin: (rent/own home)	5,741	100.00	100.00
BLANK	Missing	173		

Land-Line Sixth Margin (Gender-Race/Ethnicity)

Land-LineRaking: 1.6 Weighting Variables

Type: Num

Column: 1081-1083

SAS Variable Name: _MRG06

Prologue:

Description: Land-Line Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Sixth raking margin: (sex-race/ethnicity)	5,741	100.00	100.00
BLANK	Missing	173		

Land-Line Seventh Margin (Age-Race/Ethnicity)

Land-LineRaking: 1.7 Weighting Variables

Type: Num

Column: 1084-1086

SAS Variable Name: _MRG07

Prologue:

Description: Land-Line Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Seventh raking margin: (age-race/ethnicity)	5,741	100.00	100.00
BLANK	Missing	173		

Land-Line Eighth Margin (Regions)

Land-LineRaking: 1.8 Weighting Variables

Type: Num

Column: 1087-1089

SAS Variable Name: _MRG08

Prologue:

Description: Land-Line Eighth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Land-Line Ninth Margin (Regions-Age)

Land-LineRaking: 1.9 Weighting Variables

Type: Num

Column: 1090-1092

SAS Variable Name: _MRG09

Prologue:

Description: Land-Line Ninth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Land-Line Tenth Margin (Regions-Gender)

Land-LineRaking: 1.10 Weighting Variables

Type: Num

Column: 1093-1095

SAS Variable Name: _MRG10

Prologue:

Description: Land-Line Tenth Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Land-LineRaking: 1.11 Weighting Variables

Type: Num

Column: 1096-1098

SAS Variable Name: _MRG11

Prologue:

Description: Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Final weight: Land-line data only

Land-LineRaking: 1.12 Weighting Variables

Type: Num

Column: 1099-1108

SAS Variable Name: _LANDWT

Prologue:

Description: Final weight assigned to each respondent: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Version 1 Land-Line First Margin (Age-Gender)

Land-LineRaking: 1.1 Weighting Variables

Type: Num

Column: 1109-1111

SAS Variable Name: _MRG01V1

Prologue:

Description: Version 1 Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 1 Land-Line Second Margin (Race/Ethnicity)

Land-LineRaking: 1.2 Weighting Variables

Type: Num

Column: 1112-1114

SAS Variable Name: _MRG02V1

Prologue:

Description: Version 1 Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		5,914		

Version 1 Land-Line Third Margin (Education)

Land-LineRaking: 1.3 Weighting Variables

Type: Num

Column: 1115-1117

SAS Variable Name: _MRG03V1

Prologue:

Description: Version 1 Land-Line Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Behavioral Risk Factor Surveillance System
TENNESSEE 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 1 Land-Line Fourth Margin (Marital Status)

Land-LineRaking: 1.4 Weighting Variables

Type: Num

Column: 1118-1120

SAS Variable Name: _MRG04V1

Prologue:

Description: Version 1 Land-Line Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 1 Land-Line Fifth Margin (Home Ownership)

Land-LineRaking: 1.5 Weighting Variables

Type: Num

Column: 1121-1123

SAS Variable Name: _MRG05V1

Prologue:

Description: Version 1 Land-Line Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 1 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Land-LineRaking: 1.6 Weighting Variables

Type: Num

Column: 1124-1126

SAS Variable Name: _MRG06V1

Prologue:

Description: Version 1 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 1 Land-Line Seventh Margin (Age-Race/Ethnicity)

Land-LineRaking: 1.7 Weighting Variables

Type: Num

Column: 1127-1129

SAS Variable Name: _MRG07V1

Prologue:

Description: Version 1 Land-Line Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 1 Land-Line Eighth Margin (Regions)

Land-LineRaking: 1.8 Weighting Variables

Type: Num

Column: 1130-1132

SAS Variable Name: _MRG08V1

Prologue:

Description: Version 1 Land-Line Eighth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 1 Land-Line Ninth Margin (Regions-Age)

Land-LineRaking: 1.9 Weighting Variables

Type: Num

Column: 1133-1135

SAS Variable Name: _MRG09V1

Prologue:

Description: Version 1 Land-Line Ninth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 1 Land-Line Tenth Margin (Regions-Gender)

Land-LineRaking: 1.10 Weighting Variables

Type: Num

Column: 1136-1138

SAS Variable Name: _MRG10V1

Prologue:

Description: Version 1 Land-Line Tenth Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 1 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Land-LineRaking: 1.11 Weighting Variables

Type: Num

Column: 1139-1141

SAS Variable Name: _MRG11V1

Prologue:

Description: Version 1 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Final weight questionnaire version 1: Land-line data only

Land-LineRaking: 1.12 Weighting Variables

Type: Num

Column: 1142-1151

SAS Variable Name: _LNDWTV1

Prologue:

Description: Final weight assigned to each respondent questionnaire version 1: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Version 2 Land-Line First Margin (Age-Gender)

Land-LineRaking: 1.1 Weighting Variables

Type: Num

Column: 1152-1154

SAS Variable Name: _MRG01V2

Prologue:

Description: Version 2 Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 2 Land-Line Second Margin (Race/Ethnicity)

Land-LineRaking: 1.2 Weighting Variables

Type: Num

Column: 1155-1157

SAS Variable Name: _MRG02V2

Prologue:

Description: Version 2 Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 2 Land-Line Third Margin (Education)

Land-LineRaking: 1.3 Weighting Variables

Type: Num

Column: 1158-1160

SAS Variable Name: _MRG03V2

Prologue:

Description: Version 2 Land-Line Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 2 Land-Line Fourth Margin (Marital Status)

Land-LineRaking: 1.4 Weighting Variables

Type: Num

Column: 1161-1163

SAS Variable Name: _MRG04V2

Prologue:

Description: Version 2 Land-Line Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 2 Land-Line Fifth Margin (Home Ownership)

Land-LineRaking: 1.5 Weighting Variables

Type: Num

Column: 1164-1166

SAS Variable Name: _MRG05V2

Prologue:

Description: Version 2 Land-Line Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 2 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Land-LineRaking: 1.6 Weighting Variables

Type: Num

Column: 1167-1169

SAS Variable Name: _MRG06V2

Prologue:

Description: Version 2 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 2 Land-Line Seventh Margin (Age-Race/Ethnicity)

Land-LineRaking: 1.7 Weighting Variables

Type: Num

Column: 1170-1172

SAS Variable Name: _MRG07V2

Prologue:

Description: Version 2 Land-Line Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Behavioral Risk Factor Surveillance System
TENNESSEE 2011 Land Line and Cell Phone Codebook Report
Data was weighted using _LLCPWT.

Version 2 Land-Line Eighth Margin (Regions)

Land-LineRaking: 1.8 Weighting Variables

Type: Num

Column: 1173-1175

SAS Variable Name: _MRG08V2

Prologue:

Description: Version 2 Land-Line Eighth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 2 Land-Line Ninth Margin (Regions-Age)

Land-LineRaking: 1.9 Weighting Variables

Type: Num

Column: 1176-1178

SAS Variable Name: _MRG09V2

Prologue:

Description: Version 2 Land-Line Ninth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 2 Land-Line Tenth Margin (Regions-Gender)

Land-LineRaking: 1.10 Weighting Variables

Type: Num

Column: 1179-1181

SAS Variable Name: _MRG10V2

Prologue:

Description: Version 2 Land-Line Tenth Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 2 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Land-LineRaking: 1.11 Weighting Variables

Type: Num

Column: 1182-1184

SAS Variable Name: _MRG11V2

Prologue:

Description: Version 2 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Final weight questionnaire version 2: Land-line data only

Land-LineRaking: 1.12 Weighting Variables

Type: Num

Column: 1185-1194

SAS Variable Name: _LNDWTV2

Prologue:

Description: Final weight assigned to each respondent questionnaire version 2: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Version 3 Land-Line First Margin (Age-Gender)

Land-LineRaking: 1.1 Weighting Variables

Type: Num

Column: 1195-1197

SAS Variable Name: _MRG01V3

Prologue:

Description: Version 3 Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 3 Land-Line Second Margin (Race/Ethnicity)

Land-LineRaking: 1.2 Weighting Variables

Type: Num

Column: 1198-1200

SAS Variable Name: _MRG02V3

Prologue:

Description: Version 3 Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 3 Land-Line Third Margin (Education)

Land-LineRaking: 1.3 Weighting Variables

Type: Num

Column: 1201-1203

SAS Variable Name: _MRG03V3

Prologue:

Description: Version 3 Land-Line Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 3 Land-Line Fourth Margin (Marital Status)

Land-LineRaking: 1.4 Weighting Variables

Type: Num

Column: 1204-1206

SAS Variable Name: _MRG04V3

Prologue:

Description: Version 3 Land-Line Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 3 Land-Line Fifth Margin (Home Ownership)

Land-LineRaking: 1.5 Weighting Variables

Type: Num

Column: 1207-1209

SAS Variable Name: _MRG05V3

Prologue:

Description: Version 3 Land-Line Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 3 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Land-LineRaking: 1.6 Weighting Variables

Type: Num

Column: 1210-1212

SAS Variable Name: _MRG06V3

Prologue:

Description: Version 3 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 3 Land-Line Seventh Margin (Age-Race/Ethnicity)

Land-LineRaking: 1.7 Weighting Variables

Type: Num

Column: 1213-1215

SAS Variable Name: _MRG07V3

Prologue:

Description: Version 3 Land-Line Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 3 Land-Line Eighth Margin (Regions)

Land-LineRaking: 1.8 Weighting Variables

Type: Num

Column: 1216-1218

SAS Variable Name: _MRG08V3

Prologue:

Description: Version 3 Land-Line Eighth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 3 Land-Line Ninth Margin (Regions-Age)

Land-LineRaking: 1.9 Weighting Variables

Type: Num

Column: 1219-1221

SAS Variable Name: _MRG09V3

Prologue:

Description: Version 3 Land-Line Ninth Margin (Regions-Age)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 3 Land-Line Tenth Margin (Regions-Gender)

Land-LineRaking: 1.10 Weighting Variables

Type: Num

Column: 1222-1224

SAS Variable Name: _MRG10V3

Prologue:

Description: Version 3 Land-Line Tenth Margin (Regions-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 3 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Land-LineRaking: 1.11 Weighting Variables

Type: Num

Column: 1225-1227

SAS Variable Name: _MRG11V3

Prologue:

Description: Version 3 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Final weight questionnaire version 3: Land-line data only

Land-LineRaking: 1.12 Weighting Variables

Type: Num

Column: 1228-1237

SAS Variable Name: _LNDWTV3

Prologue:

Description: Final weight assigned to each respondent questionnaire version 3: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

CRACE with trailing 7, 8, 9s removed

ChildDemographic s: 1.01 Child Demographic Variables

Type: Char

Column: 1238-1243

SAS Variable Name: CRACEORG

Prologue:

Description: CRACE with trailing 7, 8, 9s removed

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	0.09	0.00
9	Refused	200	17.89	18.14
BLANK	Missing	4,796		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	917	82.02	81.85

CRACEORG with responses in ascending order

ChildDemographic s: 1.02 Child Demographic Variables

Type: Num

Column: 1244-1249

SAS Variable Name: CRACEASC

Prologue:

Description: CRACE with 7, 8, 9s removed, in ascending order

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	0.09	0.00
9	Refused	200	17.89	18.14
BLANK	Missing	4,796		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	917	82.02	81.85

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child Non-Hispanic Race including Multiracial

ChildDemographic s: 1.03 Child Demographic Variables

Type: Num

Column: 1250-1251

SAS Variable Name: _CRACE

Prologue:

Description: Child multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only Notes: CRACEASC = 1	712	63.69	63.23
2	Black or African American only Notes: CRACEASC =2	161	14.40	13.79
3	Asian Only Notes: CRACEASC = 3	4	0.36	1.29
5	American Indian or Alaskan Native only Notes: CRACEASC = 5	6	0.54	0.59
6	Other race only Notes: CRACEASC = 6	16	1.43	1.40
7	Multiracial Notes: CRACEASC >= 12	18	1.61	1.54
77	Don't know/Not sure Notes: CRACEASC = 7	1	0.09	0.00
99	Refused Notes: CRACEASC = 9	200	17.89	18.14
BLANK	Missing Notes: CRACEASC = Missing	4,796		

Raw child weighting factor

ChildWeighting: 1.01 Child Weighting Variables

Type: Num

Column: 1252-1261

SAS Variable Name: _RAWCH

Prologue:

Description: Raw child weighting factor (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPNPB).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child design weight

ChildWeighting: 1.02 Child Weighting Variables

Type: Num

Column: 1262-1271

SAS Variable Name: _WT2CH

Prologue:

Description: Child design weight (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Child Age

ChildWeighting: 1.03 Child Weighting Variables

Type: Num

Column: 1272-1274

SAS Variable Name: CHILDAGE

Prologue:

Description: Child Age

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 11	0 Years old	35	3.13	4.39
12 - 23	1 Year old	34	3.04	3.70
24 - 35	2 Years old	37	3.31	4.16
36 - 47	3 Years old	49	4.38	4.77
48 - 59	4 Years old	36	3.22	4.71
60 - 71	5 Years old	39	3.49	6.07
72 - 83	6 Years old	40	3.58	2.60
84 - 95	7 Years old	51	4.56	3.28
96 - 107	8 Years old	44	3.94	4.28
108 - 119	9 Years old	51	4.56	4.23
120 - 131	10 Years old	42	3.76	3.84
132 - 143	11 Years old	53	4.74	4.76
144 - 155	12 Years old	58	5.19	5.30
156 - 167	13 Years old	53	4.74	4.18
168 - 179	14 Years old	51	4.56	3.08
180 - 191	15 Years old	59	5.28	5.02
192 - 203	16 Years old	54	4.83	3.36
204 - 215	17 Years old	54	4.83	3.38
777	Don't know / Not sure	66	5.90	6.39
999	Refused	212	18.96	18.51
BLANK	Not asked or Missing	4,796		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child Land-Line First Margin (Age-Gender)

ChildLand-LineRaking: 1.1 Child Weighting Variables

Type: Num

Column: 1275-1277

SAS Variable Name: _CMRG01

Prologue:

Description: Child Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 8	First raking margin: (age-sex)	1,094	100.00	100.00
BLANK	Missing	4,820		

Child Land-Line Second Margin (Race/Ethnicity)

ChildLand-LineRaking: 1.2 Child Weighting Variables

Type: Num

Column: 1278-1280

SAS Variable Name: _CMRG02

Prologue:

Description: Child Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	1,094	100.00	100.00
BLANK	Missing	4,820		

Child Land-Line Third Margin (Gender-Race/Ethnicity)

ChildLand-LineRaking: 1.3 Child Weighting Variables

Type: Num

Column: 1281-1283

SAS Variable Name: _CMRG03

Prologue:

Description: Child Land-Line Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Third raking margin: (sex-race/ethnicity)	1,094	100.00	100.00
BLANK	Missing	4,820		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child Land-Line Fourth Margin (Age-Race/Ethnicity)

ChildLand-LineRaking: 1.4 Child Weighting Variables

Type: Num

Column: 1284-1286

SAS Variable Name: _CMRG04

Prologue:

Description: Child Land-Line Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Fourth raking margin: (age-race/ethnicity)	1,094	100.00	100.00
BLANK	Missing	4,820		

Final child weight: Land-line data only

ChildLand-LineRaking: 1.5 Child Weighting Variables

Type: Num

Column: 1287-1296

SAS Variable Name: _CLANDWT

Prologue:

Description: Final child weight: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Version 1 Child Land-Line First Margin (Age-Gender)

ChildLand-LineRaking: 1.1 Child Weighting Variables

Type: Num

Column: 1297-1299

SAS Variable Name: _CMG01V1

Prologue:

Description: Version 1 Child Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 1 Child Land-Line Second Margin (Race/Ethnicity)

ChildLand-LineRaking: 1.2 Child Weighting Variables

Type: Num

Column: 1300-1302

SAS Variable Name: _CMG02V1

Prologue:

Description: Version 1 Child Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 1 Child Land-Line Third Margin (Gender-Race/Ethnicity)

ChildLand-LineRaking: 1.3 Child Weighting Variables **Type:** Num
Column: 1303-1305 **SAS Variable Name:** _CMG03V1
Prologue:
Description: Version 1 Child Land-Line Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 1 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

ChildLand-LineRaking: 1.4 Child Weighting Variables **Type:** Num
Column: 1306-1308 **SAS Variable Name:** _CMG04V1
Prologue:
Description: Version 1 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Final child weight questionnaire version 1: Land-line data only

ChildLand-LineRaking: 1.5 Child Weighting Variables **Type:** Num
Column: 1309-1318 **SAS Variable Name:** _CLDWTV1
Prologue:
Description: Final child weight questionnaire version 1: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 2 Child Land-Line First Margin (Age-Gender)

ChildLand-LineRaking:	1.1 Child Weighting Variables		Type: Num
Column:	1319-1321		SAS Variable Name: _CMG01V2
Prologue:			
Description:	Version 2 Child Land-Line First Margin (Age-Gender)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	5,914	Weighted Percentage

Version 2 Child Land-Line Second Margin (Race/Ethnicity)

ChildLand-LineRaking:	1.2 Child Weighting Variables		Type: Num
Column:	1322-1324		SAS Variable Name: _CMG02V2
Prologue:			
Description:	Version 2 Child Land-Line Second Margin (Race/Ethnicity)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	5,914	Weighted Percentage

Version 2 Child Land-Line Third Margin (Gender-Race/Ethnicity)

ChildLand-LineRaking:	1.3 Child Weighting Variables		Type: Num
Column:	1325-1327		SAS Variable Name: _CMG03V2
Prologue:			
Description:	Version 2 Child Land-Line Third Margin (Gender-Race/Ethnicity)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	5,914	Weighted Percentage

Version 2 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

ChildLand-LineRaking:	1.4 Child Weighting Variables		Type: Num
Column:	1328-1330		SAS Variable Name: _CMG04V2
Prologue:			
Description:	Version 2 Child Land-Line Fourth Margin (Age-Race/Ethnicity)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	5,914	Weighted Percentage

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Final child weight questionnaire version 2: Land-line data only

ChildLand-LineRaking: 1.5 Child Weighting Variables

Type: Num

Column: 1331-1340

SAS Variable Name: _CLDWTV2

Prologue:

Description: Final child weight questionnaire version 2: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Version 3 Child Land-Line First Margin (Age-Gender)

ChildLand-LineRaking: 1.1 Child Weighting Variables

Type: Num

Column: 1341-1343

SAS Variable Name: _CMG01V3

Prologue:

Description: Version 3 Child Land-Line First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 3 Child Land-Line Second Margin (Race/Ethnicity)

ChildLand-LineRaking: 1.2 Child Weighting Variables

Type: Num

Column: 1344-1346

SAS Variable Name: _CMG02V3

Prologue:

Description: Version 3 Child Land-Line Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Version 3 Child Land-Line Third Margin (Gender-Race/Ethnicity)

ChildLand-LineRaking: 1.3 Child Weighting Variables **Type:** Num
Column: 1347-1349 **SAS Variable Name:** _CMG03V3
Prologue:
Description: Version 3 Child Land-Line Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Version 3 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

ChildLand-LineRaking: 1.4 Child Weighting Variables **Type:** Num
Column: 1350-1352 **SAS Variable Name:** _CMG04V3
Prologue:
Description: Version 3 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Final child weight questionnaire version 3: Land-line data only

ChildLand-LineRaking: 1.5 Child Weighting Variables **Type:** Num
Column: 1353-1362 **SAS Variable Name:** _CLDWTV3
Prologue:
Description: Final child weight questionnaire version 3: Land-line data only (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

ChildLandandCellRaking: 1.1 Child Weighting Variables

Type: Num

Column: 1363-1365

SAS Variable Name: _CLCPM01

Prologue:

Description: Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 8	First raking margin: (age-sex)	1,118	100.00	100.00
1 - 8	First raking margin: (age-sex)	1,118	100.00	100.00
BLANK	Missing	4,796		
BLANK	Missing	4,796		

Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

ChildLandandCellRaking: 1.2 Child Weighting Variables

Type: Num

Column: 1366-1368

SAS Variable Name: _CLCPM02

Prologue:

Description: Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	1,118	100.00	100.00
1 - 6	Second raking margin: (race/ethnicity)	1,118	100.00	100.00
BLANK	Missing	4,796		
BLANK	Missing	4,796		

Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

ChildLandandCellRaking: 1.3 Child Weighting Variables

Type: Num

Column: 1369-1371

SAS Variable Name: _CLCPM03

Prologue:

Description: Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Third raking margin: (sex-race/ethnicity)	1,118	100.00	100.00
1 - 12	Third raking margin: (sex-race/ethnicity)	1,118	100.00	100.00
BLANK	Missing	4,796		
BLANK	Missing	4,796		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

ChildLandandCellIR 1.4 Child Weighting Variables
aking:

Type: Num

Column: 1372-1374

SAS Variable Name: _CLCPM04

Prologue:

Description: Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Fourth raking margin: (age-race/ethnicity)	1,118	100.00	100.00
1 - 18	Fourth raking margin: (age-race/ethnicity)	1,118	100.00	100.00
BLANK	Missing	4,796		
BLANK	Missing	4,796		

Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

ChildLandandCellIR 1.5 Child Weighting Variables
aking:

Type: Num

Column: 1375-1377

SAS Variable Name: _CLCPM05

Prologue:

Description: Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Cell Phone Only	1,118	100.00	100.00
1 - 2	Cell Phone Only	1,118	100.00	100.00
BLANK	Missing	4,796		
BLANK	Missing	4,796		

Final child weight: Land-line and Cell-Phone data

ChildLandandCellIR 1.5 Child Weighting Variables
aking:

Type: Num

Column: 1378-1387

SAS Variable Name: _CLLCPWT

Prologue:

Description: Final child weight: Land-line and Cell-Phone data (Raking derived weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Raw household weighting factor

HouseholdWeighting: 1.1 Household Weighting Variables

Type: Num

Column: 1388-1397

SAS Variable Name: _RAWHH

Prologue:

Description: Raw household weighting factor (One divided by the imputed number of phones (_IMPMPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Household design weight

HouseholdWeighting: 1.2 Household Weighting Variables

Type: Num

Column: 1398-1407

SAS Variable Name: _WT2HH

Prologue:

Description: Household design weight (Household stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWHH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Number of Persons in Household

HouseholdWeighting: 1.3 Household Weighting Variables

Type: Num

Column: 1408-1410

SAS Variable Name: NPHH

Prologue:

Description: Number of Persons in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 Person	2,418	42.12	19.77
2	2 People	1,993	34.72	34.86
3	3 People	608	10.59	17.97
4 - 99	4+ People	722	12.58	27.40
BLANK		173		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Number of Adults in Household

HouseholdWeighting: 1.4 Household Weighting Variables

Type: Num

Column: 1411-1413

SAS Variable Name: NAHH

Prologue:

Description: Number of Adults in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 Adult	2,694	46.93	23.55
2	2 Adults	2,477	43.15	51.83
3 - 99	3+ Adults	570	9.93	24.62
BLANK		173		

Number of Children in Household

HouseholdWeighting: 1.5 Household Weighting Variables

Type: Num

Column: 1414-1416

SAS Variable Name: NCHH

Prologue:

Description: Number of Children in Household

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No Children	4,647	80.94	67.95
1	1 Child	492	8.57	13.50
2 - 99	2+ Children	602	10.49	18.55
BLANK		173		

Final household weight: Land-line data only

HouseholdWeighting: 1.6 Household Weighting Variables

Type: Num

Column: 1417-1426

SAS Variable Name: _HHOLDWT

Prologue:

Description: Final weight assigned to each household: Land-line data only (Raking derived household weight)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Original State and Original Sequence Number

LandandCellRakin g: 2.1 Weighting Variables

Type: Char

Column: 1427-1438

SAS Variable Name: ORGSEQNO

Prologue:

Description: Original State and Original Sequence Number

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,914	100.00	100.00

Combined Land-Line and Cell-Phone First Margin (Age-Gender)

LandandCellRakin g: 2.2 Weighting Variables

Type: Num

Column: 1439-1441

SAS Variable Name: _LLCPM01

Prologue:

Description: Combined Land-Line and Cell-Phone First Margin (Age-Gender)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	First raking margin: (age-sex)	5,914	100.00	100.00

Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

LandandCellRakin g: 2.3 Weighting Variables

Type: Num

Column: 1442-1444

SAS Variable Name: _LLCPM02

Prologue:

Description: Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 6	Second raking margin: (race/ethnicity)	5,914	100.00	100.00

Combined Land-Line and Cell-Phone Third Margin (Education)

LandandCellRaking: 2.4 Weighting Variables

Type: Num

Column: 1445-1447

SAS Variable Name: _LLCPM03

Prologue:

Description: Combined Land-Line and Cell-Phone Third Margin (Education)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than HS	793	13.41	17.48
2	HS Grad	2,020	34.16	33.69
3	Some College	1,637	27.68	28.00
4	College Grad	1,464	24.75	20.83

Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

LandandCellRaking: 2.5 Weighting Variables

Type: Num

Column: 1448-1450

SAS Variable Name: _LLCPM04

Prologue:

Description: Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	2,865	48.44	52.14
2	Never married, member unmarried couple	676	11.43	25.42
3	Divorced, Widowed, Separated	2,373	40.13	22.44

Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

LandandCellRaking: 2.6 Weighting Variables

Type: Num

Column: 1451-1453

SAS Variable Name: _LLCPM05

Prologue:

Description: Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 2	Fifth raking margin: (rent/own home)	5,914	100.00	100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

LandandCellRakin 2.7 Weighting Variables
 g:

Type: Num

Column: 1454-1456

SAS Variable Name: _LLCPM06

Prologue:

Description: Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Sixth raking margin: (sex-race/ethnicity)	5,914	100.00	100.00

Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

LandandCellRakin 2.8 Weighting Variables
 g:

Type: Num

Column: 1457-1459

SAS Variable Name: _LLCPM07

Prologue:

Description: Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 18	Seventh raking margin: (age-race/ethnicity)	5,914	100.00	100.00

Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

LandandCellRakin 2.9 Weighting Variables
 g:

Type: Num

Column: 1460-1462

SAS Variable Name: _LLCPM08

Prologue:

Description: Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 3	Eighth raking margin: (phone source-land line or cell phone)	5,914	100.00	100.00

Combined Land-Line and Cell-Phone Ninth Margin (Regions)

LandandCellRakin 2.10 Weighting Variables
 g:

Type: Num

Column: 1463-1465

SAS Variable Name: _LLCPM09

Prologue:

Description: Combined Land-Line and Cell-Phone Ninth Margin (Regions)

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	5,914		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)

LandandCellRakin g:	2.11 Weighting Variables		Type: Num
Column:	1466-1468		SAS Variable Name: _LLCPM10
Prologue:			
Description:	Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	5,914	Weighted Percentage

Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)

LandandCellRakin g:	2.12 Weighting Variables		Type: Num
Column:	1469-1471		SAS Variable Name: _LLCPM11
Prologue:			
Description:	Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	5,914	Weighted Percentage

Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)

LandandCellRakin g:	2.13 Weighting Variables		Type: Num
Column:	1472-1474		SAS Variable Name: _LLCPM12
Prologue:			
Description:	Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)		
Value	Value Label	Frequency	Percentage
BLANK	Missing	5,914	Weighted Percentage

Final weight: Land-line and cell-phone data

LandandCellRakin g:	2.14 Weighting Variables		Type: Num
Column:	1475-1484		SAS Variable Name: _LLCPWT
Prologue:			
Description:	Final weight assigned to each respondent: Land-line and cell-phone data (Raking derived weight)		
Value	Value Label	Frequency	Percentage
HIDDEN	Data not displayed	5,914	100.00
			Weighted Percentage
			100.00

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Adults with good or better health

CalculatedVariable 1.1 Calculated Variables
s:

Type: Num

Column: 1485

SAS Variable Name: _RFHLTH

Prologue:

Description: Adults with good or better health

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Good or Better Health Notes: GENHLTH = 1 or 2 or 3	4,364	73.79	78.68
2	Fair or Poor Health Notes: GENHLTH = 4 or 5	1,524	25.77	20.85
9	Don't know/Not Sure Or Refused/Missing Notes: GENHLTH = 7 or 9 or Missing	26	0.44	0.47

Respondents aged 18-64 with health care coverage

CalculatedVariable 3.1 Calculated Variables
s:

Type: Num

Column: 1486

SAS Variable Name: _HCVU651

Prologue:

Description: Respondents aged 18-64 that have any form of health care coverage

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 1	3,025	51.15	63.59
2	Do not have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 2	615	10.40	17.65
9	Don't know/Not Sure, Refused or Missing Notes: AGE > 64 or AGE = Missing or HLTHPLAN = 7 or 9 or Missing	2,274	38.45	18.76

High Blood Pressure Calculated Variable

CalculatedVariable 4.1 Calculated Variables
s:

Type: Num

Column: 1487

SAS Variable Name: _RFHYPE5

Prologue:

Description: Adults who have been told they have high blood pressure by a doctor, nurse, or other health professional

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: BPHIGH4 = 2 or 3 or 4	3,012	50.93	61.21
2	Yes Notes: BPHIGH4 = 1	2,896	48.97	38.67
9	Don't know/Not Sure/Refused/Missing Notes: BPHIGH4 = 7 or 9 or Missing	6	0.10	0.12

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Cholesterol Checked Calculated Variable

CalculatedVariables: 5.1 Calculated Variables

Type: Num

Column: 1488

SAS Variable Name: _CHOLCHK

Prologue:

Description: Cholesterol check within past five years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had cholesterol checked in past 5 years Notes: BLOODCHO = 1 and CHOLCHK = 1 or 2 or 3	5,124	86.64	75.38
2	Did not have cholesterol checked in past 5 years Notes: BLOODCHO = 1 and CHOLCHK = 4	134	2.27	3.10
3	Have never had cholesterol checked Notes: BLOODCHO = 2	491	8.30	16.90
9	Don't know/Not Sure Or Refused/Missing Notes: BLOODCHO = 7 or 9 or Missing or CHOLCHK = 7 or 9 or Missing	165	2.79	4.61

High Cholesterol Calculated Variable

CalculatedVariables: 5.2 Calculated Variables

Type: Num

Column: 1489

SAS Variable Name: _RFCHOL

Prologue:

Description: Adults who have had their cholesterol checked and have been told by a doctor, nurse, or other health professional that it was high

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: BLOODCHO=1 and TOLDHI2 = 2	2,963	55.66	60.70
2	Yes Notes: BLOODCHO=1 and TOLDHI2 = 1	2,276	42.76	38.29
9	Don't know/Not Sure Or Refused/Missing Notes: BLOODCHO=1 and TOLDHI2 = 7 or 9 or Missing	84	1.58	1.00
BLANK	Missing Notes: BLOODCHO = 2 or 7 or 9 or Missing	591		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Lifetime Asthma Calculated Variable

CalculatedVariable s: 6.1 Calculated Variables

Type: Num

Column: 1490

SAS Variable Name: _LTASTH1

Prologue:

Description: Adults who have ever been told they have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA3 = 2	5,318	89.92	89.55
2	Yes Notes: ASTHMA3 = 1	587	9.93	10.39
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing	9	0.15	0.07

Current Asthma Calculated Variable

CalculatedVariable s: 6.2 Calculated Variables

Type: Num

Column: 1491

SAS Variable Name: _CASTHM1

Prologue:

Description: Adults who have been told they currently have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA3 = 2 or ASTHMA3 = 1 and ASTHNOW = 2	5,473	92.54	92.64
2	Yes Notes: ASTHMA3 = 1 and ASTHNOW = 1	423	7.15	7.20
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	18	0.30	0.16

Computed Asthma Status

CalculatedVariable s: 6.3 Calculated Variables

Type: Num

Column: 1492

SAS Variable Name: _ASTHMS1

Prologue:

Description: Computed asthma status

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current Notes: ASTHMA3 = 1 and ASTHNOW = 1	423	7.15	7.20
2	Former Notes: ASTHMA3 = 1 and ASTHNOW = 2	155	2.62	3.10
3	Never Notes: ASTHMA3 = 2	5,318	89.92	89.55
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	18	0.30	0.16

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Respondents diagnosed with arthritis

Calculated Variables: 6.4 Calculated Variables

Type: Num

Column: 1493

SAS Variable Name: _DRDXAR1

Prologue:

Description: Respondents that have had a doctor diagnose them as having some form of arthritis

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Diagnosed with arthritis Notes: HAVARTH3 = 1	2,094	35.67	25.86
2	Not diagnosed with arthritis Notes: HAVARTH3 = 2	3,776	64.33	74.14
BLANK	Don't know/Not Sure/Refused/Missing Notes: HAVARTH3 = 7 or 9 or Missing	44		

Computed Smoking Status

Calculated Variables: 7.1 Calculated Variables

Type: Num

Column: 1494

SAS Variable Name: _SMOKER3

Prologue:

Description: Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current smoker - now smokes every day Notes: SMOKE100 = 1 and SMOKEDAY = 1	903	15.27	18.30
2	Current smoker - now smokes some days Notes: SMOKE100 = 1 and SMOKEDAY = 2	237	4.01	4.67
3	Former smoker Notes: SMOKE100 = 1 and SMOKEDAY = 3	1,583	26.77	23.76
4	Never smoked Notes: SMOKE100 = 2	3,170	53.60	53.14
9	Don't know/Refused/Missing Notes: SMOKE100 = 1 and SMOKEDAY = 9 or SMOKE100 = 7 or 9 or Missing	21	0.36	0.13

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Current Smoking Calculated Variable

CalculatedVariable 7.2 Calculated Variables
s:

Type: Num

Column: 1495

SAS Variable Name: _RFSMOK3

Prologue:

Description: Adults who are current smokers

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: _SMOKER3 = 3 or 4	4,753	80.37	76.90
2	Yes Notes: _SMOKER3 = 1 or 2	1,140	19.28	22.97
9	Don't know/Refused/Missing Notes: _SMOKER3 = 9	21	0.36	0.13

MRACE with trailing 7,8,9s removed calculated variable

CalculatedVariable 8.1 Calculated Race Variables
s:

Type: Char

Column: 1496-1501

SAS Variable Name: MRACEORG

Prologue:

Description: MRACE with trailing 7,8,9s removed

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure Notes: MRACE = 7	10	0.17	0.09
9	Refused Notes: MRACE = 9	29	0.49	0.27
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,875	99.34	99.63

MRACEORG with responses in ascending order calculated variable

CalculatedVariable 8.2 Calculated Race Variables
s:

Type: Num

Column: 1502-1507

SAS Variable Name: MRACEASC

Prologue:

Description: MRACE with 7,8,9s removed, in ascending order

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure Notes: MRACEORG = 7	10	0.17	0.09
9	Refused Notes: MRACEORG = 9	29	0.49	0.27
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	5,875	99.34	99.63

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Preferred Race

Calculated Variables: 8.3 Calculated Race Variables

Type: Num

Column: 1508-1509

SAS Variable Name: _PRACE

Prologue:

Description: Preferred race category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White Notes: MRACEASC = 1	5,006	84.65	80.38
2	Black or African American Notes: MRACEASC = 2	759	12.83	15.81
3	Asian Notes: MRACEASC = 3	17	0.29	0.64
4	Native Hawaiian or other Pacific Islander Notes: MRACEASC = 4	7	0.12	0.25
5	American Indian or Alaskan Native Notes: MRACEASC = 5	38	0.64	0.84
6	Other race Notes: MRACEASC = 6	45	0.76	1.50
7	No preferred race Notes: MRACEASC >= 12 and ORACE2 = 7 or 9	3	0.05	0.21
77	Don't know/Not sure Notes: MRACEASC = 7	10	0.17	0.09
99	Refused Notes: MRACEASC = 9	29	0.49	0.27

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed non-Hispanic Race including Multiracial

Calculated Variables: 8.4 Calculated Race Variables

Type: Num

Column: 1510-1511

SAS Variable Name: _MRACE

Prologue:

Description: Multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only Notes: MRACEASC = 1	4,974	84.11	79.67
2	Black or African American only Notes: MRACEASC = 2	732	12.38	15.28
3	Asian Only Notes: MRACEASC = 3	16	0.27	0.63
4	Native Hawaiian or other Pacific Islander only Notes: MRACEASC = 4	6	0.10	0.24
5	American Indian or Alaskan Native only Notes: MRACEASC = 5	29	0.49	0.61
6	Other race only Notes: MRACEASC = 6	44	0.74	1.50
7	Multiracial Notes: MRACEASC >= 12	74	1.25	1.71
77	Don't know/Not sure Notes: MRACEASC = 7	10	0.17	0.09
99	Refused Notes: MRACEASC = 9	29	0.49	0.27

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Race-Ethnicity grouping

CalculatedVariable 8.5 Calculated Race Variables
s:

Type: Num

Column: 1512

SAS Variable Name: RACE2

Prologue:

Description: Race/ethnicity categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 1	4,927	83.31	77.95
2	Black only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 2	726	12.28	15.22
3	Asian only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 3	16	0.27	0.63
4	Native Hawaiian or other Pacific Islander only, Non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 4	6	0.10	0.24
5	American Indian or Alaskan Native only, Non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 5	28	0.47	0.60
6	Other race only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 6	26	0.44	0.53
7	Multiracial, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 7	72	1.22	1.70
8	Hispanic Notes: HISPANC2 = 1	77	1.30	2.83
9	Don't know/Not sure/Refused Notes: HISPANC2 = 7 or 9 or MRACE = 77 or 99 and HISPANC2 = 2	36	0.61	0.30

Create Computed Non-Hispanic Whites/All Others Race Categories Race/Ethnic Group Codes Used In Post-Stratification Variable

CalculatedVariable 8.6 Calculated Race Variables
s:

Type: Num

Column: 1513

SAS Variable Name: _RACEG2

Prologue:

Description: White non-Hispanic race group

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Non-Hispanic White Notes: RACE2 = 1	4,927	83.31	77.95
2	Non-White or Hispanic Notes: RACE2 = 2 or 3 or 4 or 5 or 6 or 7 or 8	951	16.08	21.74
9	Don't know/Not sure/Refused Notes: RACE2 = 9	36	0.61	0.30

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Five level race/ethnicity category.

CalculatedVariable 8.7 Calculated Race Variables
s:

Type: Num

Column: 1514

SAS Variable Name: _RACEGR2

Prologue:

Description: Five-level race/ethnicity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, Non-Hispanic Notes: RACE2 = 1	4,927	83.31	77.95
2	Black only, Non-Hispanic Notes: RACE2 = 2	726	12.28	15.22
3	Other race only, Non-Hispanic Notes: RACE2 = 3 or 4 or 5 or 6	76	1.29	2.00
4	Multiracial, Non-Hispanic Notes: RACE2 = 7	72	1.22	1.70
5	Hispanic Notes: RACE2 = 8	77	1.30	2.83
9	Don't know/Not sure/Refused Notes: RACE2 = 9	36	0.61	0.30

Computed race groups used for internet prevalence tables

CalculatedVariable 8.8 Calculated Race Variables
s:

Type: Num

Column: 1515

SAS Variable Name: _RACE_G

Prologue:

Description: Race groups used for internet prevalence tables

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White - Non-Hispanic Notes: _RACEGR2 = 1	4,927	83.82	78.19
2	Black - Non-Hispanic Notes: _RACEGR2 = 2	726	12.35	15.26
3	Hispanic Notes: _RACEGR2 = 5	77	1.31	2.84
4	Other race only, Non-Hispanic Notes: _RACEGR2 = 3	76	1.29	2.00
5	Multiracial, Non-Hispanic Notes: _RACEGR2 = 4	72	1.22	1.70
BLANK	Don't know/Not sure/Refused component question Notes: _RACEGR2 = 9 or Missing	36		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed number of census race categories chosen

CalculatedVariable 8.9 Calculated Race Variables
s:

Type: Num

Column: 1516

SAS Variable Name: _CNRACE

Prologue:

Description: Number of census race categories chosen

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Other/do not know/refused Notes: 6 <= MRACEASC <= 9	83	1.40	1.86
1	1 category chosen Notes: MRACEASC had one race category	5,761	97.41	96.47
2	2 category chosen Notes: MRACEASC had two race categories	67	1.13	1.58
3	3 category chosen Notes: MRACEASC had three race categories	3	0.05	0.09

Computed number of census race categories chosen, collapsed

CalculatedVariable 8.10 Calculated Race Variables
s:

Type: Num

Column: 1517

SAS Variable Name: _CNRACEC

Prologue:

Description: Number of census race categories chosen, collapsed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One category chosen Notes: _CNRACE = 1	5,761	98.80	98.30
2	Two or more categories chosen Notes: _CNRACE > 1	70	1.20	1.70
BLANK	_CNRACE = 0 or missing Notes: _CNRACE = 0	83		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Reported age in five-year age categories calculated variable

CalculatedVariable 8.11 Calculated Variables
s:

Type: Num

Column: 1518-1519

SAS Variable Name: _AGEG5YR

Prologue:

Description: Fourteen-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= AGE <= 24	144	2.43	12.09
2	Age 25 to 29 Notes: 25 <= AGE <= 29	160	2.71	9.24
3	Age 30 to 34 Notes: 30 <= AGE <= 34	242	4.09	7.96
4	Age 35 to 39 Notes: 35 <= AGE <= 39	283	4.79	8.50
5	Age 40 to 44 Notes: 40 <= AGE <= 44	350	5.92	9.13
6	Age 45 to 49 Notes: 45 <= AGE <= 49	433	7.32	8.19
7	Age 50 to 54 Notes: 50 <= AGE <= 54	580	9.81	10.53
8	Age 55 to 59 Notes: 55 <= AGE <= 59	685	11.58	8.12
9	Age 60 to 64 Notes: 60 <= AGE <= 64	768	12.99	7.58
10	Age 65 to 69 Notes: 65 <= AGE <= 69	715	12.09	5.86
11	Age 70 to 74 Notes: 70 <= AGE <= 74	572	9.67	4.37
12	Age 75 to 79 Notes: 75 <= AGE <= 79	450	7.61	4.19
13	Age 80 or older Notes: 80 <= AGE <= 99	480	8.12	3.71
14	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	52	0.88	0.52

Reported age in two age groups calculated variable

CalculatedVariable 8.12 Calculated Variables
s:

Type: Num

Column: 1520

SAS Variable Name: _AGE65YR

Prologue:

Description: Two-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 64 Notes: 18 <= AGE <= 64	3,645	61.63	81.34
2	Age 65 or older Notes: 65 <= AGE <= 99	2,217	37.49	18.13
3	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	52	0.88	0.52

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Imputed age in six groups

CalculatedVariable 8.13 Calculated Variables
s:

Type: Num

Column: 1521

SAS Variable Name: _AGE_G

Prologue:

Description: Six-level imputed age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 <= AGE <= 24	144	2.43	12.09
2	Age 25 to 34 Notes: 25 <= AGE <= 34	403	6.81	17.32
3	Age 35 to 44 Notes: 35 <= AGE <= 44	633	10.70	17.63
4	Age 45 to 54 Notes: 45 <= AGE <= 54	1,024	17.31	18.80
5	Age 55 to 64 Notes: 55 <= AGE <= 64	1,493	25.25	16.03
6	Age 65 or older Notes: AGE >= 65	2,217	37.49	18.13

Computed Height in Inches

CalculatedVariable 8.14 Calculated Variables
s:

Type: Num

Column: 1522-1524

SAS Variable Name: HTIN4

Prologue:

Description: Reported height in inches

Value	Value Label	Frequency	Percentage	Weighted Percentage
36 - 95	Height in inches Notes: 0036 <= HEIGHT3 <= 0711	5,850	100.00	100.00
BLANK		64		

Computed Height in Meters

CalculatedVariable 8.15 Calculated Variables
s:

Type: Num

Column: 1525-1527

SAS Variable Name: HTM4

Prologue:

Description: Reported height in meters

Value	Value Label	Frequency	Percentage	Weighted Percentage
91		5,852	100.00	100.00
BLANK		62		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Weight in Kilograms

CalculatedVariable 8.16 Calculated Variables
s:

Type: Num

Column: 1528-1532

SAS Variable Name: WTKG3

Prologue:

Description: Reported weight in kilograms

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 99998	Weight in kilograms [2 implied decimal places] Notes: 0001 <= WEIGHT2 <= 650 or 9023 <= WEIGHT2 <= 9295	5,613	100.00	100.00
BLANK		301		

Computed body mass index

CalculatedVariable 8.17 Calculated Variables
s:

Type: Num

Column: 1533-1536

SAS Variable Name: _BMI5

Prologue:

Description: Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 9999	1 or greater Notes: WTKG3/(HTM4*HTM4) (Has 2 implied decimal places)	5,575	100.00	100.00
BLANK	Don't know/Refused/Missing Notes: WTKG3 = 777 or 999 or HTM4 = 777 or 999 or PREGNANT=1 or _BMI5 < 12.00 or _BMI5 > 99.99	339		

Computed body mass index categories

CalculatedVariable 8.18 Calculated Variables
s:

Type: Num

Column: 1537

SAS Variable Name: _BMI5CAT

Prologue:

Description: Four-categories of Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Underweight Notes: 1200 <= _BMI5 < 1850 (_BMI5 has 2 implied decimal places)	105	1.88	2.16
2	Normal Weight Notes: 1850 <= _BMI5 < 2500	1,757	31.52	31.36
3	Overweight Notes: 2500 <= _BMI5 < 3000	1,991	35.71	37.28
4	Obese Notes: 3000 <= _BMI5 < 9999	1,722	30.89	29.21
BLANK	Don't know/Refused/Missing Notes: _BMI5 = Missing	339		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Overweight or obese calculated variable

CalculatedVariables: 8.19 Calculated Variables

Type: Num

Column: 1538

SAS Variable Name: _RFBMI5

Prologue:

Description: Adults who have a body mass index greater than 25.00 (Overweight or Obese)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: 1200 <= BMI54 < 2500 (BMI5 has 2 implied decimal places)	1,862	31.48	31.70
2	Yes Notes: 2500 <= _BMI5 < 9999	3,713	62.78	62.90
9	Don't know/Refused/Missing Notes: _BMI5 = Missing	339	5.73	5.40

Computed number of children in household

CalculatedVariables: 8.20 Calculated Variables

Type: Num

Column: 1539

SAS Variable Name: _CHLDCNT

Prologue:

Description: Number of children in household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No children in household Notes: CHILDREN = 88	4,740	80.15	66.97
2	One child in household Notes: CHILDREN = 01	521	8.81	14.14
3	Two children in household Notes: CHILDREN = 02	414	7.00	13.48
4	Three children in household Notes: CHILDREN = 03	163	2.76	3.58
5	Four children in household Notes: CHILDREN = 04	42	0.71	1.23
6	Five or more children in household Notes: 05 <= CHILDREN < 88	13	0.22	0.23
9	Don't know/Not sure/Missing Notes: CHILDREN = 99	21	0.36	0.36

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed level of education completed categories

CalculatedVariables: 8.21 Calculated Variables

Type: Num

Column: 1540

SAS Variable Name: _EDUCAG

Prologue:

Description: Level of education completed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Did not graduate High School Notes: EDUCA = 1 or 2 or 3	787	13.31	17.36
2	Graduated High School Notes: EDUCA = 4	2,013	34.04	33.65
3	Attended College or Technical School Notes: EDUCA = 5	1,632	27.60	27.99
4	Graduated from College or Technical School Notes: EDUCA = 6	1,459	24.67	20.81
9	Don't know/Not sure/Missing Notes: EDUCA = 9 or Missing	23	0.39	0.19

Computed income categories

CalculatedVariables: 8.22 Calculated Variables

Type: Num

Column: 1541

SAS Variable Name: _INCOMG

Prologue:

Description: Income categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$15,000 Notes: INCOME2 = 1 or 2	705	11.92	12.59
2	\$15,000 to less than \$25,000 Notes: INCOME2 = 3 or 4	1,296	21.91	19.49
3	\$25,000 to less than \$35,000 Notes: INCOME2 = 5	553	9.35	9.55
4	\$35,000 to less than \$50,000 Notes: INCOME2 = 6	587	9.93	10.71
5	\$50,000 or more Notes: INCOME2 = 7 or 8	1,312	22.18	26.23
9	Don't know/Not sure/Missing Notes: INCOME2 = 77 or 99 or Missing	1,461	24.70	21.42

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Fruit Juice intake in times per day

CalculatedVariables: 9.1 Calculated Variables

Type: Num

Column: 1542-1545

SAS Variable Name: FTJUDA1_

Prologue:

Description: Fruit juice intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	5,473	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	441		

Computed Fruit intake in times per day

CalculatedVariables: 9.2 Calculated Variables

Type: Num

Column: 1546-1549

SAS Variable Name: FRUTDA1_

Prologue:

Description: Fruit intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	5,513	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	401		

Computed Bean intake in times per day

CalculatedVariables: 9.3 Calculated Variables

Type: Num

Column: 1550-1553

SAS Variable Name: BEANDAY_

Prologue:

Description: Bean intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	5,476	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	438		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed Dark Green Vegetable intake in times per day

Calculated Variables: 9.4 Calculated Variables

Type: Num

Column: 1554-1557

SAS Variable Name: GRENDAY_

Prologue:

Description: Dark green vegetable intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	5,491	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	423		

Computed Orange-Colored Vegetable intake in times per day

Calculated Variables: 9.5 Calculated Variables

Type: Num

Column: 1558-1561

SAS Variable Name: ORNGDAY_

Prologue:

Description: Orange-colored vegetable intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	5,445	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	469		

Computed Vegetable intake in times per day

Calculated Variables: 9.6 Calculated Variables

Type: Num

Column: 1562-1565

SAS Variable Name: VEGEDA1_

Prologue:

Description: Vegetable intake in times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9999	Times per day	5,419	100.00	100.00
BLANK	Don't know/Not Sure Or Refused/Missing	495		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

The number of missing fruit responses

CalculatedVariables: 9.7 Calculated Variables

Type: Num

Column: 1566

SAS Variable Name: _MISFRTN

Prologue:

Description: The number of missing fruit responses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No missing fruit responses	5,367	90.75	90.97
1 - 2	Has 1 or 2 missing fruit responses	547	9.25	9.03

The number of missing vegetable responses

CalculatedVariables: 9.8 Calculated Variables

Type: Num

Column: 1567

SAS Variable Name: _MISVEGN

Prologue:

Description: The number of missing vegetable responses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No missing vegetable responses	5,221	88.28	89.25
1 - 4	Has 1, 2, 3, or 4 missing vegetable responses	693	11.72	10.75

Missing any fruit responses

CalculatedVariables: 9.9 Calculated Variables

Type: Num

Column: 1568

SAS Variable Name: _FRTRESP

Prologue:

Description: Missing any fruit responses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Included - Missing Fruit Responses	547	9.25	9.03
1	Included - Not Missing Fruit Responses	5,367	90.75	90.97

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Missing any vegetable responses

CalculatedVariables: 9.10 Calculated Variables

Type: Num

Column: 1569

SAS Variable Name: _VEGRES

Prologue:

Description: Missing any vegetable responses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Included - Missing Vegetable Responses	693	11.72	10.75
1	Included - Not Missing Vegetable Responses	5,221	88.28	89.25

Total fruits consumed per day

CalculatedVariables: 9.11 Calculated Variables

Type: Num

Column: 1570-1575

SAS Variable Name: _FRUTSUM

Prologue:

Description: Total fruits consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99998	Number of Fruits consumed per day (one implied decimal place)	5,619	100.00	100.00
BLANK	Not asked or Missing	295		

Total vegetables consumed per day

CalculatedVariables: 9.12 Calculated Variables

Type: Num

Column: 1576-1581

SAS Variable Name: _VEGESUM

Prologue:

Description: Total vegetables consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99998	Number of Vegetables consumed per day (one implied decimal place)	5,586	100.00	100.00
BLANK	Not asked or Missing	328		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Reported consuming Fruit >16 per day

CalculatedVariable s: 9.13 Calculated Variables

Type: Num

Column: 1582

SAS Variable Name: _FRT16

Prologue:

Description: Reported consuming Fruit >16 per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Included - Values are in accepted range	5,914	100.00	100.00

Reported consuming Vegetables >23 per day

CalculatedVariable s: 9.14 Calculated Variables

Type: Num

Column: 1583

SAS Variable Name: _VEG23

Prologue:

Description: Reported consuming Vegetables >23 per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Included - Values are in accepted range	5,914	100.00	100.00

Fruit Exclusion from analyses

CalculatedVariable s: 9.15 Calculated Variables

Type: Num

Column: 1584

SAS Variable Name: _FRUITEX

Prologue:

Description: Fruit Exclusion from analyses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No missing values and in accepted range	5,367	90.75	90.97
1	Missing Fruit responses	547	9.25	9.03

Vegetable Exclusion from analyses

CalculatedVariable s: 9.16 Calculated Variables

Type: Num

Column: 1585

SAS Variable Name: _VEGETEX

Prologue:

Description: Vegetable Exclusion from analyses

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No missing values and in accepted range	5,221	88.28	89.25
1	Missing Vegetable responses	693	11.72	10.75

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Leisure Time Physical Activity Calculated Variable

CalculatedVariable 10.1 Calculated Variables
s:

Type: Num

Column: 1586

SAS Variable Name: _TOTINDA

Prologue:

Description: Adults that report doing physical activity or exercise during the past 30 days other than their regular job

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had physical activity or exercise Notes: EXERANY2 = 1	3,416	57.76	61.02
2	No physical activity or exercise in last 30 days Notes: EXERANY2 = 2	2,190	37.03	33.07
9	Don't know/Refused/Missing Notes: EXERANY2 = 7 or 9 or Missing	308	5.21	5.91

Activity MET Value for First Activity

CalculatedVariable 10.2 Calculated Variables
s:

Type: Num

Column: 1587-1589

SAS Variable Name: METVAL1_

Prologue:

Description: Activity MET Value for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Activity MET Value	112	3.31	6.07
1 - 128	Activity MET Value (one implied decimal place)	3,272	96.69	93.93
BLANK	Not asked or Missing	2,530		

Activity MET Value for Second Activity

CalculatedVariable 10.3 Calculated Variables
s:

Type: Num

Column: 1590-1592

SAS Variable Name: METVAL2_

Prologue:

Description: Activity MET Value for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Activity MET Value	1,983	61.64	60.65
1 - 128	Activity MET Value (one implied decimal place)	1,234	38.36	39.35
BLANK	Not asked or Missing	2,697		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Estimated Age-Gender Specific Maximum Oxygen Consumption

CalculatedVariable 10.4 Calculated Variables
s:

Type: Num

Column: 1593-1597

SAS Variable Name: MAXVO2_

Prologue:

Description: Estimated Age-Gender Specific Maximum Oxygen Consumption

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 501	Estimated Maximum Oxygen Consumption (two implied decimal places)	5,862	99.12	99.48
99900	Don't know/Not Sure/Refused/Missing	52	0.88	0.52

Estimated Functional Capacity

CalculatedVariable 10.5 Calculated Variables
s:

Type: Num

Column: 1598-1602

SAS Variable Name: FC60_

Prologue:

Description: Estimated Functional Capacity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 8590	Estimated Functional Capacity (2 implied decimal places)	5,862	99.12	99.48
99900	Don't know/Not Sure/Refused/Missing	52	0.88	0.52

Estimated Activity Intensity for First Activity

CalculatedVariable 10.6 Calculated Variables
s:

Type: Num

Column: 1603

SAS Variable Name: ACTINT1_

Prologue:

Description: Estimated Activity Intensity for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Moderate or Vigorous or No Activity	109	3.25	6.05
1	Moderate	2,144	63.87	72.91
2	Vigorous	1,104	32.89	21.05
BLANK	Not asked or Missing	2,557		

Estimated Activity Intensity for Second Activity

CalculatedVariable 10.7 Calculated Variables
s:

Type: Num

Column: 1604

SAS Variable Name: ACTINT2_

Prologue:

Description: Estimated Activity Intensity for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Moderate or Vigorous or No Activity	1,966	61.63	60.58
1	Moderate	622	19.50	25.72
2	Vigorous	602	18.87	13.70
BLANK	Not asked or Missing	2,724		

Minutes of First Activity

CalculatedVariable 10.8 Calculated Variables
s:

Type: Num

Column: 1605-1607

SAS Variable Name: PADUR1_

Prologue:

Description: Minutes of First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 599	Minutes of Activity	3,239	100.00	100.00
BLANK	Not asked or Missing	2,675		

Minutes of Second Activity

CalculatedVariable 10.9 Calculated Variables
s:

Type: Num

Column: 1608-1610

SAS Variable Name: PADUR2_

Prologue:

Description: Minutes of Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 599	Minutes of Activity	1,361	100.00	100.00
BLANK	Not asked or Missing	4,553		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Physical Activity Frequency per Week for First Activity

CalculatedVariables: 10.10 Calculated Variables

Type: Num

Column: 1611-1615

SAS Variable Name: PAFREQ1_

Prologue:

Description: Physical Activity Frequency per Week for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 98999	Activity times per week (3 implied decimal places)	3,297	100.00	100.00
BLANK	Not asked or Missing	2,617		

Physical Activity Frequency per Week for Second Activity

CalculatedVariables: 10.11 Calculated Variables

Type: Num

Column: 1616-1620

SAS Variable Name: PAFREQ2_

Prologue:

Description: Physical Activity Frequency per Week for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 98999	Activity times per week (3 implied decimal places)	1,371	100.00	100.00
BLANK	Not asked or Missing	4,543		

Minutes of Physical Activity per week for First Activity

CalculatedVariables: 10.12 Calculated Variables

Type: Num

Column: 1621-1625

SAS Variable Name: _MINACT1

Prologue:

Description: Minutes of Physical Activity per week for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Minutes of Activity per week	136	4.26	7.79
1 - 99999	Minutes of Activity per week	3,057	95.74	92.21
BLANK	Not asked or Missing	2,721		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Minutes of Physical Activity per week for Second Activity

CalculatedVariables: 10.13 Calculated Variables

Type: Num

Column: 1626-1630

SAS Variable Name: _MINACT2

Prologue:

Description: Minutes of Physical Activity per week for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Minutes of Activity per week	1,994	63.16	61.94
1 - 99999	Minutes of Activity per week	1,163	36.84	38.06
BLANK	Not asked or Missing	2,757		

Strength Activity Frequency per Week

CalculatedVariables: 10.14 Calculated Variables

Type: Num

Column: 1631-1635

SAS Variable Name: STRFREQ_

Prologue:

Description: Strength Activity Frequency per Week

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 98999	Strength Activity times per week (3 implied decimal places)	1,358	100.00	100.00
BLANK	Not asked or Missing	4,556		

Missing Physical Activity Data

CalculatedVariables: 10.15 Calculated Variables

Type: Num

Column: 1636

SAS Variable Name: PAMISS_

Prologue:

Description: Missing Physical Activity Data

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Not Missing Physical Activity Data	5,158	87.22	87.49
1	Missing Physical Activity Data	448	7.58	6.60
9	Don't know/Not Sure/Refused	308	5.21	5.91

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Minutes of Physical Activity per week for First Activity

CalculatedVariables: 10.16 Calculated Variables

Type: Num

Column: 1637-1641

SAS Variable Name: PAMIN1_

Prologue:

Description: Minutes of Physical Activity per week for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	3,168	100.00	100.00
BLANK	Not asked or Missing	2,746		

Minutes of Physical Activity per week for Second Activity

CalculatedVariables: 10.17 Calculated Variables

Type: Num

Column: 1642-1646

SAS Variable Name: PAMIN2_

Prologue:

Description: Minutes of Physical Activity per week for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	3,130	100.00	100.00
BLANK	Not asked or Missing	2,784		

Minutes of total Physical Activity per week

CalculatedVariables: 10.18 Calculated Variables

Type: Num

Column: 1647-1651

SAS Variable Name: PAMIN_

Prologue:

Description: Minutes of total Physical Activity per week

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	3,330	100.00	100.00
BLANK	Not asked or Missing	2,584		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Minutes of Vigorous Physical Activity per week for First Activity

CalculatedVariable s: 10.19 Calculated Variables

Type: Num

Column: 1652-1656

SAS Variable Name: PAVIGM1_

Prologue:

Description: Minutes of Vigorous Physical Activity per week for First Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	3,270	100.00	100.00
BLANK	Not asked or Missing	2,644		

Minutes of Vigorous Physical Activity per week for Second Activity

CalculatedVariable s: 10.20 Calculated Variables

Type: Num

Column: 1657-1661

SAS Variable Name: PAVIGM2_

Prologue:

Description: Minutes of Vigorous Physical Activity per week for Second Activity

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	3,154	100.00	100.00
BLANK	Not asked or Missing	2,760		

Minutes of total Vigorous Physical Activity per week

CalculatedVariable s: 10.21 Calculated Variables

Type: Num

Column: 1662-1666

SAS Variable Name: PAVIGMN_

Prologue:

Description: Minutes of total Vigorous Physical Activity per week

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99999	Minutes of Activity per week	3,350	100.00	100.00
BLANK	Not asked or Missing	2,564		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Physical Activity Categories

CalculatedVariable 10.22 Calculated Variables
s:

Type: Num

Column: 1667

SAS Variable Name: _PACAT

Prologue:

Description: Physical Activity Categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Highly Active	1,067	18.04	20.01
2	Active	791	13.38	13.96
3	Insufficiently Active	1,083	18.31	18.08
4	Inactive	2,268	38.35	36.03
9	Don't know/Not Sure/Refused/Missing	705	11.92	11.92

Physical Activity Index

CalculatedVariable 10.23 Calculated Variables
s:

Type: Num

Column: 1668

SAS Variable Name: _PAINDEX

Prologue:

Description: Physical Activity Index

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Meet Aerobic Recommendations	1,915	32.38	34.52
2	Did Not Meet Aerobic Recommendations	3,351	56.66	54.11
9	Don't know/Not Sure/Refused/Missing	648	10.96	11.37

150 Minute Physical Activity Calculated Variable

CalculatedVariable 10.24 Calculated Variables
s:

Type: Num

Column: 1669

SAS Variable Name: _PA150R1

Prologue:

Description: Adults that participated in 150 minutes (or vigorous equivalent minutes) of physical activity per week.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	150+ minutes (or vigorous equivalent minutes) of physical activity	1,915	32.38	34.52
2	1-149 minutes (or vigorous equivalent minutes) of physical activity	1,083	18.31	18.08
3	0 minutes (or vigorous equivalent minutes) of physical activity	2,268	38.35	36.03
9	Don't know/Not Sure/Refused/Missing	648	10.96	11.37

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

300 Minute Physical Activity Calculated Variable

CalculatedVariable 10.25 Calculated Variables
s:

Type: Num

Column: 1670

SAS Variable Name: _PA300R1

Prologue:

Description: Adults that participated in 300 minutes (or vigorous equivalent minutes) of physical activity per week.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	301+ minutes (or vigorous equivalent minutes) of physical activity	1,067	18.04	20.01
2	1-300 minutes (or vigorous equivalent minutes) of physical activity	1,874	31.69	32.04
3	0 minutes (or vigorous equivalent minutes) of physical activity	2,268	38.35	36.03
9	Don't know/Not Sure/Refused/Missing	705	11.92	11.92

300 Minute Physical Activity 2-Level Calculated Variable

CalculatedVariable 10.26 Calculated Variables
s:

Type: Num

Column: 1671

SAS Variable Name: _PA3002L

Prologue:

Description: Adults that participated in 300 minutes (or vigorous equivalent minutes) of physical activity per week (2-levels).

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	301+ minutes (or vigorous equivalent minutes) of physical activity	1,067	18.04	20.01
2	0-300 minutes (or vigorous equivalent minutes) of physical activity	4,142	70.04	68.07
9	Don't know/Not Sure/Refused/Missing	705	11.92	11.92

Muscle Strengthening Recommendation

CalculatedVariable 10.27 Calculated Variables
s:

Type: Num

Column: 1672

SAS Variable Name: _PASTRNG

Prologue:

Description: Muscle Strengthening Recommendation

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Meet muscle strengthening recommendations	881	14.90	18.95
2	Did not meet muscle strengthening recommendations	4,588	77.58	72.99
9	Don't know/Not Sure/Refused/Missing	445	7.52	8.07

Aerobic and Strengthening Guideline

CalculatedVariable 10.28 Calculated Variables
s:

Type: Num

Column: 1673

SAS Variable Name: _PAREC

Prologue:

Description: Aerobic and Strengthening Guideline

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Met Both Guidelines	525	8.88	11.04
2	Met Aerobic Guidelines Only	1,340	22.66	22.59
3	Met Strengthening Guidelines Only	302	5.11	6.73
4	Did not meet Either Guideline	2,986	50.49	46.68
9	Don't know/Not Sure/Refused/Missing	761	12.87	12.97

Aerobic and Strengthening (2-level)

CalculatedVariable 10.29 Calculated Variables
s:

Type: Num

Column: 1674

SAS Variable Name: _PASTAER

Prologue:

Description: Aerobic and Strengthening (2-level)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Met Both Guidelines	525	8.88	11.04
2	Did Not Meet Both Guidelines	4,628	78.25	75.99
9	Don't know/Not Sure/Refused/Missing	761	12.87	12.97

Always or Nearly Always Wear Seat Belts

CalculatedVariable 13.1 Calculated Variables
s:

Type: Num

Column: 1675

SAS Variable Name: _RFSEAT2

Prologue:

Description: Always or Nearly Always Wear Seat Belts Calculated Variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always or Almost Always Wear Seat Belt	5,259	88.92	87.29
2	Sometimes, Seldom, or Never Wear Seat Belt	295	4.99	5.72
9	Don't know/Not Sure Or Refused/Missing	360	6.09	6.99

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Always Wear Seat Belts

CalculatedVariable 13.2 Calculated Variables
s:

Type: Num

Column: 1676

SAS Variable Name: _RFSEAT3

Prologue:

Description: Always Wear Seat Belts Calculated Variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always Wear Seat Belt	4,977	84.16	80.97
2	Don't Always Wear Seat Belt	577	9.76	12.04
9	Don't know/Not Sure Or Refused/Missing	360	6.09	6.99

Flu Shot Calculated Variable

CalculatedVariable 14.1 Calculated Variables
s:

Type: Num

Column: 1677

SAS Variable Name: _FLSHOT5

Prologue:

Description: Adults aged 65+ who have had a flu shot within the past year

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE >=65 and FLUSHOT5 = 1	1,405	61.92	60.80
2	No	632	27.85	29.04
9	Don't know/Not Sure Or Refused/Missing	232	10.22	10.16
BLANK	Age Less Than 65	3,645		

Pneumonia Vaccination Calculated Variable

CalculatedVariable 14.2 Calculated Variables
s:

Type: Num

Column: 1678

SAS Variable Name: _PNEUMO2

Prologue:

Description: Adults aged 65+ who have ever had a pneumonia vaccination

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE >= 65 and PNEUVAC3 = 1	1,389	61.22	62.23
2	No Notes: AGE >= 65 and PNEUVAC3 = 2	617	27.19	26.22
9	Don't know/Not Sure Or Refused/Missing Notes: AGE = 7 or 9 or Missing or PNEUVAC3 = 7 or 9 or Missing	263	11.59	11.55
BLANK	Age Less Than 65 Notes: AGE < 65	3,645		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Drink any alcoholic beverages in past 30 days

Calculated Variables: 15.1 Calculated Variables

Type: Num

Column: 1679

SAS Variable Name: DRNKANY5

Prologue:

Description: Adults that report having had at least one drink of alcohol in the past 30 days.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: 1 <= ALCDAY5 <= 231	1,381	23.35	33.98
2	No Notes: ALCDAY5=888	4,016	67.91	56.53
7	Don't know/Not Sure Notes: ALCDAY5=777	97	1.64	1.58
9	Refused/Missing Notes: ALCDAY5=999, Missing	420	7.10	7.91

Computed drink-occasions-per-day

Calculated Variables: 15.2 Calculated Variables

Type: Num

Column: 1680-1682

SAS Variable Name: DROCDY3_

Prologue:

Description: Drink-occasions-per-day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No Drink-Occasions per day Notes: ALCDAY5 = 888	4,016	67.91	56.53
1 - 899	Drink-Occasions per day Notes: ALCDAY5 <= 231	1,381	23.35	33.98
900	Don't know/Not Sure Or Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing	517	8.74	9.49

Binge Drinking Calculated Variable

Calculated Variables: 15.3 Calculated Variables

Type: Num

Column: 1683

SAS Variable Name: _RFBING5

Prologue:

Description: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ALCDAY5 < 300 and DRNK3GE5 = 0 or ALCDAY5 = 888	5,061	85.58	80.48
2	Yes Notes: ALCDAY5 < 300 and DRNK3GE5 = 1	300	5.07	8.94
9	Don't know/Refused/Missing Notes: DRNK3GE5 = 7 or 9 or Missing or ALCDAY5 = 777 or 999 or Missing	553	9.35	10.58

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Computed number of drinks of alcohol beverages per day

CalculatedVariable 15.4 Calculated Variables
s:

Type: Num

Column: 1684-1687

SAS Variable Name: _DRNKDY4

Prologue:

Description: Calculated total number of alcoholic beverages consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink Notes: ALCDAY5 = 888	4,016	67.91	56.53
1 - 9899	Number of drinks per day Notes: ALCDAY5 / 7 per week or ALCDAY5 / 30 per month * AVEDRNK2	1,346	22.76	32.84
9900	Don't know/Not sure/Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing	552	9.33	10.63

Computed total number drinks a month

CalculatedVariable 15.5 Calculated Variables
s:

Type: Num

Column: 1688-1691

SAS Variable Name: _DRNKMO4

Prologue:

Description: Calculated total number of alcoholic beverages consumed per month

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink in the past month Notes: _DRNKDY4 = 0	4,016	67.91	56.53
1 - 9998	Number of Drinks Notes: _DRNKDY4 * 30	1,898	32.09	43.47

Heavy Alcohol Consumption Calculated Variable

CalculatedVariable 15.6 Calculated Variables
s:

Type: Num

Column: 1692

SAS Variable Name: _RFDRHV4

Prologue:

Description: Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 1 and DRNKDY4 <= 2 or SEX = 2 and DRNKDY4 <= 1 or ALCDAY5 = 888	5,231	88.45	86.38
2	Yes Notes: SEX = 1 and _DRNKDY4 > 2 or SEX = 2 and _DRNKDY4 > 1	131	2.22	3.00
9	Don't know/Refused/Missing Notes: _DRNKDY4 = 900	552	9.33	10.63

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Adult Men Heavy Alcohol Consumption Calculated Variable

CalculatedVariable 15.7 Calculated Variables
s:

Type: Num

Column: 1693

SAS Variable Name: _RFDRMN4

Prologue:

Description: Adult Men that are Heavy drinkers (having more than two drinks per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 1 and _DRNKDY4 <= 2 or ALCDAY5 = 888	1,589	86.50	82.99
2	Yes Notes: SEX = 1 and _DRNKDY4 > 2	58	3.16	3.72
9	Don't know/Refused/Missing Notes: _DRNKDY4 = 900	190	10.34	13.29
BLANK	Respondent is female Notes: SEX = 2	4,077		

Adult Women Heavy Alcohol Consumption Calculated Variable

CalculatedVariable 15.8 Calculated Variables
s:

Type: Num

Column: 1694

SAS Variable Name: _RFDRWM4

Prologue:

Description: Adult Women that are Heavy drinkers (having more than one drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 2 and _DRNKDY4 <= 1 or ALCDAY5 = 888	3,642	89.33	89.52
2	Yes Notes: SEX = 2 and _DRNKDY4 > 1	73	1.79	2.32
9	Don't know/Refused/Missing Notes: _DRNKDY4 = 900	362	8.88	8.16
BLANK	Respondent is male Notes: SEX = 1	1,837		

Behavioral Risk Factor Surveillance System
 TENNESSEE 2011 Land Line and Cell Phone Codebook Report
 Data was weighted using _LLCPWT.

Ever been tested for HIV calculated variable

CalculatedVariables: 16.1 Calculated Variables

Type: Num

Column: 1695

SAS Variable Name: _AIDTST3

Prologue:

Description: Adults that have ever been tested for HIV

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: HIVTST6 = 1	1,508	25.56	36.46
2	No Notes: HIVTST6 = 2	3,607	61.14	52.81
9	Don't know/Not Sure/Refused Notes: HIVTST6 = 7 or 9	785	13.31	10.73
BLANK	Missing or Age greater than 64 Notes: HIVTST6 = Missing	14		